



Enhertu® (fam-trastuzumab deruxtecan-nxki) (Intravenous)

Document Number: IC-0522

Last Review Date: 06/04/2024 Date of Origin: 02/04/2020 Dates Reviewed: 02/2020, 06/2020, 09/2020, 02/2021, 03/2022, 06/2022, 09/2022, 06/2023, 05/2024, 06/2024

I. Length of Authorization

Coverage will be provided for 6 months and may be renewed.

Coverage and policy application may be contingent on federal or state laws or regulations. In the event of a conflict between this policy and applicable federal or state laws or regulations, state law should apply.

II. Dosing Limits

A. Quantity Limit (max daily dose) [NDC Unit]:

• Enhertu 100 mg vial: 7 vials every 21 days

B. Max Units (per dose and over time) [HCPCS Unit]:

- Breast Cancer, CNS Cancer, NSCLC, HER2-Positive Solid Tumors, Colorectal Cancer, & Appendiceal Adenocarcinoma: 600 billable units every 21 days
- Gastric, Esophageal, and Esophagogastric Junction Cancers & Head and Neck Cancers: 700 billable units every 21 days

III. Initial Approval Criteria ¹

Coverage is provided in the following conditions:

• Patient is at least 18 years of age; AND

Universal Criteria¹

- Left ventricular ejection fraction (LVEF) is within normal limits prior to initiating therapy and will be assessed at regular intervals (e.g., every 3 months) during treatment; **AND**
- Used as a single agent; AND
- Therapy will not be substituted with or for any trastuzumab-based formulation (i.e., trastuzumab [or trastuzumab biosimilar product], ado-trastuzumab emtansine, trastuzumab-hyaluronidase, pertuzumab/trastuzumab and hyaluronidase-zzxf, etc.); **AND**

Breast Cancer † ‡ 1,2,4,8,15,16,20

- Patient has recurrent unresectable (local or regional) or metastatic disease OR inflammatory breast cancer with no response to preoperative systemic therapy; **AND**
 - Patient has human epidermal growth factor receptor 2 (HER2)-positive* disease as determined by an FDA-approved or CLIA-compliant test*; AND
 - Used as subsequent therapy; OR
 - Used as first-line therapy in patients who have experienced disease progression within 6 months of neoadjuvant or adjuvant therapy (12 months for pertuzumab-containing regimens); OR
 - Patient has HER2-low§ disease as determined by an FDA-approved or CLIA-compliant test*; AND
 - Patient has hormone receptor-negative disease <u>OR</u> hormone receptor-positive disease with visceral crisis or endocrine therapy refractory; **AND**
 - Used as subsequent therapy; OR
 - Patient has developed disease recurrence during or within 6 months after completing adjuvant chemotherapy

Central Nervous System (CNS) Cancers ‡²

- Patient has brain metastases from HER2-positive* breast cancer as confirmed by an FDAapproved or CLIA-compliant test*; AND
 - o Used as initial treatment in patients with small asymptomatic brain metastases; OR
 - Patient has relapsed limited brain metastases with either stable systemic disease or reasonable systemic treatment options; OR
 - o Patient has recurrent limited brain metastases; OR
 - Patient has recurrent extensive brain metastases with stable systemic disease or reasonable systemic treatment options

Gastric, Esophageal, and Esophagogastric Junction Cancers † $\pm \Phi$ ^{1,2,9,17,18}

- Patient has human epidermal growth factor receptor 2 (HER2)-positive* disease as determined by an FDA-approved or CLIA-compliant test*; AND
- Patient has adenocarcinoma histology; AND
- Patient is not a surgical candidate OR has unresectable locally advanced, recurrent, or metastatic disease; AND
- Used as subsequent therapy

Colorectal Cancer (CRC) ‡ 2,10-12

- Patient has human epidermal growth factor receptor 2 (HER2)-positive* disease as determined by an FDA-approved or CLIA-compliant test*; AND
- Used in one of the following treatment settings:

Page 2

Medical Necessity Criteria

- Used as initial treatment for unresectable metastatic disease and previous FOLFOX (fluorouracil, leucovorin, and oxaliplatin) or CapeOX (capecitabine and oxaliplatin) within the past 12 months; AND
 - Patient has mismatch repair proficient/microsatellite-stable (pMMR/MSS) disease; OR
- o Used as subsequent therapy for progression of advanced or metastatic disease; AND
 - Patient has mismatch repair proficient/microsatellite-stable (pMMR/MSS) disease; OR
 - Patient has mismatch repair deficient/microsatellite instability-high (dMMR/MSI-H) disease or polymerase epsilon/delta (POLE/POLD1) mutation; AND
 - Patient is not eligible for or has progressed on checkpoint inhibitor immunotherapy;
 OR
- Used as adjuvant treatment for unresectable metastatic disease that converted to resectable disease after initial treatment (ONLY applies to Colon Cancer); AND
 - Patient has mismatch repair proficient/microsatellite-stable (pMMR/MSS) disease; OR
 - Patient has mismatch repair deficient/microsatellite instability-high (dMMR/MSI-H) disease or polymerase epsilon/delta (POLE/POLD1) mutation; AND
 - > Patient is not eligible for or has progressed on checkpoint inhibitor immunotherapy

Appendiceal Adenocarcinoma – Colon Cancer ‡ ^{2,11}

- Patient has human epidermal growth factor receptor 2 (HER2)-positive* disease as determined by an FDA-approved or CLIA-compliant test*; AND
- Used as subsequent therapy for progression of advanced or metastatic disease; AND
 - Patient has mismatch repair proficient/microsatellite-stable (pMMR/MSS) disease; OR
 - Patient has mismatch repair deficient/microsatellite instability-high (dMMR/MSI-H) disease or polymerase epsilon/delta (POLE/POLD1) mutation; AND
 - Patient is not eligible for or has progressed on checkpoint inhibitor immunotherapy

Non-Small Cell Lung Cancer (NSCLC) † ‡ 1,2,14,21,22,27

- Used as subsequent therapy; AND
 - Patient has ERBB2 (HER2) mutation positive disease as determined by an FDA-approved or CLIA-complaint test*; AND
 - Patient has recurrent, advanced, unresectable, or metastatic disease (excluding locoregional recurrence or symptomatic local disease without evidence of disseminated disease) or mediastinal lymph node recurrence with prior radiation therapy; OR
 - Patient has human epidermal growth factor receptor 2 (HER2)-positive* disease as determined by an FDA-approved or CLIA-compliant test*; AND
 - Patient has recurrent, advanced, or metastatic disease (excluding locoregional recurrence or symptomatic local disease without evidence of disseminated disease) or mediastinal lymph node recurrence with prior radiation therapy

Head and Neck Cancers ‡ ^{2,26}

Page 3

Medical Necessity Criteria

- Patient has human epidermal growth factor receptor 2 (HER2)-positive* disease as determined by an FDA-approved or CLIA-compliant test*; AND
- Patient has salivary gland tumors; AND
- Patient has recurrent disease with one of the following:
 - o Distant metastases; OR
 - o Unresectable locoregional recurrence with prior radiation therapy (RT); OR
 - o Unresectable second primary with prior RT

HER2-Positive Solid Tumors † ‡ 1,2,21,24,25

- Patient has human epidermal growth factor receptor 2 (HER2)-positive* solid tumors as determined by an FDA-approved or CLIA-compliant test*; AND
- Patient has, but is not limited to, one of the following tumor types ¥:
 - o Biliary Tract Cancers (Gallbladder Cancer or Intra-/Extra-Hepatic Cholangiocarcinoma)^{1,2}
 - Used as subsequent treatment for progression on or after systemic treatment for unresectable, resected gross residual (R2), or metastatic disease
 - o Bladder Cancer^{1,2}
 - Patient has one of the following diagnoses:
 - > Locally advanced or metastatic urothelial carcinoma; **OR**
 - Muscle invasive bladder cancer with local recurrence or persistent disease in a preserved bladder treated with curative intent; OR
 - Metastatic or local bladder cancer recurrence post-cystectomy treated with curative intent; OR
 - Recurrent or metastatic primary carcinoma of the urethra (excluding recurrence of stage T3-4 disease or palpable inguinal lymph nodes); OR
 - Metastatic upper genitourinary (GU) tract tumors; OR
 - > Metastatic urothelial carcinoma of the prostate; AND
 - Patient has received prior systemic treatment and has no satisfactory alternative treatment options
 - o Cervical Cancer** 1,2
 - Used as subsequent therapy for unresectable, recurrent, or metastatic disease
 - Occult Primary/Cancer of Unknown Primary (CUP)²
 - Disease has progressed on or following prior systemic treatment and patient has no satisfactory alternative treatment options; AND
 - Patient has adenocarcinoma or carcinoma not otherwise specified AND one of the following:
 - Axillary involvement in those with a prostate or post-prostatectomy if clinically indicated; OR
 - Lung nodules or breast marker-negative pleural effusion; OR

Page 4

Medical Necessity Criteria

- Resectable liver disease; OR
- Peritoneal mass or ascites with non-ovarian histology; OR
- Retroperitoneal mass of non-germ cell histology in selected patients; OR
- Unresectable liver disease or disseminated metastases; OR
- > Patient has squamous cell carcinoma; AND
 - Patient has multiple lung nodules, pleural effusion, or disseminated metastases
- o Ovarian, Fallopian Tube, and Primary Peritoneal Cancer** 1,2
 - Patient has platinum-resistant recurrent or persistent Grade 1 Endometrioid Carcinoma, Carcinosarcoma (Malignant Mixed Müllerian Tumors), Mucinous Carcinoma of the Ovary, Epithelial Ovarian/Fallopian Tube/Primary Peritoneal Cancer, or Clear Cell Carcinoma of the Ovary; AND
 - Patient is not experiencing an immediate biochemical relapse (i.e., rising CA-125 without radiographic evidence of disease); OR
 - Patient has platinum-resistant recurrent Low-Grade Serous Carcinoma
- o Pancreatic Adenocarcinoma²
 - Used as subsequent therapy for locally advanced or metastatic disease that has progressed; AND
 - Patient has good performance status (defined as ECOG PS 0-1, with good biliary drainage and adequate nutritional intake); OR
 - Used as alternative systemic therapy, if not previously used, for patients with good performance status (ECOG PS 0-1); AND
 - > Patient has local recurrence in the pancreatic operative bed after resection; OR
 - > Patient has recurrent metastatic disease
- o Small Bowel Adenocarcinoma²
 - Used as subsequent therapy for advanced or metastatic disease
- <u>Uterine Neoplasms Endometrial Carcinoma</u>**²
 - Patient has carcinosarcoma, clear cell carcinoma, endometrioid adenocarcinoma, serous carcinoma, undifferentiated/dedifferentiated carcinoma; AND
 - Used as subsequent therapy for recurrent, unresectable, or metastatic disease
- Vaginal Cancer^{** 2}
 - Used as subsequent therapy for recurrent or metastatic disease
- <u>Vulvar Cancer</u>** ²
 - Used as subsequent therapy for advanced or recurrent/metastatic disease

¥ Note: Solid tumors not listed, that are HER2-positive*, will be reviewed on a case-by-case basis and considered medically necessary when all other relevant medication and indication specific criteria are met.

*HER2-positive overexpression criteria

Page 5

Medical Necessity Criteria

Breast, CNS & Head and Neck Cancers: 1,4,5,29

- Immunohistochemistry (IHC) assay 3+; OR
- Dual-probe in situ hybridization (ISH) assay HER2/CEP17 ratio ≥ 2.0 AND average HER2 copy number ≥ 4.0 signals/cell; **OR**
- Dual-probe in situ hybridization (ISH) assay AND concurrent IHC indicating one of the following:
 - O HER2/CEP17 ratio ≥ 2.0 AND average HER2 copy number < 4.0 signals/cell AND concurrent IHC 3+; OR
 - O HER2/CEP17 ratio < 2.0 AND average HER2 copy number ≥ 6.0 signals/cell AND concurrent IHC 2+ or 3+; OR
 - O HER2/CEP17 ratio < 2.0 AND average HER2 copy number ≥ 4.0 and < 6.0 signals/cell AND concurrent IHC 3+

Gastric, Esophageal, and Esophagogastric Junction Cancer: 1,17-19

- Immunohistochemistry (IHC) assay 3+; OR
- Fluorescence in situ hybridization (FISH) or in situ hybridization (ISH) assay AND concurrent IHC indicating one of the following:
 - HER2/CEP17 ratio \geq 2.0 AND concurrent IHC 2+; **OR**
 - Average HER2 copy number \geq 6.0 signals/cell AND concurrent IHC 2+

Colorectal Cancer, Appendiceal Adenocarcinoma, and NSCLC: 2,11,12

• Immunohistochemistry (IHC) assay 3+

Solid Tumors: 1,2

- Immunohistochemistry (IHC) assay 3+
- ****Note:** For Cervical Cancer, Ovarian, Fallopian Tube, and Primary Peritoneal Cancer, Endometrial Carcinoma (Uterine Neoplasms), Vaginal Cancer, and Vulvar Cancer HER2positive disease can be is confirmed by Immunohistochemistry (IHC) assay 2+ or 3+

§HER2-low expression criteria

Breast Cancer: 1,2,4

- Immunohistochemistry (IHC) assay 1+; OR
- IHC 2+ AND in situ hybridization (ISH) negative

If confirmed using an FDA approved assay - http://www.fda.gov/companiondiagnostics

† FDA Approved Indication(s); **‡** Compendia Recommended Indication(s); **Φ** Orphan Drug *(only applies to Gastric and Esophagogastric Junction Cancers)*

IV. Renewal Criteria¹

Coverage may be renewed based upon the following criteria:

• Patient continues to meet the universal and other indication-specific relevant criteria such as concomitant therapy requirements (not including prerequisite therapy), performance status, etc. identified in section III; **AND**

Page 6

Medical Necessity Criteria

- Disease response with treatment as defined by stabilization of disease or decrease in size of tumor or tumor spread; **AND**
- Absence of unacceptable toxicity from the drug. Examples of unacceptable toxicity include: pulmonary toxicity (e.g., interstitial lung disease, pneumonitis), neutropenia (including febrile neutropenia), left ventricular dysfunction (including symptomatic congestive heart failure), etc.; AND
- Left ventricular ejection fraction (LVEF) within the previous 3 months as follows:
 - LVEF is > 45% and <u>absolute</u> decrease is ≤ 20% from baseline; **OR**
 - LVEF is 40% to 45% and <u>absolute</u> decrease is < 10% from baseline

V. Dosage/Administration 1,11-13,16,21,23,25,26-28

Indication	Dose
Breast Cancer, CNS Cancer, NSCLC,	Administer 5.4 mg/kg given as an intravenous infusion
HER2-Positive Solid Tumors, Colorectal	every 3 weeks (21-day cycle) until disease progression or
Cancer & Appendiceal Adenocarcinoma	unacceptable toxicity.
Gastric, Esophageal, and	Administer 6.4 mg/kg given as an intravenous infusion
Esophagogastric Junction Cancers &	every 3 weeks (21-day cycle) until disease progression or
Head and Neck Cancers	unacceptable toxicity

VI. Billing Code/Availability Information

HCPCS Code:

• J9358 – Injection, fam-trastuzumab deruxtecan-nxki, 1 mg: 1 billable unit = 1 mg

NDC:

• Enhertu 100 mg single-dose vial: 65597-0406-xx

VII. References

- 1. Enhertu [package insert]. Basking Ridge, NJ; Daiichi Sankyo, Inc; April 2024. Accessed May 2024.
- 2. Referenced with permission from the NCCN Drugs & Biologics Compendium (NCCN Compendium[®]) fam-trastuzumab deruxtecan-nxki. National Comprehensive Cancer Network, 2024. The NCCN Compendium[®] is a derivative work of the NCCN Guidelines[®]. NATIONAL COMPREHENSIVE CANCER NETWORK[®], NCCN[®], and NCCN GUIDELINES[®] are trademarks owned by the National Comprehensive Cancer Network, Inc. To view the most recent and complete version of the Compendium, go online to NCCN.org. Accessed May 2024.
- 3. Fahrenbruch R, Kintzel P, Bott AM, et al. Dose Rounding of Biologic and Cytotoxic Anticancer Agents: A Position Statement of the Hematology/Oncology Pharmacy Association. J Oncol Pract. 2018 Mar;14(3):e130-e136.

Page 7

Medical Necessity Criteria

- 4. Referenced with permission from the NCCN Clinical Practice Guidelines in Oncology (NCCN Guidelines[®]) for Breast Cancer, Version 2.2024. National Comprehensive Cancer Network, 2024. NATIONAL COMPREHENSIVE CANCER NETWORK®, NCCN®, and NCCN GUIDELINES® are trademarks owned by the National Comprehensive Cancer Network, Inc. To view the most recent and complete version of the Guidelines, go online to NCCN.org. Accessed May 2024.
- 5. Wolff AC, Hammond EH, Allison KH, et al. Human epidermal growth factor receptor 2 testing in breast cancer: American Society of Clinical Oncology/College of American Pathologists Clinical Practice Guideline Focused Update. J Clin Oncol 2018;36:2105-2122.
- Hematology/Oncology Pharmacy Association (2019). Intravenous Cancer Drug Waste Issue Brief. Retrieved from <u>http://www.hoparx.org/images/hopa/advocacy/Issue-</u> Briefs/Drug Waste 2019.pdf
- 7. Bach PB, Conti RM, Muller RJ, et al. Overspending driven by oversized single dose vials of cancer drugs. BMJ. 2016 Feb 29;352:i788.
- Modi S, Saura C, Yamashita T, et al; DESTINY-Breast01 Investigators. Trastuzumab Deruxtecan in Previously Treated HER2-Positive Breast Cancer. N Engl J Med. 2019 Dec 11. Doi: 10.1056/NEJMoa1914510.
- Shitara K, Bang YJ, Iwasa S, et al; DESTINY-Gastric01 Investigators. Trastuzumab Deruxtecan in Previously Treated HER2-Positive Gastric Cancer. N Engl J Med. 2020 Jun 18;382(25):2419-2430.
- Siena S, Di Bartolomeo M, Raghav KPS, et al. A phase II, multicenter, open-label study of trastuzumab deruxtecan in patients with HER2-expressing metastatic colorectal cancer (mCRC): DESTINY-CRC01. J Clin Oncol 2020;38(suppl; abstr 4000).
- 11. Referenced with permission from the NCCN Clinical Practice Guidelines in Oncology (NCCN Guidelines[®]) for Colon Cancer, Version 2.2024. National Comprehensive Cancer Network, 2024. NATIONAL COMPREHENSIVE CANCER NETWORK®, NCCN®, and NCCN GUIDELINES® are trademarks owned by the National Comprehensive Cancer Network, Inc. To view the most recent and complete version of the Guidelines, go online to NCCN.org. Accessed May 2024.
- 12. Referenced with permission from the NCCN Clinical Practice Guidelines in Oncology (NCCN Guidelines[®]) for Rectal Cancer 2.2024. National Comprehensive Cancer Network, 2023. NATIONAL COMPREHENSIVE CANCER NETWORK®, NCCN®, and NCCN GUIDELINES® are trademarks owned by the National Comprehensive Cancer Network, Inc. To view the most recent and complete version of the Guidelines, go online to NCCN.org. Accessed May 2024.
- 13. Smit EF, Nakagawa K, Nagasaka M, et al. Trastuzumab deruxtecan (T-DXd; DS-8201) in patients with HER2-mutated metastatic non-small cell lung cancer (NSCLC): interim results of DESTINY-Lung01[abstract]. J Clin Oncol 2020;38:Abstract 9504.
- 14. Referenced with permission from the NCCN Clinical Practice Guidelines in Oncology (NCCN Guidelines[®]) for Non-Small Cell Lung Cancer, Version 5.2024. National Comprehensive Cancer Network, 2024. NATIONAL COMPREHENSIVE CANCER NETWORK®, NCCN®, and NCCN GUIDELINES® are trademarks owned by the National Comprehensive Cancer Network, Inc. To

Medical Necessity Criteria

view the most recent and complete version of the Guidelines, go online to NCCN.org. Accessed May 2024.

- Gennari A, André F, Barrios CH, et al.; ESMO Guidelines Committee. Electronic address: clinicalguidelines@esmo.org. ESMO Clinical Practice Guideline for the diagnosis, staging and treatment of patients with metastatic breast cancer. Ann Oncol. 2021 Dec;32(12):1475-1495. doi: 10.1016/j.annonc.2021.09.019. Epub 2021 Oct 19. PMID: 34678411.
- Cortés J, Kim SB, Chung WP, et al; DESTINY-Breast03 Trial Investigators. Trastuzumab Deruxtecan versus Trastuzumab Emtansine for Breast Cancer. N Engl J Med. 2022 Mar 24;386(12):1143-1154. doi: 10.1056/NEJMoa2115022.
- 17. Referenced with permission from the NCCN Clinical Practice Guidelines in Oncology (NCCN Guidelines[®]) for Esophageal and Esophagogastric Junction Cancers, Version 3.2024. National Comprehensive Cancer Network, 2024. NATIONAL COMPREHENSIVE CANCER NETWORK®, NCCN®, and NCCN GUIDELINES® are trademarks owned by the National Comprehensive Cancer Network, Inc. To view the most recent and complete version of the Guidelines, go online to NCCN.org. Accessed May 2024.
- 18. Referenced with permission from the NCCN Clinical Practice Guidelines in Oncology (NCCN Guidelines[®]) for Gastric Cancer, Version 1.2024. National Comprehensive Cancer Network, 2024. NATIONAL COMPREHENSIVE CANCER NETWORK®, NCCN®, and NCCN GUIDELINES® are trademarks owned by the National Comprehensive Cancer Network, Inc. To view the most recent and complete version of the Guidelines, go online to NCCN.org. Accessed May 2024.
- Bartley AN, Washington MK, Colasacco C, et al. HER2 Testing and Clinical Decision Making in Gastroesophageal Adenocarcinoma: Guideline From the College of American Pathologists, American Society for Clinical Pathology, and the American Society of Clinical Oncology. J Clin Oncol. 2017 Feb;35(4):446-464. doi: 10.1200/JCO.2016.69.4836.
- Modi S, Jacot W, Yamashita T, et al; DESTINY-Breast04 Trial Investigators. Trastuzumab Deruxtecan in Previously Treated HER2-Low Advanced Breast Cancer. N Engl J Med. 2022 Jul 7;387(1):9-20. doi: 10.1056/NEJMoa2203690.
- Li BT, Smit EF, Goto Y, et al; DESTINY-Lung01 Trial Investigators. Trastuzumab Deruxtecan in HER2-Mutant Non-Small-Cell Lung Cancer. N Engl J Med. 2022 Jan 20;386(3):241-251. doi: 10.1056/NEJMoa2112431.
- 22. Smit EFF, Li BT, Mazieres J, et al. 1361TiP Trastuzumab deruxtecan (T-DXd) in patients (pts) with HER2-mutated (HER2m) metastatic non-small cell lung cancer (NSCLC): A phase (ph) II study (DESTINY-Lung02). Annals of Oncology, Volume 32, S1032 S1033. DOI:https://doi.org/10.1016/j.annonc.2021.08.1962.
- Jerusalem G, Park YH, Yamashita T, et al. Trastuzumab Deruxtecan in HER2-Positive Metastatic Breast Cancer Patients with Brain Metastases: A DESTINY-Breast01 Subgroup Analysis. Cancer Discov. 2022 Dec 2;12(12):2754-2762. doi: 10.1158/2159-8290.CD-22-0837.
- 24. Meric-Bernstam F, Makker V, Oaknin A, et al. Efficacy and Safety of Trastuzumab Deruxtecan in Patients With HER2-Expressing Solid Tumors: Primary Results From the DESTINY-

Page 9

Medical Necessity Criteria

PanTumor02 Phase II Trial. J Clin Oncol. 2024 Jan 1;42(1):47-58. doi: 10.1200/JCO.23.02005. Epub 2023 Oct 23. PMID: 37870536; PMCID: PMC10730032.

- 25. Raghav KPS, Yoshino T, Guimbaud R, et al. Trastuzumab deruxtecan in patients with HER2overexpressing locally advanced, unresectable, or metastatic colorectal cancer (mCRC): A randomized, multicenter, phase 2 study (DESTINY-CRC02).. JCO 39, TPS3620-TPS3620(2021). DOI:10.1200/JCO.2021.39.15_suppl.TPS3620
- 26. Bando H, Kinoshita I, Modi S, et al. Trastuzumab deruxtecan (T-DXd) in patients with human epidermal growth factor receptor 2 (HER2)-expressing salivary duct carcinoma: Subgroup analysis of two phase 1 studies. Journal of Clinical Oncology Volume 39, Number 15_suppl. https://doi.org/10.1200/JCO.2021.39.15_suppl.607
- 27. Smit E, Felip E, Uprety D, et al. Trastuzumab deruxtecan in patients with metastatic non-smallcell lung cancer (DESTINY-Lung01): primary results of the HER2-overexpressing cohorts from a single-arm, phase 2 trial. Lancet Oncol. 2024 Apr;25(4):439-454. doi: 10.1016/S1470-2045(24)00064-0.
- 28. Bernstam F, Makker V, Oakin A, et al. Efficacy and safety of trastuzumab deruxtecan in patients with HER2-expressing solid tumors: primary results from the DESTINY-PanTumor02 phase II trial. J Clin Oncol 2024;42:47-58. doi: 10.1200/JCO.23.02005. Epub 2023 Oct 23.
- 29. Referenced with permission from the NCCN Clinical Practice Guidelines in Oncology (NCCN Guidelines[®]) for Head and Neck Cancers, Version 4.2024. National Comprehensive Cancer Network, 2024. NATIONAL COMPREHENSIVE CANCER NETWORK®, NCCN®, and NCCN GUIDELINES® are trademarks owned by the National Comprehensive Cancer Network, Inc. To view the most recent and complete version of the Guidelines, go online to NCCN.org. Accessed May 2024.
- 30. First Coast Service Options, Inc. Local Coverage Article: Billing and Coding: Trastuzumab -Trastuzumab Biologics (A56660). Centers for Medicare & Medicaid Services, Inc. Updated on 10/14/2021 with effective date of 10/01/2021. Accessed May 2024.

ICD-10	ICD-10 Description	
C06.9	Malignant neoplasm of mouth, unspecified	
C07	Malignant neoplasm of parotid gland	
C08.0	Malignant neoplasm of submandibular gland	
C08.1	Malignant neoplasm of sublingual gland	
C08.9	Malignant neoplasm of major salivary gland, unspecified	
C15.3	Malignant neoplasm of upper third of esophagus	
C15.4	Malignant neoplasm of middle third of esophagus	
C15.5	Malignant neoplasm of the lower third of esophagus	
C15.8	Malignant neoplasm of overlapping sites of esophagus	
C15.9	Malignant neoplasm of esophagus, unspecified	

Appendix 1 – Covered Diagnosis Codes

Page 10

Medical Necessity Criteria

C16.0	Malignant neoplasm of cardia	
C16.1	Malignant neoplasm of fundus of stomach	
C16.2	Malignant neoplasm of body of stomach	
C16.3	Malignant neoplasm of pyloric antrum	
C16.4	Malignant neoplasm of pylorus	
C16.5	Malignant neoplasm of lesser curvature of stomach, unspecified	
C16.6	Malignant neoplasm of greater curvature of stomach, unspecified	
C16.8	Malignant neoplasm of overlapping sites of stomach	
C16.9	Malignant neoplasm of stomach, unspecified	
C17.0	Malignant neoplasm duodenum	
C17.1	Malignant neoplasm jejunum	
C17.2	Malignant neoplasm ileum	
C17.3	Meckel's diverticulum, malignant	
C17.8	Malignant neoplasm of overlapping sites of small intestines	
C17.9		
C17.5	Malignant neoplasm of small intestine, unspecified Malignant neoplasm of cecum	
C18.1		
C18.2	Malignant neoplasm of appendix Malignant neoplasm of ascending colon	
C18.3	Malignant neoplasm of hepatic flexure	
C18.4	Malignant neoplasm of transverse colon	
C18.5	Malignant neoplasm of splenic flexure	
C18.6	Malignant neoplasm of descending colon	
C18.7	Malignant neoplasm of sigmoid colon	
C18.8	Malignant neoplasm of overlapping sites of colon	
C18.9	Malignant neoplasm of colon, unspecified	
C18.9	Malignant neoplasm of rectosigmoid junction	
C20	Malignant neoplasm of rectum	
C21.8	Malignant neoplasm of overlapping sites of rectum, anus and anal canal	
C22.1	Intrahepatic bile duct carcinoma	
C23	Malignant neoplasm of gallbladder	
C24.0	Malignant neoplasm of extrahepatic bile duct	
C24.8	Malignant neoplasm of overlapping sites of biliary tract	
C24.9	Malignant neoplasm of biliary tract, unspecified	
C25.0	Malignant neoplasm of head of pancreas	
C25.1	Malignant neoplasm of body of pancreas	

Medical Necessity Criteria

C25.2	Malignant neoplasm of tail of pancreas	
C25.3	Malignant neoplasm of pancreatic duct	
C25.7	Malignant neoplasm of other parts of pancreas	
C25.8	Malignant neoplasm of overlapping sites of pancreas	
C25.9	Malignant neoplasm of pancreas, unspecified	
C33	Malignant neoplasm of trachea	
C34.00	Malignant neoplasm of unspecified main bronchus	
C34.01	Malignant neoplasm of right main bronchus	
C34.02	Malignant neoplasm of left main bronchus	
C34.10	Malignant neoplasm of upper lobe, unspecified bronchus or lung	
C34.11	Malignant neoplasm of upper lobe, right bronchus or lung	
C34.12	Malignant neoplasm of upper lobe, left bronchus or lung	
C34.2	Malignant neoplasm of middle lobe, bronchus or lung	
C34.30	Malignant neoplasm of lower lobe, unspecified bronchus or lung	
C34.31	Malignant neoplasm of lower lobe, right bronchus or lung	
C34.32	Malignant neoplasm of lower lobe, left bronchus or lung	
C34.80	Malignant neoplasm of overlapping sites of unspecified bronchus and lung	
C34.81	Malignant neoplasm of overlapping sites of right bronchus and lung	
C34.82	Malignant neoplasm of overlapping sites of left bronchus and lung	
C34.90	Malignant neoplasm of unspecified part of unspecified bronchus or lung	
C34.91	Malignant neoplasm of unspecified part of right bronchus or lung	
C34.92	Malignant neoplasm of unspecified part of left bronchus or lung	
C48.1	Malignant neoplasm of specified parts of peritoneum	
C48.2	Malignant neoplasm of peritoneum, unspecified	
C48.8	Malignant neoplasm of overlapping sites of retroperitoneum and peritoneum	
C50.011	Malignant neoplasm of nipple and areola, right female breast	
C50.012	Malignant neoplasm of nipple and areola, left female breast	
C50.019	Malignant neoplasm of nipple and areola, unspecified female breast	
C50.021	Malignant neoplasm of nipple and areola, right male breast	
C50.022	Malignant neoplasm of nipple and areola, left male breast	
C50.029	Malignant neoplasm of nipple and areola, unspecified male breast	
C50.111	Malignant neoplasm of central portion of right female breast	
C50.112	Malignant neoplasm of central portion of left female breast	
C50.119	Malignant neoplasm of central portion of unspecified female breast	
C50.121	Malignant neoplasm of central portion of right male breast	

Medical Necessity Criteria

C50.122	Malignant neoplasm of central portion of left male breast	
C50.129	Malignant neoplasm of central portion of unspecified male breast	
C50.211	Malignant neoplasm of upper-inner quadrant of right female breast	
C50.212	Malignant neoplasm of upper-inner quadrant of left female breast	
C50.219	Malignant neoplasm of upper-inner quadrant of unspecified female breast	
C50.221	Malignant neoplasm of upper-inner quadrant of right male breast	
C50.222	Malignant neoplasm of upper-inner quadrant of left male breast	
C50.229	Malignant neoplasm of upper-inner quadrant of unspecified male breast	
C50.311	Malignant neoplasm of lower-inner quadrant of right female breast	
C50.312	Malignant neoplasm of lower-inner quadrant of left female breast	
C50.319	Malignant neoplasm of lower-inner quadrant of unspecified female breast	
C50.321	Malignant neoplasm of lower-inner quadrant of right male breast	
C50.322	Malignant neoplasm of lower-inner quadrant of left male breast	
C50.329	Malignant neoplasm of lower-inner quadrant of unspecified male breast	
C50.411	Malignant neoplasm of upper-outer quadrant of right female breast	
C50.412	Malignant neoplasm of upper-outer quadrant of left female breast	
C50.419	Malignant neoplasm of upper-outer quadrant of unspecified female breast	
C50.421	Malignant neoplasm of upper-outer quadrant of right male breast	
C50.422	Malignant neoplasm of upper-outer quadrant of left male breast	
C50.429	Malignant neoplasm of upper-outer quadrant of unspecified male breast	
C50.511	Malignant neoplasm of lower-outer quadrant of right female breast	
C50.512	Malignant neoplasm of lower-outer quadrant of left female breast	
C50.519	Malignant neoplasm of lower-outer quadrant of unspecified female breast	
C50.521	Malignant neoplasm of lower-outer quadrant of right male breast	
C50.522	Malignant neoplasm of lower-outer quadrant of left male breast	
C50.529	Malignant neoplasm of lower-outer quadrant of unspecified male breast	
C50.611	Malignant neoplasm of axillary tail of right female breast	
C50.612	Malignant neoplasm of axillary tail of left female breast	
C50.619	Malignant neoplasm of axillary tail of unspecified female breast	
C50.621	Malignant neoplasm of axillary tail of right male breast	
C50.622	Malignant neoplasm of axillary tail of left male breast	
C50.629	Malignant neoplasm of axillary tail of unspecified male breast	
C50.811	Malignant neoplasm of overlapping sites of right female breast	
C50.812	Malignant neoplasm of overlapping sites of left female breast	
C50.819	Malignant neoplasm of overlapping sites of unspecified female breast	

Medical Necessity Criteria

C50.821	Malignant neoplasm of overlapping sites of right male breast	
C50.822	Malignant neoplasm of overlapping sites of left male breast	
C50.829	Malignant neoplasm of overlapping sites of unspecified male breast	
C50.911	Malignant neoplasm of unspecified site of right female breast	
C50.912	Malignant neoplasm of unspecified site of left female breast	
C50.919	Malignant neoplasm of unspecified site of unspecified female breast	
C50.921	Malignant neoplasm of unspecified site of right male breast	
C50.922	Malignant neoplasm of unspecified site of left male breast	
C50.929	Malignant neoplasm of unspecified site of unspecified male breast	
C51.0	Malignant neoplasm of labium majus	
C51.1	Malignant neoplasm of labium minus	
C51.2	Malignant neoplasm of clitoris	
C51.8	Malignant neoplasm of overlapping sites of vulva	
C51.9	Malignant neoplasm of vulva, unspecified	
C52	Malignant neoplasm of vagina	
C53.0	Malignant neoplasm of endocervix	
C53.1	Malignant neoplasm of exocervix	
C53.8	Malignant neoplasm of overlapping sites of cervix uteri	
C53.9	Malignant neoplasm of cervix uteri, unspecified	
C54.0	Malignant neoplasm of isthmus uteri	
C54.1	Malignant neoplasm of endometrium	
C54.2	Malignant neoplasm of myometrium	
C54.3	Malignant neoplasm of fundus uteri	
C54.8	Malignant neoplasm of overlapping sites of corpus uteri	
C54.9	Malignant neoplasm of corpus uteri, unspecified	
C55	Malignant neoplasm of uterus, part unspecified	
C56.1	Malignant neoplasm of right ovary	
C56.2	Malignant neoplasm of left ovary	
C56.3	Malignant neoplasm of bilateral ovaries	
C56.9	Malignant neoplasm of unspecified ovary	
C57.00	Malignant neoplasm of unspecified fallopian tube	
C57.01	Malignant neoplasm of right fallopian tube	
C57.02	Malignant neoplasm of left fallopian tube	
C57.10	Malignant neoplasm of unspecified broad ligament	
C57.11	Malignant neoplasm of right broad ligament	

Medical Necessity Criteria

C57.12	Malignant neoplasm of left broad ligament	
C57.20	Malignant neoplasm of unspecified round ligament	
C57.21	Malignant neoplasm of right round ligament	
C57.22	Malignant neoplasm of left round ligament	
C57.3	Malignant neoplasm of parametrium	
C57.4	Malignant neoplasm of uterine adnexa, unspecified	
C57.7	Malignant neoplasm of other specified female genital organs	
C57.8	Malignant neoplasm of overlapping sites of female genital organs	
C57.9	Malignant neoplasm of female genital organ, unspecified	
C61	Malignant neoplasm of prostate	
C65.1	Malignant neoplasm of right renal pelvis	
C65.2	Malignant neoplasm of left renal pelvis	
C65.9	Malignant neoplasm of unspecified renal pelvis	
C66.1	Malignant neoplasm of right ureter	
C66.2	Malignant neoplasm of left ureter	
C66.9	Malignant neoplasm of unspecified ureter	
C67.0	Malignant neoplasm of trigone of bladder	
C67.1	Malignant neoplasm of dome of bladder	
C67.2	Malignant neoplasm of lateral wall of bladder	
C67.3	Malignant neoplasm of anterior wall of bladder	
C67.4	Malignant neoplasm of posterior wall of bladder	
C67.5	Malignant neoplasm of bladder neck	
C67.6	Malignant neoplasm of ureteric orifice	
C67.7	Malignant neoplasm of urachus	
C67.8	Malignant neoplasm of overlapping sites of bladder	
C67.9	Malignant neoplasm of bladder, unspecified	
C68.0	Malignant neoplasm of urethra	
C78.00	Secondary malignant neoplasm of unspecified lung	
C78.01	Secondary malignant neoplasm of right lung	
C78.02	Secondary malignant neoplasm of left lung	
C78.6	Secondary malignant neoplasm of retroperitoneum and peritoneum	
C78.7	Secondary malignant neoplasm of liver and intrahepatic bile duct	
C79.31	Secondary malignant neoplasm of brain	
C80.0	Disseminated malignant neoplasm, unspecified	
C80.1	Malignant (primary) neoplasm, unspecified	

Medical Necessity Criteria

D09.0	Carcinoma in situ of bladder	
D37.1	Neoplasm of uncertain behavior of stomach	
D37.8	Neoplasm of uncertain behavior of other specified digestive organs	
D37.9	Neoplasm of uncertain behavior of digestive organ, unspecified	
Z85.00	Personal history of malignant neoplasm of unspecified digestive organ	
Z85.01	Personal history of malignant neoplasm of esophagus	
Z85.028	Personal history of other malignant neoplasm of stomach	
Z85.038	Personal history of other malignant neoplasm of large intestine	
Z85.068	Personal history of other malignant neoplasm of small intestine	
Z85.07	Personal history of malignant neoplasm of pancreas	
Z85.118	Personal history of other malignant neoplasm of bronchus and lung	
Z85.3	Personal history of malignant neoplasm of breast	
Z85.42	Personal history of malignant neoplasm of other parts of uterus	
Z85.43	Personal history of malignant neoplasm of ovary	
Z85.51	Personal history of malignant neoplasm of bladder	
Z85.59	Personal history of malignant neoplasm of other urinary tract organ	

Appendix 2 – Centers for Medicare and Medicaid Services (CMS)

The preceding information is intended for non-Medicare coverage determinations. Medicare coverage for outpatient (Part B) drugs is outlined in the Medicare Benefit Policy Manual (Pub. 100-2), Chapter 15, §50 Drugs and Biologicals. In addition, National Coverage Determinations (NCDs) and/or Local Coverage Determinations (LCDs) may exist and compliance with these policies is required where applicable. Local Coverage Articles (LCAs) may also exist for claims payment purposes or to clarify benefit eligibility under Part B for drugs which may be self-administered. The following link may be used to search for NCD, LCD, or LCA documents: https://www.cms.gov/medicare-coverage-database/search.aspx. Additional indications, including any preceding information, may be applied at the discretion of the health plan.

Medicare Part B Covered Diagnosis Codes		
Jurisdiction	NCD/LCA/LCD	Contractor
	Document (s)	
N (9)	A56660	First Coast Service Options, Inc.

	Medicare Part B Administrative Contractor (MAC) Jurisdictions		
Jurisdiction	Applicable State/US Territory	Contractor	
E (1)	CA, HI, NV, AS, GU, CNMI	Noridian Healthcare Solutions, LLC	
F (2 & 3)	AK, WA, OR, ID, ND, SD, MT, WY, UT, AZ	Noridian Healthcare Solutions, LLC	
5	KS, NE, IA, MO	Wisconsin Physicians Service Insurance Corp (WPS)	
6	MN, WI, IL	National Government Services, Inc. (NGS)	

Page 16

Medical Necessity Criteria

Medicare Part B Administrative Contractor (MAC) Jurisdictions		
Jurisdiction	Applicable State/US Territory	Contractor
H (4 & 7)	LA, AR, MS, TX, OK, CO, NM	Novitas Solutions, Inc.
8	MI, IN	Wisconsin Physicians Service Insurance Corp (WPS)
N (9)	FL, PR, VI	First Coast Service Options, Inc.
J (10)	TN, GA, AL	Palmetto GBA
M (11)	NC, SC, WV, VA (excluding below)	Palmetto GBA
· · /	DE, MD, PA, NJ, DC (includes Arlington & Fairfax counties and the city of Alexandria in VA)	Novitas Solutions, Inc.
K (13 & 14)	NY, CT, MA, RI, VT, ME, NH	National Government Services, Inc. (NGS)
15	КҮ, ОН	CGS Administrators, LLC

Medical Necessity Criteria