

POLICY TITLE	TRANSCUTANEOUS ELECTRICAL NERVE STIMULATION
POLICY NUMBER	MP-6.020

Original Issue Date (Created):	10/25/2011
Most Recent Review Date (Revised):	8/26/2020
Effective Date:	10/1/2020

[POLICY RATIONALE](#)
[DISCLAIMER](#)
[POLICY HISTORY](#)

[PRODUCT VARIATIONS](#)
[DEFINITIONS](#)
[CODING INFORMATION](#)

[DESCRIPTION/BACKGROUND](#)
[BENEFIT VARIATIONS](#)
[REFERENCES](#)

I. POLICY

Trial of Transcutaneous Electrical Nerve Stimulation (TENS)

A TENS trial may be considered **medically necessary** to establish efficacy when **ALL** of the following conditions have been met:

- Pain condition meets ALL of the following:
 - Refractory chronic (e.g., chronic musculoskeletal pain, or neuropathic pain)
 - Causes significant disruption of function
 - Unresponsive to at least 3 months of conservative medical therapy directed by a physician, nurse practitioner or physician assistant. This therapy must include medication, physical therapy and/or behavioral therapy.
- Trial meets ALL of the following:
 - Monitored by a physician
 - At least 30 days in duration
 - Not to exceed 60 days in duration

Continued Use of Transcutaneous Electrical Nerve Stimulation (TENS)

Continued use of TENS may be considered **medically necessary** when **ALL** of the following conditions have been met:

- Pain condition meets ALL of the following:
 - Refractory chronic (e.g., chronic musculoskeletal pain, or neuropathic pain)
 - Causes significant disruption of function
- Results of initial therapeutic trial meets ALL of the following:
 - Efficacy has been demonstrated
 - Compliance has been demonstrated with the device used on a regular basis (i.e., daily or near daily use) throughout the trial period

POLICY TITLE	TRANSCUTANEOUS ELECTRICAL NERVE STIMULATION
POLICY NUMBER	MP-6.020

Transcutaneous Electrical Nerve Stimulation (TENS) Garment

Form-fitting conductive garments may be considered **medically necessary** when ALL of the following conditions have been met:

- Pain condition meets TENs medically necessary criteria
- Garment received permission or approval for marketing by the FDA
- Prescribed by a physician
- Prescribed for ANY ONE of the following medical indications:
 - Area to be stimulated large or multiple sites and stimulation delivered so frequently it is not feasible to use electrodes, adhesive tape and lead wires
 - Areas inaccessible with use of electrodes, adhesive tape, and lead wires
 - Documentation of medical condition (i.e., skin problems) that preclude the application of electrodes, adhesive tape and lead wires

Investigational Uses of Transcutaneous Electrical Nerve Stimulation (TENS)

The use of TENS for any other condition, including any of the following below is considered **investigational** as there is insufficient evidence to support a conclusion concerning the health outcomes or benefits associated with this procedure.

- Acute pain (e.g., postoperative or during labor and delivery)
- Acute and chronic headaches
- Deep abdominal pain
- Dementia
- Fibromyalgia
- Hip fracture pain
- Migraine
- Neuropathic pain
- Pelvic pain
- Phantom pain
- Post-total knee arthroplasty pain
- Stump pain
- Temporomandibular joint (TMJ) pain

Policy Guidelines

Refractory chronic pain is defined in this policy as pain that causes significant disruption of function and has not responded to at least 3 months of conservative therapy supervised by a physician, nurse practitioner, or physician assistant, including medication, physical therapy, and/or behavioral therapy.

Medical record documentation prior to a TENS trial should include all of the following:

POLICY TITLE	TRANSCUTANEOUS ELECTRICAL NERVE STIMULATION
POLICY NUMBER	MP-6.020

- Initial assessment/evaluation of the nature, duration, and perceived intensity of pain;
- Functional limitations caused by pain;
- The types and duration of prior treatments;
- Treatment plan including ongoing medications and proposed use of TENS unit, including the frequency and duration of treatment.

Medical record documentation of a TENS trial to determine efficacy should include all of the following:

- Perceived intensity of pain with and without TENS (e.g., 2 point or 30% improvement in visual analog scale [VAS]);
- Functional limitations with and without TENS;
- Ongoing medication requirements for pain relief (if any);
- Other modalities (if any) in use for pain control;
- Actual use of TENS on a daily basis (frequency and duration of application).

TENS devices may be delivered through a practitioner and require a prescription, or obtained without a prescription. It is possible that prescribed devices provide higher intensity stimulation than units sold directly to the public.

Supplies

Separate allowance will be made for replacement supplies when they are reasonable and necessary and are used with a covered TENS. Usual maximum utilization is:

- 2 TENS leads - a maximum of one unit of A4595 per month or 4 units of A4556
- 4 TENS leads - a maximum of two units of A4595 per month or 8 units of A4556
- A maximum of one unit of A4630 per month

A 4-lead TENS unit may be used with either 2 leads or 4 leads, depending on the characteristics of the beneficiary’s pain. If it is ordered for use with 4 leads, the medical record from document why 2 leads are insufficient to meet the beneficiary’s needs.

If the use of the TENS unit is less than daily, the frequency of billing for the TENS supply code should be reduced proportionally. Replacement of lead wires (A4557) more often than every 12 months would rarely be reasonable and necessary.

For ongoing TENS supplies the medical record must include documentation of current frequency and duration of use, effect on pain, and effect on function.

Cross-references:

MP 2.062 Temporomandibular Joint Dysfunction (TMJ)

MP 6.045 Sympathetic Therapy for the Treatment of Pain

MP 6.046 Threshold Electrical Stimulation as a Treatment of Motor Disorders

MEDICAL POLICY

POLICY TITLE	TRANSCUTANEOUS ELECTRICAL NERVE STIMULATION
POLICY NUMBER	MP-6.020

MP 6.047 Interferential Current Stimulation

MP 6.048 Electrical Stimulation for the Treatment of Arthritis and Miscellaneous Conditions

MP 6.049 H-Wave Electrical Stimulation

MP 6.050 Percutaneous Electrical Nerve Stimulation (PENS) and Percutaneous Neuromodulation Therapy (PNT)

MP 6.051 Neuromuscular and Functional Neuromuscular Electrical Stimulation

II. PRODUCT VARIATIONS

[TOP](#)

This policy is only applicable to certain programs and products administered by Capital BlueCross please see additional information below, and subject to benefit variations as discussed in Section VI below.

FEP PPO - Refer to FEP Medical Policy Manual MP-1.01.09 Transcutaneous Electrical Nerve Stimulation (TENS). The FEP Medical Policy manual can be found at:

<https://www.fepblue.org/benefit-plans/medical-policies-and-utilization-management-guidelines/medical-policies>

III. DESCRIPTION/BACKGROUND

[TOP](#)

TENS has been used to treat chronic intractable pain, postsurgical pain, and pain associated with active or post-trauma injury unresponsive to other standard pain therapies. It has been proposed that TENS may provide pain relief through release of endorphins in addition to potential blockade of local pain pathways. TENS has also been used to treat dementia by altering neurotransmitter activity and increasing brain activity that is thought to reduce neural degeneration and stimulate regenerative processes. Percutaneous electrical nerve stimulation is similar to TENS but uses microneedles that penetrate the skin instead of surface electrodes. Interferential stimulation uses a modulated waveform for deeper tissue stimulation and is believed to improve blood flow to the affected area.

Regulatory Status

TENS devices consist of an electrical pulse generator, usually battery-operated, connected by wire to two or more electrodes, which are applied to the surface of the skin at the site of the pain. Since 1977, a large number of devices have been cleared for marketing by the U.S. Food and Drug Administration (FDA) through the 510(k) process. Marketing clearance via the 510(k) process does not require data on clinical efficacy; as a result, these cleared devices are considered substantially equivalent to predicate devices marketed in interstate commerce before May 1976, the enactment date of the Medical Device Amendments. The cleared devices are also equivalent to devices that have been reclassified and do not require a premarket approval application. FDA product code: GZJ.

POLICY TITLE	TRANSCUTANEOUS ELECTRICAL NERVE STIMULATION
POLICY NUMBER	MP-6.020

In 2014, the Cefaly® (STX-Med, Herstal, Belgium), which is a TENS device, was granted a de novo 510(k) classification by FDA for the prophylactic treatment of migraine in patients 18 years of age or older. FDA product code: PCC.

IV. RATIONALE

[TOP](#)

Summary of Evidence

For individuals who have chronic pain (e.g., musculoskeletal, neuropathic, and mixed pain conditions) who receive TENS, the evidence includes numerous RCTs and systematic reviews. Relevant outcomes are symptoms, functional outcomes, quality of life, and medication use. The overall strength of the evidence is weak. The best evidence exists for treatment of chronic, intractable pain. Available evidence indicates that TENS can improve chronic intractable pain in some patients, and there is support for its use in clinical guidelines by specialty societies. To best direct TENS toward patients who will benefit, a short-term trial of TENS is appropriate, with continuation only in patients who show an initial improvement. The evidence is sufficient to determine that the technology results in a meaningful improvement in the net health outcome.

For individuals who have acute pain (e.g., surgical, musculoskeletal, labor, and mixed pain conditions) who receive TENS, the evidence includes RCTs and systematic reviews. Relevant outcomes are symptoms and medication use. Overall, evidence for the use of TENS from high-quality trials remains inconclusive for most indications. A Cochrane review of TENS for acute pain (e.g., cervical laser treatment, venipuncture, screening flexible sigmoidoscopy, postpartum uterine contractions, rib fractures) found some evidence that TENS reduces pain intensity over and above that seen with placebo, but the high risk of bias made definitive conclusions impossible. For the treatment of pain after total knee arthroplasty, 2 large RCTs found no benefit of TENS compared with sham TENS. For the prevention of migraine headaches, a small RCT reported a greater proportion of patients achieving at least 50% reduction in migraines with TENS than with sham placebo, and modest reductions in the number of total headache and migraine days. This manufacturer-sponsored trial needs corroboration before conclusions can be made about the efficacy of TENS for preventing migraine headaches. For the relief of pain during office-based hysteroscopy, an RCT found decreased pain and higher patient satisfaction in patients receiving TENS compared with placebo or control. The evidence is insufficient to determine the effects of the technology on health outcomes.

V. DEFINITIONS

[TOP](#)

N/A

VI. BENEFIT VARIATIONS

[TOP](#)

The existence of this medical policy does not mean that this service is a covered benefit under the member's health benefit plan. Benefit determinations should be based in all cases on the

POLICY TITLE	TRANSCUTANEOUS ELECTRICAL NERVE STIMULATION
POLICY NUMBER	MP-6.020

applicable health benefit plan language. Medical policies do not constitute a description of benefits. A member’s health benefit plan governs which services are covered, which are excluded, which are subject to benefit limits and which require preauthorization. There are different benefit plan designs in each product administered by Capital BlueCross. Members and providers should consult the member’s health benefit plan for information or contact Capital BlueCross for benefit information.

VII. DISCLAIMER

[TOP](#)

Capital BlueCross’s medical policies are developed to assist in administering a member’s benefits, do not constitute medical advice and are subject to change. Treating providers are solely responsible for medical advice and treatment of members. Members should discuss any medical policy related to their coverage or condition with their provider and consult their benefit information to determine if the service is covered. If there is a discrepancy between this medical policy and a member’s benefit information, the benefit information will govern. If a provider or a member has a question concerning the application of this medical policy to a specific member’s plan of benefits, please contact Capital BlueCross’ Provider Services or Member Services. Capital BlueCross considers the information contained in this medical policy to be proprietary and it may only be disseminated as permitted by law.

VIII. CODING INFORMATION

[TOP](#)

Note: This list of codes may not be all-inclusive, and codes are subject to change at any time. The identification of a code in this section does not denote coverage as coverage is determined by the terms of member benefit information. In addition, not all covered services are eligible for separate reimbursement.

Covered when medically necessary:

HCPCS Code	Description
E0720	Transcutaneous electrical nerve stimulation (TENS) device, 2 lead, localized stimulation
E0730	Transcutaneous electrical nerve stimulation (TENS) device, 4 or more leads, for multiple nerve stimulation
E0731	Form-fitting conductive garment for delivery of TENS or NMES (with conductive fibers separated from the patient's skin by layers of fabric)
A4558	Conductive gel or paste, for use with electrical device (e.g., TENS, NMES), per oz.
A4595	Electrical stimulator supplies, 2 leads, per month (e.g., TENS, NMES)
A4630	Replacement batteries, medically necessary, transcutaneous electrical stimulator, owned by patient.

POLICY TITLE	TRANSCUTANEOUS ELECTRICAL NERVE STIMULATION
POLICY NUMBER	MP-6.020

ICD-10-CM Diagnosis Codes	Description
G54.1	Lumbosacral plexus disorders
G54.2	Cervical root disorders, not elsewhere classified
G54.3	Thoracic root disorders, not elsewhere classified
G54.4	Lumbosacral root disorders, not elsewhere classified
G54.5	Neuralgic amyotrophy
G54.8	Other nerve root and plexus disorders
G54.9	Nerve root and plexus disorder, unspecified
G55	Nerve root and plexus compressions in diseases classified elsewhere
G56.00	Carpal tunnel syndrome, unspecified upper limb
G56.01	Carpal tunnel syndrome, right upper limb
G56.02	Carpal tunnel syndrome, left upper limb
G56.03	Carpal tunnel syndrome, bilateral upper limbs
G56.10	Other lesions of median nerve, unspecified upper limb
G56.11	Other lesions of median nerve, right upper limb
G56.12	Other lesions of median nerve, left upper limb
G56.13	Other lesions of median nerve, bilateral upper limbs
G56.20	Lesion of ulnar nerve, unspecified upper limb
G56.21	Lesion of ulnar nerve, right upper limb
G56.22	Lesion of ulnar nerve, left upper limb
G56.23	Lesion of ulnar nerve, bilateral upper limbs
G56.30	Lesion of radial nerve, unspecified upper limb
G56.31	Lesion of radial nerve, right upper limb
G56.32	Lesion of radial nerve, left upper limb
G56.33	Lesion of radial nerve, bilateral upper limbs
G56.40	Causalgia of unspecified upper limb
G56.41	Causalgia of right upper limb
G56.42	Causalgia of left upper limb
G56.43	Causalgia of bilateral upper limbs
G56.80	Other specified mononeuropathies of unspecified upper limb
G56.81	Other specified mononeuropathies of right upper limb
G56.82	Other specified mononeuropathies of left upper limb
G56.83	Other specified mononeuropathies of bilateral upper limbs
G56.90	Unspecified mononeuropathy of unspecified upper limb
G56.91	Unspecified mononeuropathy of right upper limb
G56.92	Unspecified mononeuropathy of left upper limb
G56.93	Unspecified mononeuropathy of bilateral upper limbs
G57.00	Lesion of sciatic nerve, unspecified lower limb
G57.01	Lesion of sciatic nerve, right lower limb

POLICY TITLE	TRANSCUTANEOUS ELECTRICAL NERVE STIMULATION
POLICY NUMBER	MP-6.020

ICD-10-CM Diagnosis Codes	Description
G57.02	Lesion of sciatic nerve, left lower limb
G57.03	Lesion of sciatic nerve, bilateral lower limbs
G57.10	Meralgia paresthetica, unspecified lower limb
G57.11	Meralgia paresthetica, right lower limb
G57.12	Meralgia paresthetica, left lower limb
G57.13	Meralgia paresthetica, bilateral lower limbs
G57.20	Lesion of femoral nerve, unspecified lower limb
G57.21	Lesion of femoral nerve, right lower limb
G57.22	Lesion of femoral nerve, left lower limb
G57.23	Lesion of femoral nerve, bilateral lower limbs
G57.30	Lesion of lateral popliteal nerve, unspecified lower limb
G57.31	Lesion of lateral popliteal nerve, right lower limb
G57.32	Lesion of lateral popliteal nerve, left lower limb
G57.33	Lesion of lateral popliteal nerve, bilateral lower limbs
G57.40	Lesion of medial popliteal nerve, unspecified lower limb
G57.41	Lesion of medial popliteal nerve, right lower limb
G57.42	Lesion of medial popliteal nerve, left lower limb
G57.43	Lesion of medial popliteal nerve, bilateral lower limbs
G57.50	Tarsal tunnel syndrome, unspecified lower limb
G57.51	Tarsal tunnel syndrome, right lower limb
G57.52	Tarsal tunnel syndrome, left lower limb
G57.53	Tarsal tunnel syndrome, bilateral lower limbs
G57.60	Lesion of plantar nerve, unspecified lower limb
G57.61	Lesion of plantar nerve, right lower limb
G57.62	Lesion of plantar nerve, left lower limb
G57.63	Lesion of plantar nerve, bilateral lower limbs
G57.70	Causalgia of unspecified lower limb
G57.71	Causalgia of right lower limb
G57.72	Causalgia of left lower limb
G57.73	Causalgia of bilateral lower limbs
G57.81	Other specified mononeuropathies of right lower limb
G57.82	Other specified mononeuropathies of left lower limb
G57.90	Unspecified mononeuropathy of unspecified lower limb
G57.91	Unspecified mononeuropathy of right lower limb
G57.92	Unspecified mononeuropathy of left lower limb
G58.0	Intercostal neuropathy
G58.7	Mononeuritis multiplex
G60.0	Hereditary motor and sensory neuropathy

POLICY TITLE	TRANSCUTANEOUS ELECTRICAL NERVE STIMULATION
POLICY NUMBER	MP-6.020

ICD-10-CM Diagnosis Codes	Description
G60.1	Refsum's disease
G60.2	Neuropathy in association with hereditary ataxia
G60.3	Idiopathic progressive neuropathy
G60.8	Other hereditary and idiopathic neuropathies
G60.9	Hereditary and idiopathic neuropathy, unspecified
G89.21	Chronic pain due to trauma
G89.22	Chronic post-thoracotomy pain
G89.28	Other chronic postprocedural pain
G89.29	Other chronic pain
G89.4	Chronic pain syndrome
G90.50	Complex regional pain syndrome I, unspecified
G90.521	Complex regional pain syndrome I of right lower limb
G90.522	Complex regional pain syndrome I of left lower limb
G90.523	Complex regional pain syndrome I of lower limb, bilateral
G90.529	Complex regional pain syndrome I of unspecified lower limb
G90.59	Complex regional pain syndrome I of other specified site
M25.50	Pain in unspecified joint
M25.511	Pain in right shoulder
M25.512	Pain in left shoulder
M25.519	Pain in unspecified shoulder
M25.521	Pain in right elbow
M25.522	Pain in left elbow
M25.529	Pain in unspecified elbow
M25.531	Pain in right wrist
M25.532	Pain in left wrist
M25.539	Pain in unspecified wrist
M25.551	Pain in right hip
M25.552	Pain in left hip
M25.559	Pain in unspecified hip
M25.561	Pain in right knee
M25.562	Pain in left knee
M25.569	Pain in unspecified knee
M25.571	Pain in right ankle and joints of right foot
M25.572	Pain in left ankle and joints of left foot
M25.579	Pain in unspecified ankle and joints of unspecified foot
M25.59	Pain in other specified Joint
M25.78	Osteophyte, vertebrae
M43.20	Fusion of spine, site unspecified

POLICY TITLE	TRANSCUTANEOUS ELECTRICAL NERVE STIMULATION
POLICY NUMBER	MP-6.020

ICD-10-CM Diagnosis Codes	Description
M43.21	Fusion of spine, occipito-atlanto-axial region
M43.22	Fusion of spine, cervical region
M43.23	Fusion of spine, cervicothoracic region
M43.24	Fusion of spine, thoracic region
M43.25	Fusion of spine, thoracolumbar region
M43.26	Fusion of spine, lumbar region
M43.27	Fusion of spine, lumbosacral region
M43.28	Fusion of spine, sacral and sacrococcygeal region
M43.8X9	Other specified deforming dorsopathies, site unspecified
M46.1	Sacroiliitis, not elsewhere classified
M47.011	Anterior spinal artery compression syndromes, occipito-atlanto-axial region
M47.012	Anterior spinal artery compression syndromes, cervical region
M47.013	Anterior spinal artery compression syndromes, cervicothoracic region
M47.014	Anterior spinal artery compression syndromes, thoracic region
M47.015	Anterior spinal artery compression syndromes, thoracolumbar region
M47.016	Anterior spinal artery compression syndromes, lumbar region
M47.019	Anterior spinal artery compression syndromes, site unspecified
M47.021	Vertebral artery compression syndromes, occipito-atlanto-axial region
M47.022	Vertebral artery compression syndromes, cervical region
M47.029	Vertebral artery compression syndromes, site unspecified
M47.10	Other spondylosis with myelopathy, site unspecified
M47.11	Other spondylosis with myelopathy, occipito-atlanto-axial region
M47.12	Other spondylosis with myelopathy, cervical region
M47.13	Other spondylosis with myelopathy, cervicothoracic region
M47.14	Other spondylosis with myelopathy, thoracic region
M47.15	Other spondylosis with myelopathy, thoracolumbar region
M47.16	Other spondylosis with myelopathy, lumbar region
M47.20	Other spondylosis with radiculopathy, site unspecified
M47.21	Other spondylosis with radiculopathy, occipito-atlanto-axial region
M47.22	Other spondylosis with radiculopathy, cervical region
M47.23	Other spondylosis with radiculopathy, cervicothoracic region
M47.24	Other spondylosis with radiculopathy, thoracic region
M47.25	Other spondylosis with radiculopathy, thoracolumbar region
M47.26	Other spondylosis with radiculopathy, lumbar region
M47.27	Other spondylosis with radiculopathy, lumbosacral region
M47.28	Other spondylosis with radiculopathy, sacral and sacrococcygeal region
M47.811	Spondylosis without myelopathy or radiculopathy, occipito-atlanto-axial region
M47.812	Spondylosis without myelopathy or radiculopathy, cervical region

POLICY TITLE	TRANSCUTANEOUS ELECTRICAL NERVE STIMULATION
POLICY NUMBER	MP-6.020

ICD-10-CM Diagnosis Codes	Description
M47.813	Spondylosis without myelopathy or radiculopathy, cervicothoracic region
M47.814	Spondylosis without myelopathy or radiculopathy, thoracic region
M47.815	Spondylosis without myelopathy or radiculopathy, thoracolumbar region
M47.816	Spondylosis without myelopathy or radiculopathy, lumbar region
M47.817	Spondylosis without myelopathy or radiculopathy, lumbosacral region
M47.818	Spondylosis without myelopathy or radiculopathy, sacral and sacrococcygeal region
M47.819	Spondylosis without myelopathy or radiculopathy, site unspecified
M47.891	Other spondylosis, occipito-atlanto-axial region
M47.892	Other spondylosis, cervical region
M47.893	Other spondylosis, cervicothoracic region
M47.894	Other spondylosis, thoracic region
M47.895	Other spondylosis, thoracolumbar region
M47.896	Other spondylosis, lumbar region
M47.897	Other spondylosis, lumbosacral region
M47.898	Other spondylosis, sacral and sacrococcygeal region
M47.899	Other spondylosis, site unspecified
M47.9	Spondylosis, unspecified
M48.00	Spinal stenosis, site unspecified
M48.00	Spinal stenosis, site unspecified
M48.01	Spinal stenosis, occipito-atlanto-axial region
M48.02	Spinal stenosis, cervical region
M48.03	Spinal stenosis, cervicothoracic region
M48.04	Spinal stenosis, thoracic region
M48.05	Spinal stenosis, thoracolumbar region
M48.061	Spinal stenosis, lumbar region without neurogenic claudication
M48.062	Spinal stenosis, lumbar region with neurogenic claudication
M48.07	Spinal stenosis, lumbosacral region
M48.08	Spinal stenosis, sacral and sacrococcygeal region
M48.10	Ankylosing hyperostosis [Forestier], site unspecified
M48.11	Ankylosing hyperostosis [Forestier], occipito-atlanto-axial region
M48.12	Ankylosing hyperostosis [Forestier], cervical region
M48.13	Ankylosing hyperostosis [Forestier], cervicothoracic region
M48.14	Ankylosing hyperostosis [Forestier], thoracic region
M48.15	Ankylosing hyperostosis [Forestier], thoracolumbar region
M48.16	Ankylosing hyperostosis [Forestier], lumbar region
M48.17	Ankylosing hyperostosis [Forestier], lumbosacral region
M48.18	Ankylosing hyperostosis [Forestier], sacral and sacrococcygeal region
M48.19	Ankylosing hyperostosis [Forestier], multiple sites in spine

POLICY TITLE	TRANSCUTANEOUS ELECTRICAL NERVE STIMULATION
POLICY NUMBER	MP-6.020

ICD-10-CM Diagnosis Codes	Description
M48.20	Kissing spine, site unspecified
M48.21	Kissing spine, occipito-atlanto-axial region
M48.22	Kissing spine, cervical region
M48.23	Kissing spine, cervicothoracic region
M48.24	Kissing spine, thoracic region
M48.25	Kissing spine, thoracolumbar region
M48.26	Kissing spine, lumbar region
M48.27	Kissing spine, lumbosacral region
M48.30	Traumatic spondylopathy, site unspecified
M48.31	Traumatic spondylopathy, occipito-atlanto-axial region
M48.32	Traumatic spondylopathy, cervical region
M48.33	Traumatic spondylopathy, cervicothoracic region
M48.34	Traumatic spondylopathy, thoracic region
M48.35	Traumatic spondylopathy, thoracolumbar region
M48.36	Traumatic spondylopathy, lumbar region
M48.37	Traumatic spondylopathy, lumbosacral region
M48.38	Traumatic spondylopathy, sacral and sacrococcygeal region
M48.9	Spondylopathy, unspecified
M50.00	Cervical disc disorder with myelopathy, unspecified cervical region
M50.01	Cervical disc disorder with myelopathy, high cervical region
M50.02	Cervical disc disorder with myelopathy, mid-cervical region
M50.03	Cervical disc disorder with myelopathy, cervicothoracic region
M50.10	Cervical disc disorder with radiculopathy, unspecified cervical region
M50.11	Cervical disc disorder with radiculopathy, high cervical region
M50.12	Cervical disc disorder with radiculopathy, mid-cervical region
M50.13	Cervical disc disorder with radiculopathy, cervicothoracic region
M50.20	Other cervical disc displacement, unspecified cervical region
M50.21	Other cervical disc displacement, high cervical region
M50.22	Other cervical disc displacement, mid-cervical region
M50.23	Other cervical disc displacement, cervicothoracic region
M50.30	Other cervical disc degeneration, unspecified cervical region
M50.31	Other cervical disc degeneration, high cervical region
M50.32	Other cervical disc degeneration, mid-cervical region
M50.33	Other cervical disc degeneration, cervicothoracic region
M50.80	Other cervical disc disorders, unspecified cervical region
M50.81	Other cervical disc disorders, high cervical region
M50.82	Other cervical disc disorders, mid-cervical region
M50.83	Other cervical disc disorders, cervicothoracic region

POLICY TITLE	TRANSCUTANEOUS ELECTRICAL NERVE STIMULATION
POLICY NUMBER	MP-6.020

ICD-10-CM Diagnosis Codes	Description
M50.90	Cervical disc disorder, unspecified, unspecified cervical region
M50.91	Cervical disc disorder, unspecified, high cervical region
M50.92	Cervical disc disorder, unspecified, mid-cervical region
M50.93	Cervical disc disorder, unspecified, cervicothoracic region
M51.04	Intervertebral disc disorders with myelopathy, thoracic region
M51.05	Intervertebral disc disorders with myelopathy, thoracolumbar region
M51.14	Intervertebral disc disorders with radiculopathy, thoracic region
M51.15	Intervertebral disc disorders with radiculopathy, thoracolumbar region
M51.16	Intervertebral disc disorders with radiculopathy, lumbar region
M51.17	Intervertebral disc disorders with radiculopathy, lumbosacral region
M51.24	Other intervertebral disc displacement, thoracic region
M51.25	Other intervertebral disc displacement, thoracolumbar region
M51.26	Other intervertebral disc displacement, lumbar region
M51.27	Other intervertebral disc displacement, lumbosacral region
M51.34	Other intervertebral disc degeneration, thoracic region
M51.35	Other intervertebral disc degeneration, thoracolumbar region
M51.36	Other intervertebral disc degeneration, lumbar region
M51.37	Other intervertebral disc degeneration, lumbosacral region
M51.84	Other intervertebral disc disorders, thoracic region
M51.85	Other intervertebral disc disorders, thoracolumbar region
M51.86	Other intervertebral disc disorders, lumbar region
M51.87	Other intervertebral disc disorders, lumbosacral region
M51.9	Unspecified thoracic, thoracolumbar and lumbosacral intervertebral disc disorder
M53.0	Cervicocranial syndrome
M53.1	Cervicobrachial syndrome
M53.2X7	Spinal instabilities, lumbosacral region
M53.2X8	Spinal instabilities, sacral and sacrococcygeal region
M53.3	Sacrococcygeal disorders, not elsewhere classified
M53.80	Other specified dorsopathies, site unspecified
M53.84	Other specified dorsopathies, thoracic region
M53.85	Other specified dorsopathies, thoracolumbar region
M53.86	Other specified dorsopathies, lumbar region
M53.87	Other specified dorsopathies, lumbosacral region
M53.88	Other specified dorsopathies, sacral and sacrococcygeal region
M53.9	Dorsopathy, unspecified
M54.10	Radiculopathy, site unspecified
M54.11	Radiculopathy, occipito-atlanto-axial region
M54.12	Radiculopathy, cervical region

POLICY TITLE	TRANSCUTANEOUS ELECTRICAL NERVE STIMULATION
POLICY NUMBER	MP-6.020

ICD-10-CM Diagnosis Codes	Description
M54.13	Radiculopathy, cervicothoracic region
M54.14	Radiculopathy, thoracic region
M54.15	Radiculopathy, thoracolumbar region
M54.16	Radiculopathy, lumbar region
M54.17	Radiculopathy, lumbosacral region
M54.18	Radiculopathy, sacral and sacrococcygeal region
M54.2	Cervicalgia
M54.30	Sciatica, unspecified side
M54.31	Sciatica, right side
M54.32	Sciatica, left side
M54.40	Lumbago with sciatica, unspecified side
M54.41	Lumbago with sciatica, right side
M54.42	Lumbago with sciatica, left side
M54.5	Low back pain
M54.6	Pain in thoracic spine
M60.80	Other myositis, unspecified site
M60.811	Other myositis, right shoulder
M60.812	Other myositis, left shoulder
M60.819	Other myositis, unspecified shoulder
M60.821	Other myositis, right upper arm
M60.822	Other myositis, left upper arm
M60.829	Other myositis, unspecified upper arm
M60.831	Other myositis, right forearm
M60.832	Other myositis, left forearm
M60.839	Other myositis, unspecified forearm
M60.841	Other myositis, right hand
M60.842	Other myositis, left hand
M60.849	Other myositis, unspecified hand
M60.851	Other myositis, right thigh
M60.852	Other myositis, left thigh
M60.859	Other myositis, unspecified thigh
M60.861	Other myositis, right lower leg
M60.862	Other myositis, left lower leg
M60.869	Other myositis, unspecified lower leg
M60.871	Other myositis, right ankle and foot
M60.872	Other myositis, left ankle and foot
M60.879	Other myositis, unspecified ankle and foot
M60.88	Other myositis, other site

POLICY TITLE	TRANSCUTANEOUS ELECTRICAL NERVE STIMULATION
POLICY NUMBER	MP-6.020

ICD-10-CM Diagnosis Codes	Description
M60.89	Other myositis, multiple sites
M60.9	Myositis, unspecified
M79.10	Myalgia, unspecified site
M79.12	Myalgia of auxiliary muscles, head and neck
M79.18	Myalgia, other site
M79.2	Neuralgia and neuritis, unspecified
M79.601	Pain in right arm
M79.602	Pain in left arm
M79.603	Pain in arm, unspecified
M79.604	Pain in right leg
M79.605	Pain in left leg
M79.606	Pain in leg, unspecified
M79.609	Pain in unspecified limb
M79.621	Pain in right upper arm
M79.622	Pain in left upper arm
M79.629	Pain in unspecified upper arm
M79.631	Pain in right forearm
M79.632	Pain in left forearm
M79.639	Pain in unspecified forearm
M79.641	Pain in right hand
M79.642	Pain in left hand
M79.643	Pain in unspecified hand
M79.644	Pain in right finger(s)
M79.645	Pain in left finger(s)
M79.651	Pain in right thigh
M79.652	Pain in left thigh
M79.659	Pain in unspecified thigh
M79.661	Pain in right lower leg
M79.662	Pain in left lower leg
M79.669	Pain in unspecified lower leg
M79.671	Pain in right foot
M79.672	Pain in left foot
M79.673	Pain in unspecified foot
M79.674	Pain in right toe(s)
M79.675	Pain in left toe(s)
M99.20	Subluxation stenosis of neural canal of head region
M99.21	Subluxation stenosis of neural canal of cervical region
M99.22	Subluxation stenosis of neural canal of thoracic region

POLICY TITLE	TRANSCUTANEOUS ELECTRICAL NERVE STIMULATION
POLICY NUMBER	MP-6.020

ICD-10-CM Diagnosis Codes	Description
M99.23	Subluxation stenosis of neural canal of lumbar region
M99.24	Subluxation stenosis of neural canal of sacral region
M99.26	Subluxation stenosis of neural canal of lower extremity
M99.27	Subluxation stenosis of neural canal of upper extremity
M99.28	Subluxation stenosis of neural canal of rib cage
M99.30	Osseous stenosis of neural canal of head region
M99.31	Osseous stenosis of neural canal of cervical region
M99.32	Osseous stenosis of neural canal of thoracic region
M99.33	Osseous stenosis of neural canal of lumbar region
M99.34	Osseous stenosis of neural canal of sacral region
M99.36	Osseous stenosis of neural canal of lower extremity
M99.37	Osseous stenosis of neural canal of upper extremity
M99.38	Osseous stenosis of neural canal of rib cage
M99.40	Connective tissue stenosis of neural canal of head region
M99.41	Connective tissue stenosis of neural canal of cervical region
M99.42	Connective tissue stenosis of neural canal of thoracic region
M99.43	Connective tissue stenosis of neural canal of lumbar region
M99.44	Connective tissue stenosis of neural canal of sacral region
M99.46	Connective tissue stenosis of neural canal of lower extremity
M99.47	Connective tissue stenosis of neural canal of upper extremity
M99.48	Connective tissue stenosis of neural canal of rib cage
M99.50	Intervertebral disc stenosis of neural canal of head region
M99.51	Intervertebral disc stenosis of neural canal of cervical region
M99.52	Intervertebral disc stenosis of neural canal of thoracic region
M99.53	Intervertebral disc stenosis of neural canal of lumbar region
M99.54	Intervertebral disc stenosis of neural canal of sacral region
M99.56	Intervertebral disc stenosis of neural canal of lower extremity
M99.57	Intervertebral disc stenosis of neural canal of upper extremity
M99.58	Intervertebral disc stenosis of neural canal of rib cage
M99.60	Osseous and subluxation stenosis of intervertebral foramina of head region
M99.61	Osseous and subluxation stenosis of intervertebral foramina of cervical region
M99.62	Osseous and subluxation stenosis of intervertebral foramina of thoracic region
M99.63	Osseous and subluxation stenosis of intervertebral foramina of lumbar region
M99.64	Osseous and subluxation stenosis of intervertebral foramina of sacral region
M99.66	Osseous and subluxation stenosis of intervertebral foramina of lower extremity
M99.67	Osseous and subluxation stenosis of intervertebral foramina of upper extremity
M99.68	Osseous and subluxation stenosis of intervertebral foramina of rib cage

POLICY TITLE	TRANSCUTANEOUS ELECTRICAL NERVE STIMULATION
POLICY NUMBER	MP-6.020

ICD-10-CM Diagnosis Codes	Description
M99.69	Osseous and sUBLuxation stenosis of intervertebral foramina of abdomen and other regions
M99.70	Connective tissue and disc stenosis of intervertebral foramina of head region
M99.71	Connective tissue and disc stenosis of intervertebral foramina of cervical region
M99.72	Connective tissue and disc stenosis of intervertebral foramina of thoracic region
M99.73	Connective tissue and disc stenosis of intervertebral foramina of lumbar region
M99.74	Connective tissue and disc stenosis of intervertebral foramina of sacral region
M99.76	Connective tissue and disc stenosis of intervertebral foramina of lower extremity
M99.77	Connective tissue and disc stenosis of intervertebral foramina of upper extremity
M99.78	Connective tissue and disc stenosis of intervertebral foramina of rib cage

IX. REFERENCES

[TOP](#)

1. *Acog Committee on Practice Bulletins--Gynecology. ACOG Practice Bulletin No. 51. Chronic pelvic pain. Obstet Gynecol. Mar 2004;103(3):589-605. PMID 14990428*
2. *American Congress of Obstetricians and Gynecologists (ACOG). Women's Health Care Physicians. 2007; <http://www.acog.org/Resources-And-Publications/>. Accessed August 28, 2020.*
3. *American Society of Anesthesiologists Task Force on Chronic Pain Management, American Society of Regional Anesthesia Pain Medicine. Practice guidelines for chronic pain management: an updated report by the American Society of Anesthesiologists Task Force on Chronic Pain Management and the American Society of Regional Anesthesia and Pain Medicine. Anesthesiology. Apr 2010;112(4):810-833. PMID 20124882*
4. *American Society of Anesthesiologists. Practice guidelines for chronic pain management. A report by the American Society of Anesthesiologists Task Force on Pain Management, Chronic Pain Section. Anesthesiology. Apr 1997;86(4):995-1004. PMID 9105246*
5. *Blue Cross and Blue Shield Association Technology Evaluation Center (TEC). TENS or PENS in the treatment of chronic and postoperative pain. TEC Assessments. 1996;Volume 11, Tab 21. PMID*
6. *Blue Cross Blue Shield Association Medical Policy Reference Manual. 1.01.09, Transcutaneous Electrical Nerve Stimulation. November 2018.*
7. *Boldt I, Eriks-Hoogland I, Brinkhof MW, et al. Non-pharmacological interventions for chronic pain in people with spinal cord injury. Cochrane Database Syst Rev. 2014;11:CD009177. PMID 25432061*
8. *Bono CM, Ghiselli G, Gilbert TJ, et al. An evidence-based clinical guideline for the diagnosis and treatment of cervical radiculopathy from degenerative disorders. Spine J. Jan 2011;11(1):64-72. PMID 21168100*

POLICY TITLE	TRANSCUTANEOUS ELECTRICAL NERVE STIMULATION
POLICY NUMBER	MP-6.020

9. Bronfort G, Nilsson N, Haas M, et al. Non-invasive physical treatments for chronic/recurrent headache. *Cochrane Database Syst Rev.* Jul 2004(3):CD001878. PMID 15266458
10. Brosseau L, Judd MG, Marchand S, et al. Transcutaneous electrical nerve stimulation (TENS) for the treatment of rheumatoid arthritis in the hand. *Cochrane Database Syst Rev.* Aug 2003(3):CD004377. PMID 12918009
11. Brosseau LU, Pelland LU, Casimiro LY, et al. Electrical stimulation for the treatment of rheumatoid arthritis. *Cochrane Database Syst Rev.* Jun 2002(2):CD003687. PMID 12076504
12. Cameron M, Lonergan E, Lee H. Transcutaneous electrical nerve stimulation (TENS) for dementia. *Cochrane Database Syst Rev.* Aug 2003(3):CD004032. PMID 12917999
13. Carroll D, Moore RA, McQuay HJ, et al. Transcutaneous electrical nerve stimulation (TENS) for chronic pain. *Cochrane Database Syst Rev.* Nov 2001(3):CD003222. PMID 11687055
14. Centers for Medicare & Medicaid. National Coverage Determination (NCD) for Supplies Used in the Delivery of Transcutaneous Electrical Nerve Stimulation (TENS) and Neuromuscular Electrical Stimulation (NMES) (160.13). 1988; [Supplies Used in the Delivery of Transcutaneous Electrical Nerve Stimulation \(TENS\) and Neuromuscular Electrical Stimulation \(NMES\)](#) Accessed August 28, 2020.
15. Centers for Medicare & Medicaid. National Coverage Determination (NCD) for Transcutaneous Electrical Nerve Stimulators (TENS) (280.13). 1995; [Transcutaneous Electrical Nerve Stimulators \(TENS\)](#) Accessed August 28, 2020.
16. Centers for Medicare and Medicaid. Decision Memo for Transcutaneous Electrical Nerve Stimulation for Chronic Low Back Pain (CAG-00429N). 2012; [Decision Memo for Transcutaneous Electrical Nerve Stimulation for Chronic Low Back Pain](#) Accessed August 28, 2020.
17. Centers for Medicare and Medicaid. National Coverage Determination (NCD) for Transcutaneous Electrical Nerve Stimulation (TENS) for Acute Post-Operative Pain (10.2). 1995; [Transcutaneous Electrical Nerve Stimulation \(TENS\) for Acute Post-Operative Pain](#). Accessed August 28, 2020..
18. Centers for Medicare and Medicaid. National Coverage Determination (NCD) for Assessing Patient's Suitability for Electrical Nerve Stimulation Therapy (160.7.1). 2006; [Assessing Patient's Suitability for Electrical Nerve Stimulation Therapy](#) Accessed August 28, 2020.
19. Chen WL, Hsu WC, Lin YJ, et al. Comparison of intra-articular hyaluronic acid injections with transcutaneous electric nerve stimulation for the management of knee osteoarthritis: a randomized controlled trial. *Arch Phys Med Rehabil.* Aug 2013;94(8):1482-1489. PMID 23628378
20. Cherian JJ, Harrison PE, Benjamin SA, et al. Do the effects of transcutaneous electrical nerve stimulation on knee osteoarthritis pain and function last? *J Knee Surg.* Aug 2016;29(6):497-501. PMID 26540652

POLICY TITLE	TRANSCUTANEOUS ELECTRICAL NERVE STIMULATION
POLICY NUMBER	MP-6.020

21. Chesterton LS, Lewis AM, Sim J, et al. Transcutaneous electrical nerve stimulation as adjunct to primary care management for tennis elbow: pragmatic randomised controlled trial (TATE trial). *BMJ*. Sep 02 2013;347:f5160. PMID 23999980
22. Chou R, Qaseem A, Snow V, et al. Diagnosis and treatment of low back pain: a joint clinical practice guideline from the American College of Physicians and the American Pain Society. *Ann Intern Med*. Oct 2 2007;147(7):478-491. PMID 17909209
23. Committee on Obstetric Practice. Committee Opinion No. 687: Approaches to limit intervention during labor and birth. *Obstet Gynecol*. Feb 2017;129(2):e20-e28. PMID 28121831
24. Cruccu G, Aziz TZ, Garcia-Larrea L, et al. EFNS guidelines on neurostimulation therapy for neuropathic pain. *Eur J Neurol*. Sep 2007;14(9):952-970. PMID 17718686
25. Dailey DL, Rakel BA, Vance CG, et al. Transcutaneous electrical nerve stimulation reduces pain, fatigue and hyperalgesia while restoring central inhibition in primary fibromyalgia. *Pain*. Nov 2013;154(11):2554-2562. PMID 23900134
26. De Giorgi I, Castroflorio T, Sartoris B, et al. The use of conventional transcutaneous electrical nerve stimulation in chronic facial myalgia patients. *Clin Oral Investig*. Jan 2017;21(1):275-280. PMID 27000071
27. DeSantana JM, Walsh DM, Vance C, et al. Effectiveness of transcutaneous electrical nerve stimulation for treatment of hyperalgesia and pain. *Curr Rheumatol Rep*. Dec 2008;10(6):492-499. PMID 19007541
28. Deyo RA, Walsh NE, Martin DC, et al. A controlled trial of transcutaneous electrical nerve stimulation (TENS) and exercise for chronic low back pain. *N Engl J Med*. Jun 7 1990;322(23):1627-1634. PMID 2140432
29. Dowswell T, Bedwell C, Lavender T, et al. Transcutaneous electrical nerve stimulation (TENS) for pain relief in labour. *Cochrane Database Syst Rev*. Apr 15 2009(2):CD007214. PMID 19370680
30. Dubinsky RM, Miyasaki J. Assessment: efficacy of transcutaneous electric nerve stimulation in the treatment of pain in neurologic disorders (an evidence-based review): report of the Therapeutics and Technology Assessment Subcommittee of the American Academy of Neurology. *Neurology*. Jan 12 2010;74(2):173-176. PMID 20042705
31. Ferreira AP, Costa DR, Oliveira AI, et al. Short-term transcutaneous electrical nerve stimulation reduces pain and improves the masticatory muscle activity in temporomandibular disorder patients: a randomized controlled trial. *J Appl Oral Sci*. Mar-Apr 2017;25(2):112-120. PMID 28403351
32. Food and Drug Administration. De Novo Classification Request for Cefaly Device. 2012; http://www.accessdata.fda.gov/cdrh_docs/reviews/K122566.pdf. Accessed June 4, 2018.
33. Galli TT, Chiavegato LD, Liebano RE. Effects of TENS in living kidney donors submitted to open nephrectomy: a randomized placebo-controlled trial. *Eur J Pain*. Jan 2015;19(1):67-76. PMID 24831862

POLICY TITLE	TRANSCUTANEOUS ELECTRICAL NERVE STIMULATION
POLICY NUMBER	MP-6.020

34. Gossrau G, Wahner M, Kuschke M, et al. Microcurrent transcutaneous electric nerve stimulation in painful diabetic neuropathy: a randomized placebo-controlled study. *Pain Med.* Jun 2011;12(6):953-960. PMID 21627767
35. Hurlow A, Bennett MI, Robb KA, et al. Transcutaneous electric nerve stimulation (TENS) for cancer pain in adults. *Cochrane Database Syst Rev.* Mar 14 2012;3(3):CD006276. PMID 22419313
36. Johnson M, Martinson M. Efficacy of electrical nerve stimulation for chronic musculoskeletal pain: a meta-analysis of randomized controlled trials. *Pain.* Jul 2007;130(1-2):157-165. PMID 17383095
37. Johnson MI, Mulvey MR, Bagnall AM. Transcutaneous electrical nerve stimulation (TENS) for phantom pain and stump pain following amputation in adults. *Cochrane Database Syst Rev.* Aug 18 2015;8:CD007264. PMID 26284511
38. Johnson MI, Paley CA, Howe TE, et al. Transcutaneous electrical nerve stimulation for acute pain. *Cochrane Database Syst Rev.* Jun 15 2015;6(6):CD006142. PMID 26075732
39. Kayman-Kose S, Arioz DT, Toktas H, et al. Transcutaneous electrical nerve stimulation (TENS) for pain control after vaginal delivery and cesarean section. *J Matern Fetal Neonatal Med.* Oct 2014;27(15):1572-1575. PMID 24283391
40. Keskin EA, Onur O, Keskin HL, et al. Transcutaneous electrical nerve stimulation improves low back pain during pregnancy. *Gynecol Obstet Invest.* Jun 2012;74(1):76-83. PMID 22722614
41. Khadilkar A, Milne S, Brosseau L, et al. Transcutaneous electrical nerve stimulation (TENS) for chronic low-back pain. *Cochrane Database Syst Rev.* Jul 20 2005(3):CD003008. PMID 16034883
42. Khadilkar A, Odebiyi DO, Brosseau L, et al. Transcutaneous electrical nerve stimulation (TENS) versus placebo for chronic low-back pain. *Cochrane Database Syst Rev.* Oct 08 2008(4):CD003008. PMID 18843638
43. Kroeling P, Gross A, Goldsmith CH, et al. Electrotherapy for neck pain. *Cochrane Database Syst Rev.* Oct 07 2009(4):CD004251. PMID 19821322
44. Kroeling P, Gross A, Graham N, et al. Electrotherapy for neck pain. *Cochrane Database Syst Rev.* Aug 26 2013;8(8):CD004251. PMID 23979926
45. Kroeling P, Gross A, Houghton PE, et al. Electrotherapy for neck disorders. *Cochrane Database Syst Rev.* Apr 18 2005(2):CD004251. PMID 15846703
46. Lang T, Barker R, Steinlechner B, et al. TENS relieves acute posttraumatic hip pain during emergency transport. *J Trauma.* Jan 2007;62(1):184-188; discussion 188. PMID 17215752
47. Lauretti GR, Chubaci EF, Mattos AL. Efficacy of the use of two simultaneously TENS devices for fibromyalgia pain. *Rheumatol Int.* Aug 2013;33(8):2117-2122. PMID 23423539
48. Lison JF, Amer-Cuenca JJ, Piquer-Marti S, et al. Transcutaneous nerve stimulation for pain relief during office hysteroscopy: a randomized controlled trial. *Obstet Gynecol.* Feb 2017;129(2):363-370. PMID 28079781

POLICY TITLE	TRANSCUTANEOUS ELECTRICAL NERVE STIMULATION
POLICY NUMBER	MP-6.020

49. Machin D, Lewith GT, Wylson S. Pain measurement in randomized clinical trials: A comparison of two pain scales. *Clin J Pain*. 1988;4:161-168. PMID
50. Magis D, Sava S, d'Elia TS, et al. Safety and patients' satisfaction of transcutaneous supraorbital neurostimulation (tSNS) with the Cefaly(R) device in headache treatment: a survey of 2,313 headache sufferers in the general population. *J Headache Pain*. Dec 2013;14:95. PMID 24289825
51. Martelletti P, Jensen RH, Antal A, et al. Neuromodulation of chronic headaches: position statement from the European Headache Federation. *J Headache Pain*. Oct 21 2013;14(1):86. PMID 24144382
52. McAlindon TE, Bannuru RR, Sullivan MC, et al. OARSI guidelines for the non-surgical management of knee osteoarthritis. *Osteoarthritis Cartilage*. Mar 2014;22(3):363-388. PMID 24462672
53. Milne S, Welch V, Brosseau L, et al. Transcutaneous electrical nerve stimulation (TENS) for chronic low back pain. *Cochrane Database Syst Rev*. Jun 2001(2):CD003008. PMID 11406059
54. Mulvey MR, Bagnall AM, Johnson MI, et al. Transcutaneous electrical nerve stimulation (TENS) for phantom pain and stump pain following amputation in adults. *Cochrane Database Syst Rev*. May 12 2010(5):CD007264. PMID 20464749
55. National Cancer Institute. Pain (PDQ®)-Health Professional Version. 2017 Aug 30; <http://www.cancer.gov/cancertopics/pdq/supportivecare/pain/HealthProfessional/page1>. Accessed August 28, 2020.
56. National Comprehensive Cancer Network (NCCN). NCCN Clinical Practice Guidelines in Oncology: Adult Cancer Pain. Version 2.2019. http://www.nccn.org/professionals/physician_gls/pdf/pain.pdf. Accessed August 28, 2020.
57. National Institute for Health and Care Excellence (NICE). Intrapartum care: Care of healthy women and their babies during childbirth [CP55]. 2007; <https://www.nice.org.uk/guidance/cg190>. Accessed August 28, 2020.
58. National Institute for Health and Care Excellence (NICE). Low back pain in adults: early management [CP88]. 2009; <https://www.nice.org.uk/guidance/NG59>. Accessed August 28, 2020.
59. National Institute for Health and Care Excellence (NICE). Osteoarthritis: the care and management of osteoarthritis in adults [CG59]. 2008; <https://www.nice.org.uk/guidance/cg177>. Accessed August 28, 2020.
60. Nnoaham KE, Kumbang J. Transcutaneous electrical nerve stimulation (TENS) for chronic pain. *Cochrane Database Syst Rev*. Jul 16 2008(3):CD003222. PMID 18646088
61. Oosterhof J, De Boo TM, Oostendorp RA, et al. Outcome of transcutaneous electrical nerve stimulation in chronic pain: short-term results of a double-blind, randomised, placebo-controlled trial. *J Headache Pain*. Sep 2006;7(4):196-205. PMID 16897618

POLICY TITLE	TRANSCUTANEOUS ELECTRICAL NERVE STIMULATION
POLICY NUMBER	MP-6.020

62. Oosterhof J, Samwel HJ, de Boo TM, et al. Predicting outcome of TENS in chronic pain: a prospective, randomized, placebo controlled trial. *Pain*. May 2008;136(1-2):11-20. PMID 17659838
63. Oosterhof J, Wilder-Smith OH, de Boo T, et al. The long-term outcome of transcutaneous electrical nerve stimulation in the treatment for patients with chronic pain: a randomized, placebo-controlled trial. *Pain Pract*. Sep 2012;12(7):513-522. PMID 22304690
64. Osiri M, Welch V, Brosseau L, et al. Transcutaneous electrical nerve stimulation for knee osteoarthritis. *Cochrane Database Syst Rev*. Oct 2000(4):CD002823. PMID 11034768
65. Palmer S, Domaille M, Cramp F, et al. Transcutaneous electrical nerve stimulation as an adjunct to education and exercise for knee osteoarthritis: a randomized controlled trial. *Arthritis Care Res*. Mar 2014;66(3):387-394. PMID 23983090
66. Price CI, Pandyan AD. Electrical stimulation for preventing and treating post-stroke shoulder pain. *Cochrane Database Syst Rev*. Oct 2000(4):CD001698. PMID 11034725
67. Proctor ML, Smith CA, Farquhar CM, et al. Transcutaneous electrical nerve stimulation and acupuncture for primary dysmenorrhoea. *Cochrane Database Syst Rev*. Mar 2002(1):CD002123. PMID 11869624
68. Qaseem A, Wilt TJ, McLean RM, et al. Noninvasive treatments for acute, subacute, and chronic low back pain: a clinical practice guideline from the American College of Physicians. *Ann Intern Med*. Apr 04 2017;166(7):514-530. PMID 28192789
69. Rakel BA, Zimmerman MB, Geasland K, et al. Transcutaneous electrical nerve stimulation for the control of pain during rehabilitation after total knee arthroplasty: A randomized, blinded, placebo-controlled trial. *Pain*. Dec 2014;155(12):2599-2611. PMID 25270585
70. Ramanathan D, Saleh A, Klika AK, et al. The use of transcutaneous electrical nerve stimulation after total knee arthroplasty: a prospective randomized controlled trial. *Surg Technol Int*. Jul 25 2017;30:425-434. PMID 28537354
71. Robb KA, Bennett MI, Johnson MI, et al. Transcutaneous electric nerve stimulation (TENS) for cancer pain in adults. *Cochrane Database Syst Rev*. Jul 16 2008(3):CD006276. PMID 18646140
72. Rutjes AW, Nuesch E, Sterchi R, et al. Transcutaneous electrostimulation for osteoarthritis of the knee. *Cochrane Database Syst Rev*. Oct 07 2009(4):CD002823. PMID 19821296
73. Sawant A, Dadurka K, Overend T, et al. Systematic review of efficacy of TENS for management of central pain in people with multiple sclerosis. *Mult Scler Relat Disord*. May 2015;4(3):219-227. PMID 26008938
74. Schneider MP, Tellenbach M, Mordasini L, et al. Refractory chronic pelvic pain syndrome in men: can transcutaneous electrical nerve stimulation help? *BJU Int*. Jul 2013;112(2):E159-163. PMID 23433012

POLICY TITLE	TRANSCUTANEOUS ELECTRICAL NERVE STIMULATION
POLICY NUMBER	MP-6.020

75. Schoenen J, Vandersmissen B, Jeanette S, et al. Migraine prevention with a supraorbital transcutaneous stimulator: a randomized controlled trial. *Neurology*. Feb 19 2013;80(8):697-704. PMID 23390177

76. Silva MB, de Melo PR, de Oliveira NM, et al. Analgesic effect of transcutaneous electrical nerve stimulation after laparoscopic cholecystectomy. *Am J Phys Med Rehabil*. Aug 2012;91(8):652-657. PMID 22311059

77. Simpson PM, Fouche PF, Thomas RE, et al. Transcutaneous electrical nerve stimulation for relieving acute pain in the prehospital setting: a systematic review and meta-analysis of randomized-controlled trials. *Eur J Emerg Med*. Feb 2014;21(1):10-17. PMID 23839103

78. Tokuda M, Tabira K, Masuda T, et al. Effect of modulated-frequency and modulated-intensity transcutaneous electrical nerve stimulation after abdominal surgery: a randomized controlled trial. *Clin J Pain*. Jul 2014;30(7):565-570. PMID 24901753

79. Tucker DL, Rockett M, Hasan M, et al. Does transcutaneous electrical nerve stimulation (TENS) alleviate the pain experienced during bone marrow sampling in addition to standard techniques? A randomised, double-blinded, controlled trial. *J Clin Pathol*. Jun 2015;68(6):479-483. PMID 25759407

80. Vance CG, Rakel BA, Blodgett NP, et al. Effects of transcutaneous electrical nerve stimulation on pain, pain sensitivity, and function in people with knee osteoarthritis: a randomized controlled trial. *Phys Ther*. Jul 2012;92(7):898-910. PMID 22466027

81. Walsh DM, Howe TE, Johnson MI, et al. Transcutaneous electrical nerve stimulation for acute pain. *Cochrane Database Syst Rev*. Apr 15 2009(2):CD006142. PMID 19370629

X. POLICY HISTORY

[TOP](#)

MP-6.020	CAC 10/25/2011 Adopted BCBSA for TENS, removed TENS information from Electrical Stimulation MP and created this new separate policy. Revised wording and formatting, coverage criteria unchanged.
	CAC 6/4/13 Consensus review, References updated; no changes to the policy statements. FEP variation revised to refer to the FEP policy manual. Administrative code review complete. Administrative change 7/25/13 NCD reference update.
	CAC 3/25/14 Consensus. No change to policy statements. References updated. Rationale section added.
	CAC 5/20/14 Minor revision. Policy statement is being revised to indicate the use of TENS in the prevention of migraine headaches is considered investigational. References updated and rationale added. Guidelines which address supply limits added to the policy. Codes reviewed.
	CAC 3/24/15 Consensus review. No changes to the policy statements. Reference update. Coding reviewed/deranged.

POLICY TITLE	TRANSCUTANEOUS ELECTRICAL NERVE STIMULATION
POLICY NUMBER	MP-6.020

<p>CAC 3/29/16 Consensus review. DME MAC A LCD number revised from L11506 to L33802. Investigational statements moved to the Policy section. Cross-References, Rationale and References sections updated. Coding Reviewed 03/17/2016</p>
<p>Admin Update 1/1/17 Variation reformatting. New diagnosis codes added effective 10/1/16</p>
<p>CAC 7/25/17 Consensus review. Rationale and References sections updated. Coding Reviewed</p>
<p>Admin Update 10/1/17: Added new ICD 10 codes effective from 10/1/17 and deleted old ICD 10 codes.</p>
<p>1/1/18 Admin Update: Medicare variations removed from Commercial Policies.</p>
<p>6/4/18 Consensus Review, no changes to policy statements. Rational summary and references updated.</p>
<p>10/1/18 Admin Update: Removed deleted ICD-10 codes, and added new ICD-10 codes effective 10/1/18.</p>
<p>1/1/19 Admin Update: Removed deleted CPT codes</p>
<p>4/15/19 Consensus Review. No changes to policy statements. References updated.</p>
<p>8/5/2019 Minor review. Criteria updated to require more documentation of previous conservative treatment of pain. Policy guidelines updated to require documentation of functional limitations. References updated. Effective 1/1/2020.</p>
<p>08/28/2020- Consensus Review. No changes to policy statements. References updated.</p>
<p>9/1/20: Admin Update. Added ICD 10 code M 25.59</p>

[Top](#)

Health care benefit programs issued or administered by Capital BlueCross and/or its subsidiaries, Capital Advantage Insurance Company®, Capital Advantage Assurance Company® and Keystone Health Plan® Central. Independent licensees of the BlueCross BlueShield Association. Communications issued by Capital BlueCross in its capacity as administrator of programs and provider relations for all companies.