

## MEDICAL POLICY

POLICY TITLE	SEMI-IMPLANTABLE AND FULLY IMPLANTABLE MIDDLE EAR HEARING AIDS
POLICY NUMBER	MP 1.130

CLINICAL BENEFIT	<input checked="" type="checkbox"/> MINIMIZE SAFETY RISK OR CONCERN. <input checked="" type="checkbox"/> MINIMIZE HARMFUL OR INEFFECTIVE INTERVENTIONS. <input type="checkbox"/> ASSURE APPROPRIATE LEVEL OF CARE. <input type="checkbox"/> ASSURE APPROPRIATE DURATION OF SERVICE FOR INTERVENTIONS. <input checked="" type="checkbox"/> ASSURE THAT RECOMMENDED MEDICAL PREREQUISITES HAVE BEEN MET. <input type="checkbox"/> ASSURE APPROPRIATE SITE OF TREATMENT OR SERVICE.
Effective Date:	12/1/2024

[POLICY RATIONALE](#)  
[DISCLAIMER](#)  
[POLICY HISTORY](#)

[PRODUCT VARIATIONS](#)  
[DEFINITIONS](#)  
[CODING INFORMATION](#)

[DESCRIPTION/BACKGROUND](#)  
[BENEFIT VARIATIONS](#)  
[REFERENCES](#)

### I. POLICY

[TOP](#)

The Vibrant® Soundbridge® and Maxum® semi-implantable middle ear hearing aids are considered **medically necessary** for adult members when all of the following criteria are met:

- Member has documented moderate-to-severe sensorineural hearing loss; AND
- Member has pure-tone air-conduction threshold levels that fall at or within the limits outlined in Table PG1 (see Policy Guidelines); AND
- Member has a word recognition score of  $\geq 50\%$ , using recorded material; AND
- Member cannot tolerate an ear mold because of a medical condition (including but not limited to recurrent otitis externa and malformation/disorder of the external ear or canal).

All other semi-implantable and fully implantable middle ear hearing aids are considered **not medically necessary**. There is insufficient evidence to support a general conclusion concerning the health outcomes or benefits associated with this procedure.

### Policy Guidelines

**Table PG1. Pure-Tone Air-Conduction Threshold Levels**

Limits	Frequency, kHz					
	0.5	1	1.5	2	3	4
Lower Limit	30	40	45	45	50	50
Upper Limit	65	75	80	80	85	85

Prior to receiving the device, it is recommended that an individual have experience with appropriately fitted hearing aids.

### Cross-Reference

## MEDICAL POLICY

<b>POLICY TITLE</b>	<b>SEMI-IMPLANTABLE AND FULLY IMPLANTABLE MIDDLE EAR HEARING AIDS</b>
<b>POLICY NUMBER</b>	<b>MP 1.130</b>

**MP 1.019 Implantable Bone Conduction and Bone-Anchored Hearing Prosthetic Devices**  
**MP 1.023 Cochlear Implants**

### II. PRODUCT VARIATIONS

[TOP](#)

This policy is only applicable to certain programs and products administered by Capital Blue Cross. Please see additional information below, and subject to benefit variations as discussed in Section VI below.

**FEP PPO-** Refer to FEP Medical Policy Manual. The FEP Medical Policy manual can be found at:

<https://www.fepblue.org/benefit-plans/medical-policies-and-utilization-management-guidelines/medical-policies>

### III. DESCRIPTION/BACKGROUND

[TOP](#)

#### HEARING LOSS

Hearing loss is described as conductive, sensorineural, or mixed, and can be unilateral or bilateral. Normal hearing is the detection of sound at or below 20 decibels (dB). The American Speech Language- Hearing Association has defined the degree of hearing loss based on pure-tone average detection thresholds as mild (20-40 dB), moderate (40-60 dB), severe (60-80 dB), and profound ( $\geq 80$  dB).

#### Treatment

Sound amplification through the use of an air-conduction hearing aid can provide benefit to patients with sensorineural, conductive, or mixed hearing loss. Contralateral routing of signal is a system in which a microphone on the affected side transmits a signal to an air conduction hearing aid on the normal or less affected side.

Patients with moderate-to-severe sensorineural hearing loss are typically fitted with external acoustic hearing aids. Conductive hearing loss may be treated with acoustic or bone conduction hearing aids when surgical or medical interventions are unable to correct hearing loss. However, these hearing aids may not be acceptable to patients, either due to issues related to anatomic fit, sound quality, or personal preference. In some cases, external acoustic hearing aids cannot be used due to external ear pathologies (e.g., otitis externa and aural atresia).

#### SEMI- AND FULLY IMPLANTABLE MIDDLE EAR HEARING AIDS

Semi-implantable and fully implantable middle ear hearing aids are an alternative to external acoustic hearing aids. Two semi-implantable devices have Food and Drug Administration (FDA) approval: the Vibrant Soundbridge and the Maxum System. The devices consist of components: a magnet that is implanted onto the ossicles of the middle ear, a receiver, and a sound

## MEDICAL POLICY

<b>POLICY TITLE</b>	<b>SEMI-IMPLANTABLE AND FULLY IMPLANTABLE MIDDLE EAR HEARING AIDS</b>
<b>POLICY NUMBER</b>	<b>MP 1.130</b>

processor. The Soundbridge device is implanted subcutaneously behind the ear while the processor is worn externally on the scalp over the receiver unit and held in place by a magnet. The Maxum System device is placed in the user's ear canal while the processor rests over the external ear. In general, the sound processor receives and amplifies the sound vibrations and transforms the sound pressure into electrical signals received by the receiver unit. The receiver unit then transduces these electrical signals into electromagnetic energy and creates an alternating electromagnetic field with the magnetic component (floating mass transducer) implanted on the ossicles of the middle ear. This electromagnetic field results in attractive and repulsive forces on the magnetic implant, causing vibration of the bones of the middle ear similar to normal hearing.

One fully implantable middle ear hearing aid has FDA approval: the Esteem Implantable Hearing System. Similar to the semi-implantable devices, the fully implantable device consists of a sensor, a sound processor, and a driver connected to the ossicles. The sensor detects vibrations of the tympanic membrane and transforms the vibrations into electrical signals that are processed by the sound processor. The processor transduces these signals via piezoelectric transduction, as opposed to the electromagnetic transduction used in the semi-implantable devices. A piezoelectric transducer, the sensor, is placed at the head of the incus and converts mechanical vibrations detected from the tympanic membrane into electrical signals delivered to the stapes by another piezoelectric transducer, the driver. In order to prevent feedback, the intact ossicular chain must be disarticulated, resulting in a new conductive hearing loss on top of baseline sensorineural dysfunction. In the event of device failure or explanation for non-use, an additional reconstructive procedure would be required to re-establish baseline hearing function.

### REGULATORY STATUS

Two semi-implantable devices were approved by the U.S. Food and Drug Administration (FDA) through the premarket approval process: the Vibrant® Soundbridge™ (MED-EL Corp.) in 2000 and the Direct System™ (Soundtec) in 2001. The Soundtec system was discontinued by the manufacturer Ototronix in 2004 due to performance issues; it was re-released in 2009 under the name Maxum™ System. Approved FDA labeling for both states that the devices are "...intended for use in adults, 18 years of age or older, who have a moderate to severe sensorineural hearing loss and desire an alternative to an acoustic hearing aid." FDA product code: MPV.

In 2010, the Esteem® Implantable Hearing System (Envoy Medical, St. Paul, MN), a fully implantable middle ear hearing aid, was approved by FDA through the premarket approval process. FDA-approved labeling for the Esteem® hearing implant indicates it is "intended to alleviate hearing loss ... in adults 18 years of age or older with stable bilateral sensorineural hearing loss." FDA product code: OAF.

Another fully implantable middle ear hearing aid, the Carina® Fully Implantable Hearing Device, is in development (Otologics, now Cochlear), but does not have FDA approval. Phase 1 and 2 trials have been conducted in the United States under investigational device exemptions.

## MEDICAL POLICY

<b>POLICY TITLE</b>	<b>SEMI-IMPLANTABLE AND FULLY IMPLANTABLE MIDDLE EAR HEARING AIDS</b>
<b>POLICY NUMBER</b>	<b>MP 1.130</b>

### IV. RATIONALE

[TOP](#)

#### SUMMARY OF EVIDENCE

For individuals who have hearing loss who receive semi-implantable or fully implantable middle ear hearing aids, the evidence includes the single-arm interventional studies submitted to the FDA, systematic reviews, and a number of observational series. Relevant outcomes include symptoms, functional outcomes, quality of life, and treatment-related morbidity. The data have suggested implantable middle ear hearing aids may provide some improvement in hearing compared with conventional external acoustic hearing aids in patients with sensorineural hearing loss. However, given the safety and effectiveness of external acoustic hearing aids and the increased risks inherent in a surgical procedure, the semi- and fully implantable device must be associated with clinically significant improvement in various hearing parameters compared with external hearing aids. While safety concerns appear to be minimal, only a limited number of patients have been included in the clinical trials, and with a median duration of follow-up less than 5 years. Studies of patients with conductive or mixed hearing loss and aural atresia, when external acoustic hearing aids are not an option, have also demonstrated a hearing benefit with semi-implantable middle ear hearing aids. However, these studies are few and limited to small numbers of patients. Therefore, conclusions on the safety and effectiveness of semi-implantable hearing aids are limited. Comparisons of semi-implantable devices with alternative hearing devices such as implantable bone-conduction and bone-anchored hearing aids would also be useful to determine device appropriateness for patients who are unable to use external air-conduction hearing aids.

The American Academy of Otolaryngology-Head and Neck Surgery considers active middle ear implants as appropriate treatment for adults with moderate to severe hearing loss when performed by a qualified otolaryngologist-head and neck surgeon. Due to input from this society, the evidence is sufficient to determine that the technology results in an improvement in the net health outcome.

### V. DEFINITIONS

[TOP](#)

**HEARING AID** is any device that does not produce as its output an electrical signal that directly stimulates the auditory nerve. Examples of hearing aids are devices that produce air-conducted sound into the external auditory canal, devices that produce sound by mechanically vibrating bone, or devices that produce sound by vibrating the cochlear fluid through stimulation of the round window. Devices such as cochlear implants, which produce as their output an electrical signal that directly stimulates the auditory nerve, are not considered to be hearing aids.

**OSSICLE** refers to any small bone, especially one of the three bones of the ear.

**SENSORINEURAL HEARING LOSS** refers to a form of hearing loss in which sound is conducted normally through the external and middle ear but a defect in the inner ear or auditory nerve results in hearing loss. The loss is measured in decibels and may be described as mild, moderate, severe, or profound.

## MEDICAL POLICY

POLICY TITLE	SEMI-IMPLANTABLE AND FULLY IMPLANTABLE MIDDLE EAR HEARING AIDS
POLICY NUMBER	MP 1.130

### VI. BENEFIT VARIATIONS

[TOP](#)

The existence of this medical policy does not mean that this service is a covered benefit under the member's health benefit plan. Benefit determinations should be based in all cases on the applicable health benefit plan language. Medical policies do not constitute a description of benefits. A member's health benefit plan governs which services are covered, which are excluded, which are subject to benefit limits, and which require preauthorization. There are different benefit plan designs in each product administered by Capital Blue Cross. Members and providers should consult the member's health benefit plan for information or contact Capital Blue Cross for benefit information.

### VII. DISCLAIMER

[TOP](#)

*Capital Blue Cross' medical policies are developed to assist in administering a member's benefits, do not constitute medical advice and are subject to change. Treating providers are solely responsible for medical advice and treatment of members. Members should discuss any medical policy related to their coverage or condition with their provider and consult their benefit information to determine if the service is covered. If there is a discrepancy between this medical policy and a member's benefit information, the benefit information will govern. If a provider or a member has a question concerning the application of this medical policy to a specific member's plan of benefits, please contact Capital Blue Cross' Provider Services or Member Services. Capital Blue Cross considers the information contained in this medical policy to be proprietary and it may only be disseminated as permitted by law.*

### VIII. CODING INFORMATION

[TOP](#)

**Note:** This list of codes may not be all-inclusive, and codes are subject to change at any time. The identification of a code in this section does not denote coverage as coverage is determined by the terms of member benefit information. In addition, not all covered services are eligible for separate reimbursement.

#### Covered when medically necessary:

Procedure Codes							
S2230	V5095	69799					

ICD-10-CM Diagnosis Code	Description
H60	Various disorders associated with otitis externa
H61	Various disorders of the external ear
H62	Various disorder of external ear in diseases classified elsewhere

## MEDICAL POLICY

<b>POLICY TITLE</b>	<b>SEMI-IMPLANTABLE AND FULLY IMPLANTABLE MIDDLE EAR HEARING AIDS</b>
<b>POLICY NUMBER</b>	<b>MP 1.130</b>

<b>ICD-10-CM Diagnosis Code</b>	<b>Description</b>
H90.3	Sensorineural hearing loss, bilateral
H90.41	Sensorineural hearing loss, unilateral, right ear, with unrestricted hearing on the contralateral side
H90.42	Sensorineural hearing loss, unilateral, left ear, with unrestricted hearing on the contralateral side
H90.5	Unspecified sensorineural hearing loss
H90.A21	Sensorineural hearing loss, unilateral, right ear, with restricted hearing on the contralateral side
H90.A22	Sensorineural hearing loss, unilateral, left ear, with restricted hearing on the contralateral side
Q16.0	Congenital absence of (ear) auricle
Q16.1	Congenital absence, atresia and stricture of auditory canal (external)

### IX. REFERENCES

[TOP](#)

1. Uhler K, Anderson MC, Jenkins HA. Long-Term Outcome Data in Patients following One Year's Use of a Fully Implantable Active Middle Ear Implant. *Audiol Neurotol.* 2016; 21(2): 105-12. PMID 27031589
2. Food and Drug Administration. Summary of Safety and Effectiveness Data (SSED): Esteem Implantable Hearing System. 2010; Accessed June 27, 2022.
3. Luetje CM, Brackman D, Balkany TJ, et al. Phase III clinical trial results with the Vibrant Soundbridge implantable middle ear hearing device: a prospective controlled multicenter study. *Otolaryngol Head Neck Surg.* Feb 2002; 126(2): 97-107. PMID 11870337
4. Sterkers O, Boucarra D, Labassi S, et al. A middle ear implant, the Symphonix Vibrant Soundbridge: retrospective study of the first 125 patients implanted in France. *Otol Neurotol.* May 2003; 24(3): 427-36. PMID 12806295
5. Bruchhage KL, Leichtle A, Schonweiler R, et al. Systematic review to evaluate the safety, efficacy and economical outcomes of the Vibrant Soundbridge for the treatment of sensorineural hearing loss. *Eur Arch Otorhinolaryngol.* Apr 2017; 274(4): 1797-1806. PMID 27796557
6. Ernst A, Todt I, Wagner J. Safety and effectiveness of the Vibrant Soundbridge in treating conductive and mixed hearing loss: A systematic review. *Laryngoscope.* Jun 2016; 126(6): 1451-7. PMID 26468033
7. Kahue CN, Carlson ML, Daugherty JA, et al. Middle ear implants for rehabilitation of sensorineural hearing loss: a systematic review of FDA approved devices. *Otol Neurotol.* Aug 2014; 35(7): 1228-37. PMID 24643033
8. Butler CL, Thavaneswaran P, Lee IH. Efficacy of the active middle-ear implant in patients with sensorineural hearing loss. *J Laryngol Otol.* Jul 2013; 127 Suppl 2: S8-16. PMID 23790515



## MEDICAL POLICY

<b>POLICY TITLE</b>	<b>SEMI-IMPLANTABLE AND FULLY IMPLANTABLE MIDDLE EAR HEARING AIDS</b>
<b>POLICY NUMBER</b>	<b>MP 1.130</b>

9. Rahne T, Skarzynski PH, Hagen R, et al. A retrospective European multicenter analysis of the functional outcomes after active middle ear implant surgery using the third generation vibroplasty couplers. *Eur Arch Otorhinolaryngol*. Jan 2021; 278(1): 67-75. PMID 32451668
10. Seebacher J, Weichbold V, Schorg P, et al. Subjective Hearing Impression and Quality of Life in Patients With Bilateral Active Middle Ear Implants. *Otol Neurotol*. Jul 2020; 41(6): e641-e647. PMID 32569243
11. Zwartenkot JW, Hashemi J, Cremers CW, et al. Active middle ear implantation for patients with sensorineural hearing loss and external otitis: long-term outcome in patient satisfaction. *Otol Neurotol*. Jul 2013; 34(5): 855-61. PMID 23739560
12. Hough JV, Matthews P, Wood MW, et al. Middle ear electromagnetic semi-implantable hearing device: results of the phase II SOUNDTEC direct system clinical trial. *Otol Neurotol*. Nov 2002; 23(6): 895-903. PMID 12438853
13. Silverstein H, Atkins J, Thompson JH, et al. Experience with the SOUNDTEC implantable hearing aid. *Otol Neurotol*. Mar 2005; 26(2): 211-7. PMID 15793407
14. Frenzel H, Sprinzl G, Streitberger C, et al. The Vibrant Soundbridge in Children and Adolescents: Preliminary European Multicenter Results. *Otol Neurotol*. Aug 2015; 36(7): 1216-22. PMID 26107139
15. Marino R, Linton N, Eikelboom RH, et al. A comparative study of hearing aids and round window application of the vibrant sound bridge (VSB) for patients with mixed or conductive hearing loss. *Int J Audiol*. Apr 2013; 52(4): 209-18. PMID 23527900
16. Colletti L, Mandala M, Colletti V. Long-term outcome of round window Vibrant SoundBridge implantation in extensive ossicular chain defects. *Otolaryngol Head Neck Surg*. Jul 2013; 149(1): 134-41. PMID 23585147
17. Vyskocil E, Riss D, Honeder C, et al. Vibroplasty in mixed and conductive hearing loss: comparison of different coupling methods. *Laryngoscope*. Jun 2014; 124(6): 1436-43. PMID 24338550
18. Atas A, Tutar H, Gunduz B, et al. Vibrant SoundBridge application to middle ear windows versus conventional hearing aids: a comparative study based on international outcome inventory for hearing aids. *Eur Arch Otorhinolaryngol*. Jan 2014; 271(1): 35-40. PMID 23400404
19. Skarzynski H, Olszewski L, Skarzynski PH, et al. Direct round window stimulation with the Med-El Vibrant Soundbridge: 5 years of experience using a technique without interposed fascia. *Eur Arch Otorhinolaryngol*. Mar 2014; 271(3): 477-82. PMID 23512431
20. de Abajo J, Sanhueza I, Giron L, et al. Experience with the active middle ear implant in patients with moderate-to-severe mixed hearing loss: indications and results. *Otol Neurotol*. Oct 2013; 34(8): 1373-9. PMID 24005166
21. Dillon MT, Tubbs RS, Adunka MC, et al. Round window stimulation for conductive and mixed hearing loss. *Otol Neurotol*. Oct 2014; 35(9): 1601-8. PMID 25111522
22. Beltrame AM, Martini A, Prosser S, et al. Coupling the Vibrant Soundbridge to cochlea round window: auditory results in patients with mixed hearing loss. *Otol Neurotol*. Feb 2009; 30(2): 194-201. PMID 19180678

## MEDICAL POLICY

<b>POLICY TITLE</b>	<b>SEMI-IMPLANTABLE AND FULLY IMPLANTABLE MIDDLE EAR HEARING AIDS</b>
<b>POLICY NUMBER</b>	<b>MP 1.130</b>

23. Bernardeschi D, Hoffman C, Benchaa T, et al. Functional results of Vibrant Soundbridge middle ear implants in conductive and mixed hearing losses. *Audiol Neurotol.* 2011; 16(6): 381-7. PMID 21228566
24. Colletti L, Carner M, Mandala M, et al. The floating mass transducer for external auditory canal and middle ear malformations. *Otol Neurotol.* Jan 2011; 32(1): 108-15. PMID 21131892
25. Gunduz B, Atas A, Bayazit YA, et al. Functional outcomes of Vibrant Soundbridge applied on the middle ear windows in comparison with conventional hearing aids. *Acta Otolaryngol.* Dec 2012; 132(12): 1306-10. PMID 23039370
26. Mandala M, Colletti L, Colletti V. Treatment of the atretic ear with round window vibrant soundbridge implantation in infants and children: electrocochleography and audiologic outcomes. *Otol Neurotol.* Oct 2011; 32(8): 1250-5. PMID 21897320
27. Roman S, Denoyelle F, Farinetti A, et al. Middle ear implant in conductive and mixed congenital hearing loss in children. *Int J Pediatr Otorhinolaryngol.* Dec 2012; 76(12): 1775-8. PMID 22985678
28. Sziklai I, Szilvassy J. Functional gain and speech understanding obtained by Vibrant Soundbridge or by open-fit hearing aid. *Acta Otolaryngol.* Apr 2011; 131(4): 428-33. PMID 21401449
29. Zernotti ME, Arauz SL, Di Gregorio MF, et al. Vibrant Soundbridge in congenital osseous atresia: multicenter study of 12 patients with osseous atresia. *Acta Otolaryngol.* Jun 2013; 133(6): 569-73. PMID 23448351
30. Kraus EM, Shohet JA, Catalano PJ. Envoy Esteem Totally Implantable Hearing System: phase 2 trial, 1-year hearing results. *Otolaryngol Head Neck Surg.* Jul 2011; 145(1): 100-9. PMID 21493292
31. Pulcherio JO, Bittencourt AG, Burke PR, et al. Carina(R) and Esteem(R): a systematic review of fully implantable hearing devices. *PLoS One.* 2014; 9(10): e110636. PMID 25329463
32. Klein K, Nardelli A, Stafinski T. A systematic review of the safety and effectiveness of fully implantable middle ear hearing devices: the carina and esteem systems. *Otol Neurotol.* Aug 2012; 33(6): 916-21. PMID 22772013
33. Barbara M, Biagini M, Monini S. The totally implantable middle ear device 'Esteem' for rehabilitation of severe sensorineural hearing loss. *Acta Otolaryngol.* Apr 2011; 131(4): 399-404. PMID 21198340
34. Barbara M, Manni V, Monini S. Totally implantable middle ear device for rehabilitation of sensorineural hearing loss: preliminary experience with the Esteem, Envoy. *Acta Otolaryngol.* Apr 2009; 129(4): 429-32. PMID 19117172
35. Chen DA, Backous DD, Arriaga MA, et al. Phase 1 clinical trial results of the Envoy System: a totally implantable middle ear device for sensorineural hearing loss. *Otolaryngol Head Neck Surg.* Dec 2004; 131(6): 904-16. PMID 15577788
36. Gerard JM, Thill MP, Chantrain G, et al. Esteem 2 middle ear implant: our experience. *Audiol Neurotol.* 2012; 17(4): 267-74. PMID 22627489



## MEDICAL POLICY

<b>POLICY TITLE</b>	<b>SEMI-IMPLANTABLE AND FULLY IMPLANTABLE MIDDLE EAR HEARING AIDS</b>
<b>POLICY NUMBER</b>	<b>MP 1.130</b>

37. Kam AC, Sung JK, Yu JK, et al. Clinical evaluation of a fully implantable hearing device in six patients with mixed and sensorineural hearing loss: our experience. *Clin Otolaryngol*. Jun 2012; 37(3): 240-4. PMID 22708943
38. Monini S, Biagini M, Atturo F, et al. Esteem(R) middle ear device versus conventional hearing aids for rehabilitation of bilateral sensorineural hearing loss. *Eur Arch Otorhinolaryngol*. Jul 2013; 270(7): 2027-33. PMID 23143506
39. Tsang WS, Yu JK, Wong TK, et al. Vibrant Soundbridge system: application of the stapes coupling technique. *J Laryngol Otol*. Jan 2013; 127(1): 58-62. PMID 23218176
40. Savas VA, Gunduz B, Karamert R, et al. Comparison of Carina active middle-ear implant with conventional hearing aids for mixed hearing loss. *J Laryngol Otol*. Apr 2016; 130(4): 340-3. PMID 26991874
41. Barbara M, Volpini L, Monini S. Delayed facial nerve palsy after surgery for the Esteem((R)) fully implantable middle ear hearing device. *Acta Otolaryngol*. Apr 2014; 134(4): 429-32. PMID 24433055
42. Zwartenkot JW, Mulder JJ, Snik AF, et al. Active Middle Ear Implantation: Long-term Medical and Technical Follow-up, Implant Survival, and Complications. *Otol Neurotol*. Jun 2016; 37(5): 513-9. PMID 27023016
43. American Academy of Otolaryngology - Head and Neck Surgery. Position Statement: Active Middle Ear Implants. 2016
44. Centers for Medicare & Medicaid Services. Medicare Policy Benefit Manual. Chapter 16 - General Exclusions from Coverage. 2014
45. Banakis Hartl RM, Jenkins HA. Implantable Hearing Aids: Where are we in 2020? *Laryngoscope Investig Otolaryngol*. 2020 Nov 6;5(6):1184-1191. doi: 10.1002/lio2.495. PMID: 33364411; PMCID: PMC7752069.
46. Smith R and Gooi A. Hearing Loss in Children: Treatment. In: UpToDate Online Journal [serial online]. Waltham, MA: UpToDate; updated July 19, 2022. Literature review current through June 2023
47. Song CI, Cho HH, Choi BY, et al. Results of Active Middle Ear Implantation in Patients With Mixed Hearing Loss After Middle Ear Surgery: A Prospective Multicenter Study (the ROMEO Study). *Clin Exp Otorhinolaryngol*. Feb 2022; 15(1): 69-76. PMID 33848418
48. Consensus Statement on Bone Conduction Devices and Active Middle Ear Implants in Conductive and Mixed Hearing Loss. *Otol Neurotol*. Jun 01 2022; 43(5): 513-529. PMID 35383700
49. Bruchhage KL, Lupatsii M, Möllenkolk F, et al. Hearing rehabilitation and microbial shift after middle ear surgery with Vibrant Soundbridge in patients with chronic otitis media. *Eur Arch Otorhinolaryngol*. Jul 2023; 280(7): 3107-3118. PMID 36662266
50. Cadre B, Simon F, Célérier C, et al. Long-term outcomes of retrospective case series of middle ear implantation with Vibrant Soundbridge in children with congenital aural atresia. *Eur Arch Otorhinolaryngol*. Apr 2023; 280(4): 1629-1637. PMID 36098862
51. Gantner S, Epp A, Pollotzek M, et al. Long-term results and quality of life after vibrant soundbridge implantation (VSBs) in children and adults with aural atresia. *Eur Arch Otorhinolaryngol*. Jan 2024; 281(1): 129-139. PMID 37603051

## MEDICAL POLICY

<b>POLICY TITLE</b>	<b>SEMI-IMPLANTABLE AND FULLY IMPLANTABLE MIDDLE EAR HEARING AIDS</b>
<b>POLICY NUMBER</b>	<b>MP 1.130</b>

52. Blue Cross Blue Shield Association Medical Policy Reference Manual. 7.01.84, Semi-Implantable and Fully Implantable Middle Ear Hearing Aids. March 2024

### X. POLICY HISTORY

[Top](#)

<b>MP 1.130</b>	<b>08/20/2020 Consensus Review.</b> Policy Statement unchanged. Coding checked no changes. References reviewed, updated. Product variation statement updated.
	<b>03/08/2021 Consensus Review.</b> Policy statement unchanged. References reviewed and updated.
	<b>06/28/2022 Major Review.</b> Policy is now MN with criteria. Updated FEP, Background, Rationale, Coding table, and references.
	<b>02/14/2023 Administrative Update.</b> Language updated in coding table to reflect that codes are MN.
	<b>07/13/2023 Consensus Review.</b> Updated references. No changes to coding.
	<b>01/19/2024 Administrative Update.</b> Clinical benefit added.
	<b>08/08/2024 Consensus Review.</b> Updated cross references. No changes to coding.

[Top](#)

*Health care benefit programs issued or administered by Capital Blue Cross and/or its subsidiaries, Capital Advantage Insurance Company®, Capital Advantage Assurance Company® and Keystone Health Plan® Central. Independent licensees of the Blue Cross BlueShield Association. Communications issued by Capital Blue Cross in its capacity as administrator of programs and provider relations for all companies.*