

## MEDICAL POLICY

POLICY TITLE	SKIN CONTACT MONOCHROMATIC INFRARED ENERGY FOR THE TREATMENT OF CUTANEOUS ULCERS, DIABETIC NEUROPATHY, AND OTHER MISCELLANEOUS MUSCULOSKELETAL CONDITIONS
POLICY NUMBER	MP 1.094

CLINICAL BENEFIT	<input type="checkbox"/> MINIMIZE SAFETY RISK OR CONCERN. <input checked="" type="checkbox"/> MINIMIZE HARMFUL OR INEFFECTIVE INTERVENTIONS. <input type="checkbox"/> ASSURE APPROPRIATE LEVEL OF CARE. <input type="checkbox"/> ASSURE APPROPRIATE DURATION OF SERVICE FOR INTERVENTIONS. <input type="checkbox"/> ASSURE THAT RECOMMENDED MEDICAL PREREQUISITES HAVE BEEN MET. <input type="checkbox"/> ASSURE APPROPRIATE SITE OF TREATMENT OR SERVICE.
Effective Date:	5/1/2024

[POLICY RATIONALE](#)  
[DISCLAIMER](#)  
[POLICY HISTORY](#)

[PRODUCT VARIATIONS](#)  
[DEFINITIONS](#)  
[CODING INFORMATION](#)

[DESCRIPTION/BACKGROUND](#)  
[BENEFIT VARIATIONS](#)  
[REFERENCES](#)

### I. POLICY

Skin contact monochromatic infrared energy is considered **investigational** as a technique to treat cutaneous ulcers, diabetic neuropathy, and musculoskeletal conditions, including but not limited to temporomandibular disorders, tendonitis, capsulitis, and myofascial pain. There is insufficient evidence to support a general conclusion concerning the health outcomes or benefits associated with this procedure.

#### **Cross-reference:**

**MP 1.097** Low Level Laser Therapy

### II. PRODUCT VARIATIONS

[Top](#)

This policy is only applicable to certain programs and products administered by Capital Blue Cross and subject to benefit variations as discussed in Section VI. Please see additional information below.

**FEP PPO** - Refer to FEP Medical Policy Manual. The FEP Medical Policy manual can be found at:

<https://www.fepblue.org/benefit-plans/medical-policies-and-utilization-management-guidelines/medical-policies>

### III. DESCRIPTION/BACKGROUND

[Top](#)

Monochromatic infrared energy treatment (MIRE™) is a therapy that uses infrared light therapy through contact with the skin for potential use in multiple conditions including cutaneous ulcers, diabetic neuropathy, and musculoskeletal and soft tissue injuries.

## MEDICAL POLICY

<b>POLICY TITLE</b>	<b>SKIN CONTACT MONOCHROMATIC INFRARED ENERGY FOR THE TREATMENT OF CUTANEOUS ULCERS, DIABETIC NEUROPATHY, AND OTHER MISCELLANEOUS MUSCULOSKELETAL CONDITIONS</b>
<b>POLICY NUMBER</b>	<b>MP 1.094</b>

Monochromatic infrared energy (MIRE) refers to light at a wavelength of 880 nm. MIRE can be delivered through pads containing an array of 60 superluminous infrared diodes emitting pulsed near-infrared irradiation. The pads can be placed on the skin, and the infrared energy is delivered in a homogeneous manner in a session lasting from 30 to 45 minutes.

MIRE devices have been investigated as a treatment of multiple conditions including cutaneous ulcers, diabetic neuropathy, Bell's palsy, musculoskeletal and soft tissue injuries, including temporomandibular disorders, tendonitis, capsulitis, and myofascial pain. MIRE devices are also being developed for the treatment of baldness and snoring. The proposed mechanism of action is not known, although some sort of photobiostimulation has been proposed, as well as increased circulation related to an increase in plasma of the potent vasodilator nitric oxide.

### IV. RATIONALE

[TOP](#)

#### Summary of Evidence

The available literature regarding skin contact monochromatic infrared energy (MIRE) as a technique to treat various cutaneous conditions consists of small controlled trials and observational studies. MIRE has also been investigated for knee osteoarthritis. The current evidence from the studies with the strongest methodology, i.e., sham-controlled trials with a between-group design, shows no improvement in outcomes for patients treated with MIRE. This evidence does not support the efficacy of this technology. Well designed, prospective, randomized controlled trials with larger subject numbers are needed to determine with certainty whether MIRE is an effective treatment for cutaneous conditions. Similarly, MIRE therapy has been studied as a treatment for Bell's palsy. Results of case studies did not demonstrate any effectiveness as this therapy in managing Bell's palsy. As a result, this technology is considered investigational.

### V. DEFINITIONS

[TOP](#)

**PHOTOBIOSTIMULATION** refers to a process associated with low-level laser therapy, which activates enzymatic processes in the cells, which increase cellular metabolism.

### VI. BENEFIT VARIATIONS

[TOP](#)

The existence of this medical policy does not mean that this service is a covered benefit under the member's health benefit plan. Benefit determinations should be based in all cases on the applicable health benefit plan language. Medical policies do not constitute a description of benefits. A member's health benefit plan governs which services are covered, which are excluded, which are subject to benefit limits, and which require preauthorization. There are different benefit plan designs in each product administered by Capital Blue Cross. Members and

## MEDICAL POLICY

<b>POLICY TITLE</b>	<b>SKIN CONTACT MONOCHROMATIC INFRARED ENERGY FOR THE TREATMENT OF CUTANEOUS ULCERS, DIABETIC NEUROPATHY, AND OTHER MISCELLANEOUS MUSCULOSKELETAL CONDITIONS</b>
<b>POLICY NUMBER</b>	<b>MP 1.094</b>

providers should consult the member's health benefit plan for information or contact Capital Blue Cross for benefit information.

### VII. DISCLAIMER

[TOP](#)

*Capital Blue Cross's medical policies are developed to assist in administering a member's benefits, do not constitute medical advice and are subject to change. Treating providers are solely responsible for medical advice and treatment of members. Members should discuss any medical policy related to their coverage or condition with their provider and consult their benefit information to determine if the service is covered. If there is a discrepancy between this medical policy and a member's benefit information, the benefit information will govern. If a provider or a member has a question concerning the application of this medical policy to a specific member's plan of benefits, please contact Capital Blue Cross' Provider Services or Member Services. Capital Blue Cross considers the information contained in this medical policy to be proprietary and it may only be disseminated as permitted by law.*

### VIII. CODING INFORMATION

[TOP](#)

**Note:** This list of codes may not be all-inclusive, and codes are subject to change at any time. The identification of a code in this section does not denote coverage as coverage is determined by the terms of member benefit information. In addition, not all covered services are eligible for separate reimbursement.

**Investigational; therefore, not covered;**

Procedure Codes							
A4639	E0221	97026					

### IX. REFERENCES

[TOP](#)

1. Li H, Nyland J, Shelton T. Effectiveness of the anodyne therapy system in treating diabetic peripheral neuropathy: a systematic review. *Physical Therapy Reviews*. 2008;13(6):395-404.
2. Ites KI, Anderson EJ, Cahill ML, et al. Balance interventions for diabetic peripheral neuropathy: a systematic review. *J Geriatr Phys Ther*. 2011;34(3):109-116.
3. Lavery LA, Murdoch DP, Williams J, et al. Does anodyne light therapy improve peripheral neuropathy in diabetes? A double-blind, sham-controlled, randomized trial to evaluate monochromatic infrared photoenergy. *Diabetes Care*. 2008;31(2):316-321.

## MEDICAL POLICY

<b>POLICY TITLE</b>	<b>SKIN CONTACT MONOCHROMATIC INFRARED ENERGY FOR THE TREATMENT OF CUTANEOUS ULCERS, DIABETIC NEUROPATHY, AND OTHER MISCELLANEOUS MUSCULOSKELETAL CONDITIONS</b>
<b>POLICY NUMBER</b>	<b>MP 1.094</b>

4. Clifft JK, Kasser RJ, Newton TS, et al. The effect of monochromatic infrared energy on sensation in patients with diabetic peripheral neuropathy: a double-blind, placebo-controlled study. *Diabetes Care*. 2005;28(12):2896-2900.
5. Nawfar SA, Yacob NB. Effects of monochromatic infrared energy therapy on diabetic feet with peripheral sensory neuropathy: a randomised controlled trial. *Singapore Med J*. Sep 2011;52(9):669-672. PMID 21947144
6. Franzen-Korzendorfer H, Blackinton M, Rone-Adams S, et al. The effect of monochromatic infrared energy on transcutaneous oxygen measurements and protective sensation: results of a controlled, double-blind, randomized clinical study. *Ostomy Wound Manage*. 2008;54(6):16-31.
7. Leonard DR, Farooqi MH, Myers S. Restoration of sensation, reduced pain and improved balance in subjects with diabetic peripheral neuropathy: a double-blind, randomized, placebo-controlled study with monochromatic near-infrared treatment. *Diabetes Care*. 2004;27(1):168-172.
8. DeLellis SL, Carnegie DH, Burke TJ. Improved sensitivity in patients with peripheral neuropathy: effects of monochromatic infrared photo energy. *J Am Podiatr Med Assoc*. 2005;95(2):143-147.
9. Powell MW, Carnegie DE, Burke TJ. Reversal of diabetic peripheral neuropathy and new wound incidence: the role of MIRE. *Adv Skin Wound Care*. 2004;17(6):295-300.
10. Prendergast JJ, Miranda G, Sanchez M. Improvement of sensory impairment in patients with peripheral neuropathy. *Endocr Pract*. 2004;10(1):24-30.
11. Thomasson T. Effects of skin-contact monochromatic infrared irradiation on tendonitis, capsulitis, and myofascial pain. *J Neurol Orthop Med Surg* 1996; 16:242-245.
12. Kochman AB, Carnegie DH, Burke TJ. Symptomatic reversal of peripheral neuropathy in patients with diabetes. *J Am Podiatr Med Assoc*. 2002;92(3):125-130.
13. Horwitz LR, Burke TJ, Carnegie D. Augmentation of wound healing using monochromatic infrared energy. Exploration of a new technology for wound management. *Adv Wound Care*. 1999; 12(1):35-40.
14. Hsieh RL, Lo MT, Lee WC, et al. Therapeutic effects of short-term monochromatic infrared energy therapy on patients with knee osteoarthritis: a double-blind, randomized, placebo-controlled study. *J Orthop Sports Phys Ther*. 2012; 42(11):947-956. PMID 22960644
15. Association for the Advancement of Wound Care. Association for the Advancement of Wound Care Guideline of Pressure Ulcer Guidelines
16. UpToDate Online Journal [serial online]. Feldman, E. : Management of diabetic neuropathy UpToDate; updated August 30, 2022
17. Robinson CC, Klahr PDS, Stein C, Falavigna M, Sbruzzi G, Della MèaPlentz R. Effects of monochromatic infrared phototherapy in patients with diabetic peripheral neuropathy:

## MEDICAL POLICY

<b>POLICY TITLE</b>	<b>SKIN CONTACT MONOCHROMATIC INFRARED ENERGY FOR THE TREATMENT OF CUTANEOUS ULCERS, DIABETIC NEUROPATHY, AND OTHER MISCELLANEOUS MUSCULOSKELETAL CONDITIONS</b>
<b>POLICY NUMBER</b>	<b>MP 1.094</b>

*a systematic review and meta-analysis of randomized controlled trials. Braz J Phys Ther. 2017 Jul-Aug; 21(4): 233–243. PMID: 28571697*

18. UpToDate Online Journal [serial online]. Kelly MD, K. : Laser and light therapy for cutaneous and vascular lesions UpToDate; updated May 25,2021
19. Ng, S. Y., & Chu, M. H. (2014). Treatment of Bell's Palsy Using Monochromatic Infrared Energy: A Report of 2 Cases. *Journal of chiropractic medicine*, 13(2), 96–103. PMID 2565117
20. He Y, Yip SL, Cheung KK, Huang L, Wang S, Cheing GL. The effect of monochromatic infrared energy on diabetic wound healing. *Int Wound J*. 2013;10(6):645-652. doi:10.1111/j.1742-481X.2012.01039.x PMID: 22776615
21. Rastogi A, Uppula P, Saikia U, Bhansali A. Effect of Monochromatic Infrared Energy on Quality of Life and Intraepidermal Nerve Fiber Density in Painful Diabetic Neuropathy: A Randomized, Sham Control Study. *Neurol India*. 2021;69(5):1331-1337. doi:10.4103/0028-3886.329614 PMID: 34747807
22. Rodica Pop-Busui, Andrew J.M. Boulton, Eva L. Feldman, Vera Bril, Roy Freeman, Rayaz A. Malik, Jay M. Sosenko, Dan Ziegler; Diabetic Neuropathy: A Position Statement by the American Diabetes Association. *Diabetes Care* 1 January 2017; 40 (1): 136–154. PMID: 27999003
23. Sousa DFM, Gonçalves MLL, Politti F, et al. Photobiomodulation with simultaneous use of red and infrared light emitting diodes in the treatment of temporomandibular disorder: study protocol for a randomized, controlled and double-blind clinical trial. *Medicine (Baltimore)*. 2019;98(6):e14391 PMID: 30732181
24. Blue Cross Blue Shield Association Medical Policy Reference Manual. 1.01.22 Skin Contact Monochromatic Infrared Energy as a Technique to Treat Cutaneous Ulcers, Diabetic Neuropathy, and Miscellaneous Musculoskeletal Conditions. Archived 12:2014.

### X. POLICY HISTORY

[Top](#)

<b>MP 1.094</b>	<b>6/19/2020 Consensus review.</b> Policy statement unchanged. Product variation, benefit variation, and disclaimer updated. Coding and references reviewed.
	<b>7/6/2021 Consensus review.</b> No change to policy statement. Product variation updated. References and coding reviewed.
	<b>1/7/2022 Consensus Review.</b> No change to policy statement. References updated.
	<b>1/11/2023 Consensus Review.</b> No change to policy statement. Update to background, and rationale. Updated references.
	<b>1/26/2024 Consensus Review.</b> No change to policy statement. Updated references.

[Top](#)

## MEDICAL POLICY

<b>POLICY TITLE</b>	<b>SKIN CONTACT MONOCHROMATIC INFRARED ENERGY FOR THE TREATMENT OF CUTANEOUS ULCERS, DIABETIC NEUROPATHY, AND OTHER MISCELLANEOUS MUSCULOSKELETAL CONDITIONS</b>
<b>POLICY NUMBER</b>	<b>MP 1.094</b>

*Health care benefit programs issued or administered by Capital Blue Cross and/or its subsidiaries, Capital Advantage Insurance Company®, Capital Advantage Assurance Company® and Keystone Health Plan® Central. Independent licensees of the BlueCross BlueShield Association. Communications issued by Capital Blue Cross in its capacity as administrator of programs and provider relations for all companies*