

MEDICAL POLICY

POLICY TITLE	KIF6 GENOTYPING FOR PREDICTING CARDIOVASCULAR RISK AND/OR EFFECTIVENESS OF STATIN THERAPY
POLICY NUMBER	MP 2.309

CLINICAL BENEFIT	☒ MINIMIZE SAFETY RISK OR CONCERN. ☒ MINIMIZE HARMFUL OR INEFFECTIVE INTERVENTIONS. ☐ ASSURE APPROPRIATE LEVEL OF CARE. ☐ ASSURE APPROPRIATE DURATION OF SERVICE FOR INTERVENTIONS. ☐ ASSURE THAT RECOMMENDED MEDICAL PREREQUISITES HAVE BEEN MET. ☐ ASSURE APPROPRIATE SITE OF TREATMENT OR SERVICE.
Effective Date:	RETIRED 7/1/2026

[POLICY
RATIONALE
CODING INFORMATION](#)

[PRODUCT VARIATIONS
DEFINITIONS
REFERENCES](#)

[DESCRIPTION/BACKGROUND
DISCLAIMER
POLICY HISTORY](#)

I. POLICY

KIF6 Genotyping is considered **investigational** for predicting cardiovascular risk and/or the effectiveness of statin therapy. There is insufficient evidence to support a general conclusion concerning the health outcomes or benefits associated with this procedure.

Cross-Reference:

MP 2.233 Genetic Testing for Cardiac Ion Channelopathies

II. PRODUCT VARIATIONS

[Top](#)

This policy is only applicable to certain programs and products administered by Capital Blue Cross and subject to benefit variations as discussed in Section VI. Please see additional information below.

FEP PPO - Refer to FEP Medical Policy Manual. The FEP Medical Policy manual can be found at:

<https://www.fepblue.org/benefit-plans/medical-policies-and-utilization-management-guidelines/medical-policies>.

III. DESCRIPTION/BACKGROUND

[Top](#)

Kinesin-like protein 6 (*KIF6*) belongs to the kinesin superfamily of proteins involved in intracellular transport. The exact function of the *KIF6* gene product is as yet undetermined. It has been reported that the gene is not expressed in the vasculature, the primary site of atherosclerosis, but is expressed in low levels in the brain, connective tissue, colon, eye, pharynx, skin, and testes. In contrast, a study presented at a 2010 American Heart Association scientific session reported on data derived from tissue immunohistochemistry, locating *KIF6* protein in macrophages surrounding neovessels and in foam cells in human atherosclerotic lesions. Nevertheless, there is no strong evidence that *KIF6* protein plays a direct biologic role in atherosclerosis, lipid metabolism, coronary artery disease (CAD), or myocardial infarction.

MEDICAL POLICY

POLICY TITLE	KIF6 GENOTYPING FOR PREDICTING CARDIOVASCULAR RISK AND/OR EFFECTIVENESS OF STATIN THERAPY
POLICY NUMBER	MP 2.309

Analyses of prospective observational studies of cardiovascular health and the placebo arm of randomized controlled trials (RCTs) of statin interventions in at-risk populations have suggested a significant association between the arginine-to-tryptophan substitution at position 719 (Trp719Arg) single-nucleotide variant (rs20455) in *KIF6* and the development of clinical CAD. Approximately 60% of the population carries the putative *KIF6* high-risk 719Arg allele. Moreover, carriers of the 719Arg allele in the treatment arms of the statin trials appeared to be at no increased or decreased risk of CAD or recurrent myocardial infarction, depending on the intensity of the statin therapy. These results have supported the development of a *KIF6* Trp719Arg genotyping test for use as a predictor of CAD risk and the likely effectiveness of statin therapy.

Regulatory Status

Clinical laboratories may develop and validate tests in-house and market them as a laboratory service; laboratory-developed tests must meet the general regulatory standards of the Clinical Laboratory Improvement Amendments. Laboratories that offer laboratory-developed tests must be licensed by Clinical Laboratory Improvement Amendments for high-complexity testing. To date, the U.S. Food and Drug Administration (FDA) has chosen not to require any regulatory review of this test.

In January 2011, Celera Corp. submitted a premarket approval application to FDA for its *KIF6* Genotyping Assay performed using Abbott's m2000™ instrument system. In April, FDA informed Celera that its application was not approvable "without major amendment." The data and publications submitted were deemed "...insufficient to demonstrate the safety and effectiveness of the device for its proposed intended use." FDA indicated that additional data on clinical utility might be required, which could include conducting a randomized controlled trial.

Now a wholly owned subsidiary of Quest Diagnostics, Celera holds a U.S. patent on methods of determining coronary heart disease risk through detection of the *KIF6* gene variant and reduction of such increased risk by atorvastatin and pravastatin therapy and offers the Cardio IQ™ *KIF6* Genotype.

IV. RATIONALE[Top](#)**Summary of Evidence**

For individuals who are asymptomatic with risk of cardiovascular disease and undergoing treatment with statin therapy who receive testing for *KIF6* Trp719Arg variant status, the evidence includes secondary analyses of randomized controlled trials (RCTs), case-control studies, and a quasi-experimental single-arm study. Relevant outcomes are overall survival, test accuracy and validity, change in disease status, morbid events, and medication use. Data supporting the association between *KIF6* variant status and coronary artery disease outcomes are contradictory. The most recent evidence from large populations with different vascular disease risk levels has not supported a significant association between coronary artery disease risk and the presence of the variant. Further, studies of the association between response to statin therapy and *KIF6* variant status are mixed. However, a large meta-analysis has shown that carriers of the *KIF6* variant derive greater clinical benefit from low-density lipoprotein cholesterol reduction (a 13% reduction in the risk of coronary artery disease outcomes)

MEDICAL POLICY

POLICY TITLE	KIF6 GENOTYPING FOR PREDICTING CARDIOVASCULAR RISK AND/OR EFFECTIVENESS OF STATIN THERAPY
POLICY NUMBER	MP 2.309

compared with noncarriers. Currently, no prospective RCTs have evaluated the impact of testing for *KIF6* variants on changes in clinical management (e.g., intensifying the statin treatment in carriers, use of alternate approaches for lipid management in noncarriers) or outcomes. One nonrandomized study has suggested that subjects who received *KIF6* genotype results had greater adherence to statin therapy, but, overall, it is uncertain whether testing for *KIF6* variants will alter clinical management decisions. The evidence is insufficient to determine the effects of the technology on health outcomes.

V. DEFINITIONS

[Top](#)

GENOTYPE refers to the pair of genes present for a particular characteristic or protein.

POLYMORPHISM refers to the state or quality of existing or occurring in several different forms.

VI. DISCLAIMER

[Top](#)

Capital Blue Cross' medical policies are used to determine coverage for specific medical technologies, procedures, equipment, and services. These medical policies do not constitute medical advice and are subject to change as required by law or applicable clinical evidence from independent treatment guidelines. Treating providers are solely responsible for medical advice and treatment of members. These policies are not a guarantee of coverage or payment. Payment of claims is subject to a determination regarding the member's benefit program and eligibility on the date of service, and a determination that the services are medically necessary and appropriate. Final processing of a claim is based upon the terms of contract that applies to the members' benefit program, including benefit limitations and exclusions. If a provider or a member has a question concerning this medical policy, please contact Capital Blue Cross' Provider Services or Member Services.

VII. CODING INFORMATION

[Top](#)

Note: This list of codes may not be all-inclusive, and codes are subject to change at any time. The identification of a code in this section does not denote coverage as coverage is determined by the terms of member benefit information. In addition, not all covered services are eligible for separate reimbursement.

The following codes are investigational when used to report KIF6 genotyping for predicting cardiovascular risk and/or effectiveness of statin therapy as outlined in the policy statement:

Procedure Codes								
G0452	81479							

VIII. REFERENCES

[Top](#)

1. Marian AJ. Surprises of the genome and personalized medicine. *J Am Coll Cardiol.* Jan 29, 2008; 51(4): 456-8. PMID 18222356

MEDICAL POLICY

POLICY TITLE	KIF6 GENOTYPING FOR PREDICTING CARDIOVASCULAR RISK AND/OR EFFECTIVENESS OF STATIN THERAPY
POLICY NUMBER	MP 2.309

2. Rosenfeld ME, Preusch M, Shiffman D, et al. KIF6, an emerging coronary heart disease risk marker expressed by macrophages in atherosclerotic lesions in humans and mice [Abstract P692]. Paper presented at: American Heart Association Arteriosclerosis, Thrombosis and Vascular Biology Scientific Sessions; April 8-10, 2010; San Francisco, CA.
3. Iakoubova OA, Tong CH, Rowland CM, et al. Association of the Trp719Arg polymorphism in kinesin-like protein 6 with myocardial infarction and coronary heart disease in 2 prospective trials: the CARE and WOSCOPS trials. *J Am Coll Cardiol*. Jan 29, 2008; 51(4): 435-43. PMID 18222353
4. Iakoubova OA, Robertson M, Tong CH, et al. KIF6 Trp719Arg polymorphism and the effect of statin therapy in elderly patients: results from the PROSPER study. *Eur J Cardiovasc Prev Rehabil*. Aug 2010; 17(4): 455-61. PMID 20215968
5. Shiffman D, Sabatine MS, Louie JZ, et al. Effect of pravastatin therapy on coronary events in carriers of the KIF6 719Arg allele from the cholesterol and recurrent events trial. *Am J Cardiol*. May 01, 2010; 105(9): 1300-5. PMID 20403483
6. Iakoubova OA, Sabatine MS, Rowland CM, et al. Polymorphism in KIF6 gene and benefit from statins after acute coronary syndromes: results from the PROVE IT-TIMI 22 study. *J Am Coll Cardiol*. Jan 29, 2008; 51(4): 449-55. PMID 18222355
7. Assimes TL, Holm H, Kathiresan S, et al. Lack of association between the Trp719Arg polymorphism in kinesin-like protein-6 and coronary artery disease in 19 case-control studies. *J Am Coll Cardiol*. Nov 02, 2010; 56(19): 1552-63. PMID 20933357
8. Samani NJ, Erdmann J, Hall AS, et al. Genomewide association analysis of coronary artery disease. *N Engl J Med*. Aug 02, 2007; 357(5): 443-53. PMID 17634449
9. Kathiresan S, Voight BF, Purcell S, et al. Genome-wide association of early-onset myocardial infarction with single nucleotide polymorphisms and copy number variants. *Nat Genet*. Mar 2009; 41(3): 334-41. PMID 19198609
10. McPherson R, Pertsemlidis A, Kavaslar N, et al. A common allele on chromosome 9 associated with coronary heart disease. *Science*. Jun 08, 2007; 316(5830): 1488-91. PMID 17478681
11. Helgadottir A, Thorleifsson G, Manolescu A, et al. A common variant on chromosome 9p21 affects the risk of myocardial infarction. *Science*. Jun 08, 2007; 316(5830): 1491-3. PMID 17478679
12. Burton PR, Clayton DG, Cardon LR, et al. Genome-wide association study of 14,000 cases of seven common diseases and 3,000 shared controls. *Nature*. Jun 07, 2007; 447(7145): 661-78. PMID 17554300
13. Ridker PM, MacFadyen JG, Glynn RJ, et al. Kinesin-like protein 6 (KIF6) polymorphism and the efficacy of rosuvastatin in primary prevention. *Circ Cardiovasc Genet*. Jun 2011; 4(3): 312-7. PMID 21493817
14. Hopewell JC, Parish S, Clarke R, et al. No impact of KIF6 genotype on vascular risk and statin response among 18,348 randomized patients in the heart protection study. *J Am Coll Cardiol*. May 17, 2011; 57(20): 2000-7. PMID 21458191
15. Hoffmann MM, Marz W, Genser B, et al. Lack of association between the Trp719Arg polymorphism in kinesin-like protein-6 and cardiovascular risk and efficacy of atorvastatin among subjects with diabetes on dialysis: the 4D study. *Atherosclerosis*. Dec 2011; 219(2): 659-62. PMID 21871624

MEDICAL POLICY

POLICY TITLE	KIF6 GENOTYPING FOR PREDICTING CARDIOVASCULAR RISK AND/OR EFFECTIVENESS OF STATIN THERAPY
POLICY NUMBER	MP 2.309

16. Arsenault BJ, Boekholdt SM, Hovingh GK, et al. The 719Arg variant of KIF6 and cardiovascular outcomes in statin-treated, stable coronary patients of the treating to new targets and incremental decrease in end points through aggressive lipid-lowering prospective studies. *Circ Cardiovasc Genet*. Feb 01, 2012; 5(1): 51-7. PMID 22135385
17. Ference BA, Yoo W, Flack JM, et al. A common KIF6 polymorphism increases vulnerability to low-density lipoprotein cholesterol: two meta-analyses and a meta-regression analysis. *PLoS ONE*. 2011; 6(12): e28834. PMID 22216121
18. Morrison AC, Bare LA, Chambless LE, et al. Prediction of coronary heart disease risk using a genetic risk score: the Atherosclerosis Risk in Communities Study. *Am J Epidemiol*. Jul 01, 2007; 166(1): 28-35. PMID 17443022
19. Shiffman D, O'Meara ES, Bare LA, et al. Association of gene variants with incident myocardial infarction in the Cardiovascular Health Study. *Arterioscler Thromb Vasc Biol*. Jan 2008; 28(1): 173-9. PMID 17975119
20. Shiffman D, Chasman DI, Zee RY, et al. A kinesin family member 6 variant is associated with coronary heart disease in the Women's Health Study. *J Am Coll Cardiol*. Jan 29, 2008; 51(4): 444-8. PMID 18222354
21. Akao H, Polisecki E, Kajinami K, et al. KIF6, LPA, TAS2R50, and VAMP8 genetic variation, low density lipoprotein cholesterol lowering response to pravastatin, and heart disease risk reduction in the elderly. *Atherosclerosis*. Feb 2012; 220(2): 456-62. PMID 22192511
22. Charland SL, Agatep BC, Herrera V, et al. Providing patients with pharmacogenetic test results affects adherence to statin therapy: results of the Additional KIF6 Risk Offers Better Adherence to Statins (AKROBATS) trial. *Pharmacogenomics J*. Jun 2014; 14(3): 272-80. PMID 23979174
23. Lloyd-Jones DM, Braun LT, Ndumele CE, et al. Use of Risk Assessment Tools to Guide Decision-Making in the Primary Prevention of Atherosclerotic Cardiovascular Disease: A Special Report From the American Heart Association and American College of Cardiology. *J Am Coll Cardiol*. Jun 25, 2019; 73(24): 3153-3167. PMID 30423392
24. Goff DC, Lloyd-Jones DM, Bennett G, et al. 2013 ACC/AHA guideline on the assessment of cardiovascular risk: a report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines. *J Am Coll Cardiol*. Jul 01, 2014; 63(25 Pt B): 2935-2959. PMID 24239921
25. Greenland P, Alpert JS, Beller GA, et al. 2010 ACCF/AHA guideline for assessment of cardiovascular risk in asymptomatic adults: a report of the American College of Cardiology Foundation/American Heart Association Task Force on Practice Guidelines. *Circulation*. Dec 21, 2010; 122(25): e584-636. PMID 21098428
26. Greenland P, Alpert JS, Beller GA, et al. 2010 ACCF/AHA guideline for assessment of cardiovascular risk in asymptomatic adults: a report of the American College of Cardiology Foundation/American Heart Association Task Force on Practice Guidelines. *J Am Coll Cardiol*. Dec 14, 2010; 56(25): e50-103. PMID 21144964
27. Allingham-Hawkins D, Lea A, Levine S. KIF6 p.Trp719Arg Testing to Assess Risk of Coronary Artery Disease and/or Statin Response. *PLoS Curr*. 2010;2:RRN1191. Published 2010 Oct 21.

MEDICAL POLICY

POLICY TITLE	KIF6 GENOTYPING FOR PREDICTING CARDIOVASCULAR RISK AND/OR EFFECTIVENESS OF STATIN THERAPY
POLICY NUMBER	MP 2.309

IX. POLICY HISTORY

[Top](#)

MP 2.309	06/13/2018 Consensus Review. No change to policy statements. References updated. Rationale condensed.
	04/12/2019 Consensus Review. Policy statement unchanged. References updated.
	07/01/2020 Consensus Review. Background, Rationale and FEP coverage updated. References reviewed. Product and Benefit Variation as well as Disclaimer updated. No change in policy statement.
	05/12/2021 Consensus Review. Reference updated. Coding reviewed. Policy guidelines removed.
	09/02/2022 Consensus Review. No changes to policy statement. BCBSA archived 2.04.67 July 2021. Updated FEP, references. No changes to coding.
	08/08/2023 Consensus Review. No changes to policy statement. Coding reviewed, no changes.
	01/19/2024 Administrative Update. Clinical benefit added.
	09/05/2024 Consensus Review. No changes to policy statement. Coding reviewed, no changes.
	07/18/2025 Consensus Review. Updated references.
	10/07/2025 Administrative Update. Removed Benefit Variations Section and updated Disclaimer.
	03/04/2026 Retirement Review. EviCore delegation.

[Top](#)

Health care benefit programs issued or administered by Capital Blue Cross and/or its subsidiaries, Capital Advantage Insurance Company®, Capital Advantage Assurance Company® and Keystone Health Plan® Central. Independent licensees of the Blue Cross BlueShield Association. Communications issued by Capital Blue Cross in its capacity as administrator of programs and provider relations for all companies.