

## MEDICAL POLICY

<b>POLICY TITLE</b>	<b>GENERAL APPROACH TO EVALUATING THE UTILITY OF GENETIC PANELS</b>
<b>POLICY NUMBER</b>	<b>MP 2.323</b>

<b>CLINICAL BENEFIT</b>	<input type="checkbox"/> MINIMIZE SAFETY RISK OR CONCERN. <input type="checkbox"/> MINIMIZE HARMFUL OR INEFFECTIVE INTERVENTIONS. <input type="checkbox"/> ASSURE APPROPRIATE LEVEL OF CARE. <input type="checkbox"/> ASSURE APPROPRIATE DURATION OF SERVICE FOR INTERVENTIONS. <input checked="" type="checkbox"/> ASSURE THAT RECOMMENDED MEDICAL PREREQUISITES HAVE BEEN MET. <input type="checkbox"/> ASSURE APPROPRIATE SITE OF TREATMENT OR SERVICE.
<b>Effective Date:</b>	<b>RETIRED 7/1/2026</b>

### POLICY

**NOTE:** This policy applies only if there is no separate medical policy that outlines specific criteria for testing. If a separate policy does exist, then the criteria for medical necessity in that policy supersede the guidelines in this policy.

*Additional new products may become commercially available. This is not meant to be a comprehensive list of all available products or tests.*

Genetic panels that use next generation sequencing or chromosomal microarray, and are classified in one of the categories below, may be considered **medically necessary** when all criteria are met for each category, as outlined in the Rationale section:

- Panels for hereditary or genetic conditions
  - Diagnostic testing of an individual's germline to benefit the individual
  - Testing of an asymptomatic individual to determine future risk of disease
- Cancer panels
  - Testing of an asymptomatic individual to determine future risk of cancer
  - Testing cancer cells from an individual to benefit the individual by identifying targeted treatment
- Reproductive panels
  - Preconception testing
    - Carrier testing of the parent(s)
  - Prenatal testing
    - Carrier testing of the parent(s)
    - In utero testing of a fetus, including testing for aneuploidy or variants
  - Preimplantation genetic testing.

**\*NOTE:** For coverage of CancerNext™, BreastNext™, ColoNext™, OvaNext™ and any other cancer susceptibility panels using next generation sequencing refer to **MP 2.325 Genetic Cancer Susceptibility Panels Using Next Generation Sequencing**.

Genetic panels that use next generation sequencing or chromosomal microarray that do not meet the criteria for a specific category are considered **investigational** as there is insufficient evidence to support a general conclusion concerning the health outcomes or benefits associated with this procedure.

## MEDICAL POLICY

<b>POLICY TITLE</b>	<b>GENERAL APPROACH TO EVALUATING THE UTILITY OF GENETIC PANELS</b>
<b>POLICY NUMBER</b>	<b>MP 2.323</b>

### POLICY GUIDELINES:

#### Genetics Nomenclature Update

The Human Genome Variation Society nomenclature is used to report information on variants found in DNA and serves as an international standard in DNA diagnostics. It is being implemented for genetic testing medical policy updates starting in 2017 (see Table PG1). The Society’s nomenclature is recommended by the Human Variome Project, the Human Genome Organization, and by the Human Genome Variation Society itself.

The American College of Medical Genetics and Genomics and the Association for Molecular Pathology standards and guidelines for interpretation of sequence variants represent expert opinion from both organizations, in addition to the College of American Pathologists. These recommendations primarily apply to genetic tests used in clinical laboratories, including genotyping, single genes, panels, exomes, and genomes. Table PG2 shows the recommended standard terminology— “pathogenic,” “likely pathogenic,” “uncertain significance,” “likely benign,” and “benign”—to describe variants identified that cause Mendelian disorders.

**Table PG1. Nomenclature to Report on Variants Found in DNA**

Previous	Updated	Definition
<b>Mutation</b>	Diseased-Assoc. Variant	Disease-associated change in the DNA sequence.
	Variant	Change in DNA sequence
	Familial Variant	Disease-associated variant identified in a proband for use in subsequent targeted genetic testing in first-degree relatives.

**Table PG2. ACMG-AMP Standards and Guidelines for Variant Classification**

Variant Classification	Definition
<b>Pathogenic</b>	Disease-causing change in the DNA sequence
<b>Likely Pathogenic</b>	Likely disease-causing change in the DNA sequence
<b>Variant of uncertain significance</b>	Change in DNA sequence with uncertain effects on disease
<b>Likely benign</b>	Likely benign change in the DNA sequence
<b>Benign</b>	Benign change in the DNA sequence

ACMG: American College of Medical Genetics and Genomics; AMP: Association of Molecular Pathology.

#### Genetic Counseling

Experts recommend formal genetic counseling for patients who are at-risk for inherited disorders and who wish to undergo genetic testing. Interpreting the results of genetic tests and understanding risk factors can be difficult for some patients; genetic counseling helps individuals understand the impact of genetic testing, including the possible effects the test results could have on the individual or their family members. It should be noted that genetic counseling may alter the utilization of genetic testing substantially and may reduce inappropriate testing; further,

## MEDICAL POLICY

<b>POLICY TITLE</b>	<b>GENERAL APPROACH TO EVALUATING THE UTILITY OF GENETIC PANELS</b>
<b>POLICY NUMBER</b>	<b>MP 2.323</b>

genetic counseling should be performed by an individual with experience and expertise in genetic medicine and genetic testing methods.

**Cross-References:**

- MP 2.326 General Approach to Genetic Testing**
- MP 2.325 Genetic Cancer Susceptibility Panels Using Next Generation Sequencing**
- MP 2.259 Expanded Molecular Panel Testing of Cancers to Identify Targeted Therapies**
- MP 7.009 Preimplantation Genetic Testing**

**PRODUCT VARIATIONS**

This policy is only applicable to certain programs and products administered by Capital Blue Cross and subject to benefit variations. Please see additional information below.

**FEP PPO** - Refer to FEP Medical Policy Manual. The FEP Medical Policy manual can be found at:

<https://www.fepblue.org/benefit-plans/medical-policies-and-utilization-management-guidelines/medical-policies>.

**DESCRIPTION/BACKGROUND**

**Purpose**

The purpose of this policy is to provide a framework for evaluating the utility of genetic panels that use newer genetic testing methodologies. In providing a framework for evaluating genetic panels, this review will not attempt to determine the clinical utility of genetic testing for specific disorders per se. For most situations, this will mean that at least 1 variant in the panel has already been determined to have clinical utility and that clinical indications for testing are established. Once the clinical utility for at least one of the variants included in the panel has been established, then the focus is on whether the use of a panel is a reasonable alternative to individual tests.

**Genetic Panel Testing**

A genetic panel will be defined as a test that simultaneously evaluates multiple genes, as opposed to sequential testing of individual genes. This includes panels performed by next-generation sequencing (NGS), massive parallel sequencing, and chromosomal microarray analysis. The definition of a panel will not include panels that report on gene expression profiling, which generally do not directly evaluate genetic variants.

**New Sequencing Technologies**

New genetic technology, such as NGS and chromosomal microarray, has led to the ability to examine many genes simultaneously. This in turn has resulted in a proliferation of genetic panels. Panels using next-generation technology are currently widely available, covering a

## MEDICAL POLICY

<b>POLICY TITLE</b>	<b>GENERAL APPROACH TO EVALUATING THE UTILITY OF GENETIC PANELS</b>
<b>POLICY NUMBER</b>	<b>MP 2.323</b>

broad range of conditions related to inherited disorders, cancer, and reproductive testing. These panels are intuitively attractive to use in clinical care because they can analyze multiple genes more quickly and may lead to greater efficiency in the workup of genetic disorders. It is also possible that newer technology can be performed more cheaply than direct sequencing, although this may not be true in all cases.

Newer sequencing techniques were initially associated with higher error rates than direct sequencing. While there are limited published data directly comparing the accuracy of NGS with direct sequencing, several publications have reported that the concordance between NGS and Sanger sequencing is greater than 99% for cancer susceptibility testing, inherited disorders, and hereditary hearing loss. Another potential pitfall is the easy availability of a multitude of genetic information, much of which has uncertain clinical consequences. Variants of uncertain significance are found commonly and in greater numbers with NGS than with direct sequencing.

The intended use for these panels is variable. For example, for the diagnosis of hereditary disorders, a clinical diagnosis may be already established, and genetic testing is performed to determine whether this is a hereditary condition, and/or to determine the specific variant present. In other cases, there is a clinical syndrome (phenotype) with a broad number of potential diagnoses, and genetic testing is used to make a specific diagnosis. For cancer panels, there are also different intended uses. Some panels may be intended to determine whether a known cancer is part of a hereditary cancer syndrome. Other panels may include somatic variants in a tumor biopsy specimen that may help identify a cancer type or subtype and/or help select the best treatment.

There is no standardization to the makeup of genetic panels. Panel composition is variable, and different commercial products for the same condition may test a different set of genes. The makeup of the panels is determined by the specific lab that developed the test. Also, the composition of any individual panel is likely to change over time, as new variants are discovered and added to existing panels.

Despite the variability in the intended use and composition of panels, there are a finite number of broad panel types that can be identified and categorized. Once categorized, specific criteria on the utility of the panel can be developed for each category. One difficulty with this approach is that the distinction between the different categories, and the distinction between the intended uses of the panels, may not be clear. Some panels will have features or intended uses that overlap among the different categories.

To determine the criteria used for evaluating panels, the policy will first classify panels into a number of clinically relevant categories, according to their intended use. Then, for each category, criteria will be proposed that can be applied to tests within that category. Because our goal is to outline a general approach to testing, we will not evaluate individual panels; rather, we will supply examples of genetic panels in each category to assist Plans in classifying the individual panels.

### REGULATORY STATUS

Clinical laboratories may develop and validate tests in-house and market them as a laboratory service; laboratory-developed tests must meet the general regulatory standards of the Clinical

## MEDICAL POLICY

<b>POLICY TITLE</b>	<b>GENERAL APPROACH TO EVALUATING THE UTILITY OF GENETIC PANELS</b>
<b>POLICY NUMBER</b>	<b>MP 2.323</b>

Laboratory Improvement Amendments. Laboratories that offer laboratory-developed tests must be licensed by the Clinical Laboratory Improvement Amendments for high-complexity testing. To date, the U.S. Food and Drug Administration has chosen not to require any regulatory review of this test.

An exhaustive list of commercially available panel tests is impractical. For example, the EGL Genetics offers 243 different genetic panels of a total of 929 molecular genetics tests. Table 1 provides a sample of panels that use NGS or chromosomal microarray technologies.

**Table 1. Panels Using Next-Generation Sequencing or Chromosomal Microarray Technology (as of December 2017)**

<b>Test Name</b>	<b>Laboratory</b>
Agammaglobulinemia Panel	ARUP Laboratories
Ashkenazi Jewish Diseases Panel	ARUP Laboratories
Mitochondrial Disorders Panel	ARUP Laboratories
Amyotrophic Lateral Sclerosis Panel	ARUP Laboratories
Aortopathy Panel	ARUP Laboratories
Autism Panel	ARUP Laboratories
Brugada Syndrome Panel	ARUP Laboratories
Vascular Malformation Syndromes	ARUP Laboratories
Retinitis Pigmentosa/Leber Congenital Amaurosis Panel	ARUP Laboratories
Cardiomyopathy and Arrhythmia Panel	ARUP Laboratories
Periodic Fever Syndromes Panel	ARUP Laboratories
Arrhythmias Sequencing Panel	EGL Genetics
Arrhythmias Deletion/Duplication Panel	EGL Genetics
Autism Spectrum Disorders	EGL Genetics
Cardiomyopathy Panel	EGL Genetics
Ciliopathies Panel	EGL Genetics
Congenital Glycosylation Disorders	EGL Genetics
ACOG/ACMG Carrier Screen Targeted Mutation Panel	EGL Genetics
Epilepsy	EGL Genetics
Eye Disorders	EGL Genetics
Neuromuscular Disorders	EGL Genetics
Noonan Syndrome and Related Disorders	EGL Genetics
Short Stature Panel	EGL Genetics
Sudden Cardiac Arrest Panel	EGL Genetics
X-linked Intellectual Disability	EGL Genetics
CancerNext™	Ambry Genetics
BreastNext™	Ambry Genetics
ColoNext™	Ambry Genetics
OvaNext™	Ambry Genetics
RhythmNext®	Ambry Genetics
X-linked Intellectual Disability	Ambry Genetics
TAADNext®	Ambry Genetics

## MEDICAL POLICY

<b>POLICY TITLE</b>	<b>GENERAL APPROACH TO EVALUATING THE UTILITY OF GENETIC PANELS</b>
<b>POLICY NUMBER</b>	<b>MP 2.323</b>

Cobalamin Metabolism Comprehensive Panel	Baylor College of Medicine
Progressive External Ophthalmoplegia Panel	Baylor College of Medicine
CoQ10 Comprehensive Panel	Baylor College of Medicine
Usher Syndrome Panel	Baylor College of Medicine
Retinitis Pigmentosa Panel	Baylor College of Medicine
Pyruvate Dehydrogenase Deficiency and Mitochondrial Respiratory Chain Complex V Deficiency Panel	Baylor College of Medicine
Myopathy/Rhabdomyolysis Panel	Baylor College of Medicine
Mitochondrial Disorders Panel	Baylor College of Medicine
Low Bone Mass Panel	Baylor College of Medicine
Glycogen Storage Disorders Panel	Baylor College of Medicine
Leigh Disease Panel	Medical Neurogenetics
Pan Cardiomyopathy Panel	Partners Healthcare
Isolated Non-syndromic Congenital Heart Defects Panel	Partners Healthcare
Noonan Spectrum Panel	Partners Healthcare
Usher Syndrome Panel	Partners Healthcare
Hereditary Colon Cancer Syndromes	Mayo Medical Laboratories
Hypertrophic Cardiomyopathy Panel	Mayo Medical Laboratories
Dilated Cardiomyopathy Panel	Mayo Medical Laboratories
Arrhythmogenic Right Ventricular Cardiomyopathy Panel	Mayo Medical Laboratories
Noonan Syndrome Panel	Mayo Medical Laboratories
Marfan Syndrome Panel	Mayo Medical Laboratories
Long QT Syndrome	Mayo Medical Laboratories
Brugada Syndrome	Mayo Medical Laboratories
Signature Prenatal Microarray	Signature Genomics
Counsyl™ Panel	Counsyl Genomics
GoodStart Select™	GoodStart Genetics

### RATIONALE

#### Types of Panel Testing

There are numerous types of panel testing, because in theory a panel may be substituted for individual variant testing in any situation where more than 1 gene is being examined. Commercially available panels fall largely into several categories, which we classify using the BCBSA categories of genetic testing (see Appendix Table 1).

We have classified genetic panels into 3 major categories: panels for genetic and hereditary conditions, cancer panels, and reproductive panels. Within these categories, we created subcategories by the intended use of the panels.

#### Panels for Genetic or Hereditary Conditions

Panels for genetic or hereditary conditions are generally single-gene disorders, which are inherited in Mendelian fashion. They are defined by a characteristic phenotype, which may characterize a specific disease or represent a syndrome that encompasses multiple underlying diseases.

## MEDICAL POLICY

<b>POLICY TITLE</b>	<b>GENERAL APPROACH TO EVALUATING THE UTILITY OF GENETIC PANELS</b>
<b>POLICY NUMBER</b>	<b>MP 2.323</b>

The intended use of these panels may be for:

- Diagnostic testing of an individual's germline to benefit the individual. To confirm a suspected diagnosis in patients with signs and/or symptoms of the condition; or to identify a causative etiology for a clinical syndrome, for which there are multiple possible underlying conditions.
- Testing an asymptomatic individual to determine future risk of disease.

There are several variations of panels for use in diagnosis or risk assessment of genetic or hereditary conditions. For our purposes, panels will be divided into the following types:

- *Panels containing variants associated with a single condition.* These panels generally include all known pathogenic variants for a defined disease and do not include variants associated with other diseases. An example of such a panel would be one that includes pathogenic variants for hypertrophic cardiomyopathy but does not include variants associated with other cardiovascular disorders. These panels can be used for diagnostic or risk assessment purposes.
- *Panels containing variants associated with multiple related conditions.* These panels include all known pathogenic variants for a defined disease and variants associated with other related disorders. An example of such a panel would be a pan cardiomyopathy panel that includes pathogenic variants for hypertrophic cardiomyopathy and other types of cardiomyopathies (e.g., dilated cardiomyopathy, arrhythmogenic right ventricular cardiomyopathy). These panels can be used for diagnostic or risk assessment purposes.
- *Panels containing variants for clinical syndromes associated with multiple distinct conditions.* These panels include variants associated with multiple potential disease states that define a particular clinical syndrome. In general, a specific diagnosis cannot be made without genetic testing, and genetic testing can identify one among several underlying disease states that manifest as a clinical syndrome. An example of this type of panel is one for intellectual disability that includes variants associated with many potential underlying disease states. These panels are used for diagnostic purposes.

### Cancer Panels

Genetic panels for cancer can be of several types and may test for either germline or somatic variants. Their intended purpose can be for:

- Testing an asymptomatic patient to determine future risk of cancer
- Therapeutic testing of cancer cells from an affected individual to benefit the individual by directing targeted treatment based on specific somatic variants.

There are variations of panels for use in risk assessment or for directing targeted treatment. For our purposes, panels will be divided into the following types:

- *Panels containing multiple variants indicating risk for a specific type of cancer or cancer syndrome (germline variants).* These panels contain multiple related variants that indicate susceptibility to one or more cancers. They include germline variants and will

## MEDICAL POLICY

<b>POLICY TITLE</b>	<b>GENERAL APPROACH TO EVALUATING THE UTILITY OF GENETIC PANELS</b>
<b>POLICY NUMBER</b>	<b>MP 2.323</b>

generally be used for risk assessment in asymptomatic individuals who are at-risk for variants based on family history or other clinical data. An example of this type of panel would be one testing for multiple *BRCA1* and *BRCA2* variants associated with hereditary breast and ovarian cancer syndrome.

- *Panels containing multiple variants associated with a wide variety of cancer types (somatic variants).* These panels are generally used to direct treatment with drugs that target specific variants. They test for somatic variants from tissue samples of existing cancers. Many of these somatic variants are found across a wide variety of solid tumors. An example is the CancerNext Panel (Ambry Genetics), which tests for a broad number of somatic variants that can direct treatment.

### Reproductive Panels

Reproductive panels test for variants associated with heritable conditions and are intended either for:

- Carrier testing of parent(s) preconception
- Carrier testing of parent(s) prenatal
- Prenatal (in utero) testing

Preconception testing usually tests for variants that are autosomal recessive or X-linked or, in some cases, for autosomal dominant variants with late clinical onset. Preconception tests can be performed on parents at-risk for a variant based on family history or can be done as screening tests in parents without a family history suggestive of a variant. Prenatal testing refers to tests performed during pregnancy. At present, prenatal testing for genetic variants is performed on the fetus, using amniocentesis or chorionic villous sampling. Testing of maternal blood for chromosomal aneuploidy is currently available, and in the future, it may be possible to test for fetal variants using maternal blood.

There are variations of panels for use in preconception or prenatal testing. For our purposes, panels will be divided into the following types:

- *Panels containing variants associated with a single disorder.* These panels are generally performed in at-risk individuals with a family history of a heritable disorder. An example of this type of panel would be a cystic fibrosis gene panel intended for use in individuals with a family history of cystic fibrosis.
- *Panels containing variants associated with multiple disorders.* These panels are generally performed as screening tests for parents without a family history of a heritable disorder. They can also be used to evaluate individuals with a family history of a heritable disorder. An example of this type of panel is the Signature Prenatal Microarray Panel.

### Criteria for Evaluating Genetic Panels

The following are criteria that can be applied to evaluating genetic panels, with an explanation of the way the criteria are to be defined and applied. Not all criteria will apply to all panels.

## MEDICAL POLICY

<b>POLICY TITLE</b>	<b>GENERAL APPROACH TO EVALUATING THE UTILITY OF GENETIC PANELS</b>
<b>POLICY NUMBER</b>	<b>MP 2.323</b>

Appendix Table 2 and Appendix Figures 1 through 4 list the specific criteria that should be used for each category.

### Test Is Performed in a Clinical Laboratory Improvement Amendments–Licensed Lab

- Testing is performed in a laboratory licensed under Clinical Laboratory Improvement Amendments for high-complexity testing. This requires delivery of a reproducible set of called quality-filtered variants from the sequencing platform.
- These calculations should occur before variant annotation, filtering, and manual interpretation for patient diagnosis.

### Technical Reliability of Panels Approaches That of Direct Sequencing

- The technical reliability for detecting individual variants, compared with the criterion standard of conventional direct Sanger sequencing, is reported.
  - The testing methods are described, and the overall analytic validity for that type of testing is defined.
- Any decrease in analytic sensitivity and specificity is not large enough to result in a clinically meaningful difference in diagnostic accuracy (clinically valid).

All individual components of the panel have demonstrated they are clinically useful for the condition being evaluated OR the implications and consequences of test results that have not demonstrated clinical utility are clear, AND there is no potential for incidental findings to cause harm.

- For each panel, if each variant in the panel would be indicated for at least some patients with the condition, then this criterion is met.
  - If there are individual variants that do not have clinical utility, then the potential to cause harm might occur.
- For incidental findings, the potential for harm may be due to:
  - Incorrect diagnosis due to false-positive or false-negative results
    - False-positive: Unnecessary treatment that may have adverse events
    - False-negative: Effective treatment not provided
  - Incorrect risk assessment
    - Unnecessary surveillance tests may lead to further confirmatory tests that may be invasive
    - Effective surveillance or screening not provided to patients at-risk
    - Incorrect decision made on reproductive decision making
      - Alteration made in reproductive planning that would not have been made with correct information
      - No alteration made in reproductive planning, where alteration would have been made with correct information

## MEDICAL POLICY

<b>POLICY TITLE</b>	<b>GENERAL APPROACH TO EVALUATING THE UTILITY OF GENETIC PANELS</b>
<b>POLICY NUMBER</b>	<b>MP 2.323</b>

### Panel Testing Offers Substantial Improvement in Efficiency vs Sequential Analysis of Individual Genes

- The composition of the panel is sufficiently complex such that next-generation sequencing or chromosomal microarray analysis is expected to offer considerable advantages. The complexity of testing can be judged by:
  - The number of genes tested.
  - The size of the genes tested.
  - The heterogeneity of the genes tested.

### The Impact of Ancillary Information Is Well-Defined

- If a panel contains both variants that are medically necessary and variants that are investigational (or not medically necessary), the impact of results for investigational (or not medically necessary) variants is considered, taking into account the following possibilities:
  - The information may be ignored (no further impact).
  - The information may result in further testing or changes in management:
    - Positive impact
    - Negative impact
  - It is more likely that the results of tests that are not medically necessary cause a negative, rather than a positive, impact on the patient. This is because additional tests and management changes that follow are not evidence-based and because additional testing and treatment generally involve risks.

### Decision Making Based on Genetic Results Is Well-Defined

- Results of the genetic testing will lead to changes in diagnosis and/or treatment.
- The potential changes in treatment are defined prior to testing and accord with the current standard of care.
- Changes in diagnosis or management are associated with improvements in health outcomes.
- For prenatal and preconception testing:
  - Alterations in reproductive decision making are expected, depending on the results of testing.

### Testing Yield Is Acceptable for the Target Population

- The number of individuals who are found to have a pathogenic variant, in relation to the total number of individuals tested, is reasonable given the underlying prevalence and severity of the disorder, and the specific population that is being tested.
  - It is not possible to set an absolute threshold for acceptable yield across different clinical situations. Some guidance can be given from clinical precedence as follows:
    - For diagnosis of hereditary disorders, genetic testing is generally performed when signs and symptoms of the disease are present, including family history. The likelihood of a positive genetic test depends on the accuracy of the signs and symptoms (pretest probability of disorder), and the clinical sensitivity of genetic

## MEDICAL POLICY

<b>POLICY TITLE</b>	<b>GENERAL APPROACH TO EVALUATING THE UTILITY OF GENETIC PANELS</b>
<b>POLICY NUMBER</b>	<b>MP 2.323</b>

testing. For disorders such as testing for congenital long QT syndrome and Duchenne muscular dystrophy, the likelihood of a positive result in patients with signs and symptoms of the disease is greater than 10%.

- For cancer susceptibility, testing is recommended for genetic abnormalities such as the *BRCA* gene and Lynch syndrome when the likelihood of a positive result is in the range of 2% to 10%.
- For a clinical syndrome that has multiple underlying etiologies, such as developmental delay in children, chromosomal microarray analysis is recommended when the likelihood of a positive result is in the 5% to 20% range.
- There is an increase in yield over alternative methods of diagnosis, and this increase is clinically significant.

### Other Issues to Consider

- Most tests will not, and possibly should not, be ordered by generalists.
  - Guidance for providers is appropriate on the expertise necessary to ensure that test ordering is done optimally.
- Many tests, particularly those for inherited disorders, should be accompanied by patient counseling, preferably by certified genetic counselors.
  - Counseling may be needed both before and after testing, depending on the specific condition being tested.

### SUMMARY OF EVIDENCE

Genetic panels using next-generation technology or chromosomal microarray analysis are available for many clinical conditions. The major advantage of panels is the ability to analyze many genes simultaneously, potentially improving the breadth and efficiency of the genetic workup. A potential disadvantage of panels is that they provide a large amount of ancillary information whose significance may be uncertain. Limited published evidence has reported that the analytic validity of panels approaches that of direct sequencing. The clinical validity and clinical utility of panels are condition specific. The clinical validity of panels will reflect the clinical validity of the underlying individual variants. The clinical utility of panels will depend on the context in which they are used, ie, whether the advantages of panel testing outweigh the disadvantages for the specific condition under consideration.

### DEFINITIONS

N/A

### DISCLAIMER

*Capital Blue Cross' medical policies are used to determine coverage for specific medical technologies, procedures, equipment, and services. These medical policies do not constitute medical advice and are subject to change as required by law or applicable clinical evidence from independent treatment guidelines. Treating providers are solely responsible for medical advice and treatment of members. These policies are not a guarantee of coverage or*

## MEDICAL POLICY

<b>POLICY TITLE</b>	<b>GENERAL APPROACH TO EVALUATING THE UTILITY OF GENETIC PANELS</b>
<b>POLICY NUMBER</b>	<b>MP 2.323</b>

*payment. Payment of claims is subject to a determination regarding the member's benefit program and eligibility on the date of service, and a determination that the services are medically necessary and appropriate. Final processing of a claim is based upon the terms of contract that applies to the members' benefit program, including benefit limitations and exclusions. If a provider or a member has a question concerning this medical policy, please contact Capital Blue Cross' Provider Services or Member Services.*

### CODING INFORMATION

**Note:** This list of codes may not be all-inclusive, and codes are subject to change at any time. The identification of a code in this section does not denote coverage as coverage is determined by the terms of member benefit information. In addition, not all covered services are eligible for separate reimbursement.

Codes 81410-81471 are specific CPT codes for genomic sequencing procedures (or "next generation sequencing" panels). The panel must meet the requirements in the code descriptor in order to use the code.

If the panel does not meet the requirements for the codes above and does not utilize an algorithmic analysis, for any specific analyte in the panel that is listed in the Tier 1 (81105-81383) or Tier 2 (81400- 81408) codes that CPT code would be reported for that specific analyte along with the unlisted code 81479 (1 unit) for any analytes on the panel that are not listed in the CPT codes. If none of the analytes on the panel are listed in the more specific CPT codes, unlisted code 81479 would be reported once for the whole test.

If the panel utilizes an algorithmic analysis of the results of the component tests to produce a numeric score or probability, it would be a multianalyte assay with algorithm analysis (MAAA) and reported with one of the specific codes in the 815XX section or appendix O in CPT. If there is no specific code listed, the unlisted MAAA code 81599 would be used.

AMA Proprietary Laboratory Analyses (PLA) codes, 0001U to 0153U and 0362U are subject to the above criteria as appropriate.

### REFERENCES

1. Choi M, Scholl UI, Ji W, et al. Genetic diagnosis by whole exome capture and massively parallel DNA sequencing. *Proc Natl Acad Sci U S A*. Nov 10 2009;106(45):19096-19101. PMID 19861545
2. Bell CJ, Dinwiddie DL, Miller NA, et al. Carrier testing for severe childhood recessive diseases by next-generation sequencing. *Sci Transl Med*. Jan 12 2011;3(65):65ra64. PMID 21228398
3. Foo JN, Liu J, Tan EK. Next-generation sequencing diagnostics for neurological diseases/disorders: from a clinical perspective. *Hum Genet*. Mar 23, 2013. PMID 23525706

## MEDICAL POLICY

<b>POLICY TITLE</b>	<b>GENERAL APPROACH TO EVALUATING THE UTILITY OF GENETIC PANELS</b>
<b>POLICY NUMBER</b>	<b>MP 2.323</b>

4. Lin X, Tang W, Ahmad S, et al. Applications of targeted gene capture and next-generation sequencing technologies in studies of human deafness and other genetic disabilities. *Hear Res.* Jun 2012;288(1-2):67-76. PMID 22269275
5. Raymond FL, Whittaker J, Jenkins L, et al. Molecular prenatal diagnosis: the impact of modern technologies. *Prenat Diagn.* Jul 2010;30(7):674-681. PMID 20572117
6. Simen BB, Yin L, Goswami CP, et al. Validation of a next-generation-sequencing cancer panel for use in the clinical laboratory. *Arch Pathol Lab Med.* Apr 2015;139(4):508-517. PMID 25356985
7. Yohe S, Hauge A, Bunjer K, et al. Clinical validation of targeted next-generation sequencing for inherited disorders. *Arch Pathol Lab Med.* Feb 2015;139(2):204-210. PMID 25611102
8. Sivakumaran TA, Husami A, Kissell D, et al. Performance evaluation of the next-generation sequencing approach for molecular diagnosis of hereditary hearing loss. *Otolaryngol Head Neck Surg.* Jun 2013;148(6):1007-1016. PMID 23525850
9. Hiraki S, Rinella ES, Schnabel F, et al. Cancer risk assessment using genetic panel testing: considerations for clinical application. *J Genet Couns.* Aug 2014;23(4):604-617. PMID 24599651
10. Yorczyk A, Robinson LS, Ross TS. Use of panel tests in place of single gene tests in the cancer genetics clinic. *Clin Genet.* Oct 16, 2014. PMID 25318351
11. Emory Genetics Laboratory. *Molecular Genetic Tests.* 2015 .
12. Stranneheim H, Wedell A. Exome and genome sequencing: a revolution for the discovery and diagnosis of monogenic disorders. *J Intern Med.* 2016;279(1):3-15. doi:10.1111/joim.12399
13. Hegde M, Santani A, Mao R, Ferreira-Gonzalez A, Weck KE, Voelkerding KV. Development and Validation of Clinical Whole-Exome and Whole-Genome Sequencing for Detection of Germline Variants in Inherited Disease. *Arch Pathol Lab Med.* 2017;141(6):798-805. doi:10.5858/arpa.2016-0622-RA
14. Rehder C, Bean LJH, Bick D, et al. Next-generation sequencing for constitutional variants in the clinical laboratory, 2021 revision: a technical standard of the American College of Medical Genetics and Genomics (ACMG). *Genet Med.* 2021;23(8):1399-1415. doi: 10.1038/s41436-021-01139-4
15. The National Society of Genetic Counselors. Position statement: Use of multi-gene panel tests. Released March 2017; Reaffirmed 2023. Available at: <https://www.nsgc.org/Policy-Research-and-Publications/Position-Statements/Position-Statements/Post/use-of-multi-gene-panel-tests>
16. Bean LJH, Funke B, Carlston CM, et al. Diagnostic gene sequencing panels: from design to report—a technical standard of the American College of Medical Genetics and Genomics (ACMG). *Genet Med.* 2020;22(3):453-461. doi: 10.1038/s41436-019-0666-z

### POLICY HISTORY

<b>MP 2.323</b>	<b>01/01/2020 Administrative Update.</b> Removed deleted code 0104U. Added new code 0152U & 0153U.
	<b>05/11/2020 Consensus Review.</b> Policy statements unchanged.

## MEDICAL POLICY

<b>POLICY TITLE</b>	<b>GENERAL APPROACH TO EVALUATING THE UTILITY OF GENETIC PANELS</b>
<b>POLICY NUMBER</b>	<b>MP 2.323</b>

	<b>02/16/2021 Consensus Review.</b> Policy statement unchanged. FEP variation updated. Tables updated in Background. References updated.
	<b>05/20/2022 Consensus Review.</b> References updated. FEP section updated
	<b>12/02/2022 Administrative Update.</b> 0362U added. Effective 01/01/2023
	<b>09/29/2023 Consensus Review.</b> No changes to policy statement. References updated.
	<b>10/24/2024 Consensus Review.</b> No changes to policy statement. References updated.
	<b>08/07/2025 Consensus Review.</b> No changes to policy statement.
	<b>09/23/2025 Administrative Update.</b> Removed Benefit Variations Section and updated Disclaimer.
	<b>03/05/2026 Retirement Review.</b> EviCore Delegation.

*Health care benefit programs issued or administered by Capital Blue Cross and/or its subsidiaries, Capital Advantage Insurance Company<sup>®</sup>, Capital Advantage Assurance Company<sup>®</sup>, and Keystone Health Plan<sup>®</sup> Central. Independent licensees of the Blue Cross BlueShield Association. Communications issued by Capital Blue Cross in its capacity as administrator of programs and provider relations for all companies.*