

## MEDICAL POLICY

POLICY TITLE	COSMETIC AND RECONSTRUCTIVE SURGERY
POLICY NUMBER	MP 1.004

CLINICAL BENEFIT	<input type="checkbox"/> MINIMIZE SAFETY RISK OR CONCERN. <input checked="" type="checkbox"/> MINIMIZE HARMFUL OR INEFFECTIVE INTERVENTIONS. <input type="checkbox"/> ASSURE APPROPRIATE LEVEL OF CARE. <input type="checkbox"/> ASSURE APPROPRIATE DURATION OF SERVICE FOR INTERVENTIONS. <input checked="" type="checkbox"/> ASSURE THAT RECOMMENDED MEDICAL PREREQUISITES HAVE BEEN MET. <input type="checkbox"/> ASSURE APPROPRIATE SITE OF TREATMENT OR SERVICE.
Effective Date:	5/1/2025

[POLICY RATIONALE](#)  
[DISCLAIMER](#)  
[POLICY HISTORY](#)

[PRODUCT VARIATIONS](#)  
[DEFINITIONS](#)  
[CODING INFORMATION](#)

[DESCRIPTION/BACKGROUND](#)  
[BENEFIT VARIATIONS](#)  
[REFERENCES](#)

### I. POLICY

Reconstructive surgery is a procedure performed to improve or correct a functional impairment, restore bodily function or correct deformity resulting from birth defect, medical condition or disease, or accidental injury. If the procedure does not meet the definition of reconstructive, it is considered cosmetic. In order for such services to be considered **medically necessary**, there must be clear and unequivocal documentation in the medical record to support the reconstructive nature of the services. The following services may be considered **medically necessary** only when performed for the specified diagnosis:

- Dermal chemical peels used to treat individuals with numerous (greater than 10) actinic keratoses or other premalignant skin lesions, such that treatment of the individual lesions becomes impractical;
- Epidermal chemical peels used to treat individuals with active acne that has failed a trial of topical and/or oral antibiotic acne therapy are considered **medically necessary**. In this setting, superficial chemical peels with 40–70% alpha hydroxy acids are used as a comedolytic therapy (Alpha hydroxy acids can also be used in lower concentrations [8%] without the supervision of a physician);
- Earlobe surgery to repair a “through and through” laceration resulting in a bilobe earlobe;
- A facial prosthesis when there is loss or absence of facial tissue due to disease, trauma, surgery, or a congenital defect.
- Hair removal to prevent the recurrence of pilonidal cysts or when ingrown hairs are responsible for repeated painful cysts;
- Lipectomy and liposuction for the excision of excess skin and/or subcutaneous fat (lipedema) where there is documented clinical evidence that the presence of this excess tissue has resulted in the following with failure to respond to conventional treatment:
  - Other significant functional impairment; **or**
  - Severe symptomatic conditions including, but not limited to, chronic pain, dermatitis, or skin ulcerations.

## MEDICAL POLICY

POLICY TITLE	COSMETIC AND RECONSTRUCTIVE SURGERY
POLICY NUMBER	MP 1.004

- Liposuction for posttraumatic soft tissue deformity, post-traumatic lipoma, and medication induced lipodystrophy;
- Mohs micrographic surgery (MMS) for the following indications:
  - Basal cell carcinomas and squamous cell carcinomas, malignant melanomas\* or other skin cancer with malignant potential.

*\* Malignant melanoma margins in any area are difficult to determine in frozen sections, as is done with MMS. Only in exceptional circumstances should MMS be performed for such lesions. It should be carefully documented in the medical records why MMS was medically necessary.*

- The accepted standard of care is to perform Mohs excision and closure on the same day. Medical necessity for delayed closure may be supported by the following:
  - Delay for granulation formation to facilitate flap/graft success; or
  - Individual was unable to continue with closure on the same day due to physical or psychological discomfort; or
  - Due to surgical requirements for large amounts of local anesthesia, individual requires delayed closure to metabolize the anesthesia
- Otoplasty when performed to correct functional hearing impairment (i.e., inability to hear normal conversation);
- Rhytidectomy when performed for the correction of a disease state that has caused irreversible facial paralysis or in the treatment of disfiguring burns of the head and neck region;
- Scar revision for the correction of post-infective, post-surgical, or keloid scars when accompanied by functional impairment;
- Scar revision for post-traumatic scars due to accidental injury (Note: prior surgery is not considered accidental injury);
- Surgical excision or incision and drainage of cysts for the treatment of severe cystic acne;
- Surgical repair of symptomatic pectus excavatum in individuals demonstrating functional impairment by meeting **ALL** of the following criteria:
  - Chest wall index (pectus index) greater than 3.25 (derived from dividing the transverse diameter of the chest by the anterior-posterior diameter), as evidenced by CT scan; **and**
  - Cardiopulmonary impairment (such as decreased cardiac output and/or abnormal pulmonary function during exercise atypical chest pain, asthma, or frequent lower respiratory tract infections); **and**
  - For known heart murmur or disease, definition of the relationship of the cardiac problem to the sternal deformity as evidenced by electrocardiogram or echocardiogram.

Epidermal chemical peels used to treat photo aged skin, wrinkles, or acne scarring or dermal peels used to treat end-state acne scarring are considered cosmetic and **investigational** as there is insufficient evidence to support a general conclusion supporting the health outcomes or benefits associated with this procedure.

## MEDICAL POLICY

POLICY TITLE	COSMETIC AND RECONSTRUCTIVE SURGERY
POLICY NUMBER	MP 1.004

The surgical treatment (e.g., marsupialization, opening, expression) of comedones, or milia, and pustules is considered cosmetic and **investigational** as there is insufficient evidence to support a general conclusion supporting the health outcomes or benefits associated with this procedure.

Dermal fillers are considered cosmetic and **investigational** as there is insufficient evidence to support a general conclusion supporting the health outcomes or benefits associated with this procedure.

Implants for cosmetic purposes are **investigational** as there is insufficient evidence to support a general conclusion supporting the health outcomes or benefits associated with this procedure.

Facial prostheses for reasons not listed above are considered cosmetic and **investigational** as there is insufficient evidence to support a general conclusion supporting the health outcomes or benefits associated with this procedure.

Surgical repair of pectus excavatum for asymptomatic individuals or in individuals not meeting the criteria listed in the guidelines is considered **investigational** as there is insufficient evidence to support a general conclusion supporting the health outcomes or benefits associated with this procedure.

### **Septoplasty, Rhinoplasty, Septorhinoplasty**

Septoplasty, rhinoplasty, or septorhinoplasty when performed in association with cleft lip and/or cleft palate repair may be considered **medically necessary** to correct the congenital defect.

All other requests for septoplasty, rhinoplasty, or septorhinoplasty must include the following:

- Results of any clinically indicated diagnostic studies to document the deformity and/or obstruction including the following:
  - CT scan or any other appropriate imaging modality;
  - Nasal endoscopy;
- Documented severity and duration of symptoms caused by the deformity and/or obstruction;
- Documented relevant history of trauma, disease, or congenital defect

### ***Rhinoplasty***

Rhinoplasty to correct chronic non-septal nasal airway obstruction from vestibular stenosis (collapsed internal valves) due to trauma, extensive nasal disease, or congenital defect may be considered **medically necessary** when ALL of the following criteria are met:

- Physical examination confirming moderate to severe functional nasal obstruction (positive Cottle maneuver) from a structural abnormality; and
- Airway obstruction will not respond to septoplasty and/or turbinectomy alone; and
- There is significant obstruction of one or both nares and documentation includes:
  - Duration and degree of symptoms related to nasal obstruction; and
  - Results of conservative management of symptoms; and



## MEDICAL POLICY

POLICY TITLE	COSMETIC AND RECONSTRUCTIVE SURGERY
POLICY NUMBER	MP 1.004

- Relevant history of accidental or surgical trauma, congenital defect, or disease (e.g., Wegener's granulomatosis, choanal atresia, nasal malignancy, abscess, septal infection with saddle deformity, or congenital deformity)

A secondary rhinoplasty (corrective nasal surgery after first rhinoplasty) may be considered **medically necessary** if symptoms continue or are made worse by the primary procedure. All criteria above for the primary rhinoplasty must be met.

Rhinoplasty for indications not meeting the criteria listed above is considered cosmetic and **investigational** as there is insufficient evidence to support a general conclusion supporting the health outcomes or benefits associated with this procedure.

### **Septoplasty**

Septoplasty may be considered **medically necessary** when used to treat a septal deformity resulting in any of the following conditions:

- Continuous nasal airway obstruction when both of the following criteria are met:
  - There is documentation of nasal airway restriction; and
  - A recent eight-week trial of conservative medical therapy (e.g., decongestants, nasal spray, corticosteroids) has been ineffective in treating the obstruction, which can only be corrected by surgery.
- Recurrent sinusitis felt to be due to a deviated septum documented by ALL of the following
  - Four or more episodes of acute sinusitis per year treated with antibiotics and/or other medications; and
  - Each episode lasting more than seven days, with an absence of symptoms between episodes (without antibiotic therapy); and
  - Septum touching the middle turbinate or septum blocking the middle meatus;
- Recurrent epistaxis (i.e., nosebleed) related to septal deformity;
- Obstructed nasal breathing interfering with effective use of medically necessary continuous positive airway pressure (CPAP) for the treatment of obstructive sleep disorder when a recent four-week trial of conservative medical therapy (e.g., decongestants, nasal spray, corticosteroids) has been ineffective in treating the obstruction, which can only be corrected by surgery.

A secondary septoplasty (corrective nasal surgery after first septoplasty) may be considered **medically necessary** if symptoms continue or are made worse by the primary procedure. All criteria above for the primary septoplasty must be met.

Septoplasty for indications not meeting the criteria listed above is considered cosmetic and **investigational** as there is insufficient evidence to support a general conclusion supporting the health outcomes or benefits associated with this procedure.

### **Cross-References:**

**MP 1.002 Augmentation Mammoplasty**

**MP 1.003 Blepharoplasty, Repair of Brow Ptosis, and Reconstructive Eyelid Surgery**

## MEDICAL POLICY

POLICY TITLE	COSMETIC AND RECONSTRUCTIVE SURGERY
POLICY NUMBER	MP 1.004

MP 1.008 Laser Treatment of Port Wine Stains  
 MP 1.012 Abdominoplasty and Panniculectomy  
 MP 1.013 Reduction Mammoplasty for Breast-Related Symptoms  
 MP 1.015 Bariatric Surgery  
 MP 1.061 Treatment of Varicose Veins/Venous Insufficiency  
 MP 1.101 Orthognathic Surgery  
 MP 1.103 Reconstructive Breast Surgery/Management of Breast Implants  
 MP 1.144 Gender Affirming Surgery  
 MP 2.071 Rosacea

### II. PRODUCT VARIATIONS

[TOP](#)

This policy is only applicable to certain programs and products administered by Capital Blue Cross and subject to benefit variations as discussed in Section VI. Please see additional information below.

**FEP PPO** - Refer to FEP Medical Policy Manual. The FEP Medical Policy manual can be found at: <https://www.fepblue.org/benefit-plans/medical-policies-and-utilization-management-guidelines/medical-policies>

### III. DESCRIPTION/BACKGROUND

[TOP](#)

This policy documents the criteria that distinguish cosmetic from reconstructive surgical services.

### IV. RATIONALE

[TOP](#)

NA

### V. DEFINITIONS

[TOP](#)

**BIRTH DEFECT** refers to an internal or external congenital abnormality that is present at birth that does not develop, appear, or manifest itself later in life.

**COSMETIC SURGERY:** An elective procedure performed primarily to restore a person's appearance by surgically altering a physical characteristic that does not prohibit normal function but is considered unpleasant or unsightly.

**FUNCTIONAL IMPAIRMENT** is a condition that describes a state where an individual is limited in the performance of basic activities of daily living.

**KELOID** refers to an overgrowth of collagenous tissue at the site of a skin injury, particularly a wound or surgical incision. The new tissue is elevated, rounded, and firm.

**LIPOMA** is a benign fatty tumor. It is frequently found in multiple sites but is not metastatic.

## MEDICAL POLICY

POLICY TITLE	COSMETIC AND RECONSTRUCTIVE SURGERY
POLICY NUMBER	MP 1.004

### VI. BENEFIT VARIATIONS

[TOP](#)

The existence of this medical policy does not mean that this service is a covered benefit under the member's health benefit plan. Benefit determinations are based on the applicable health benefit plan language. Medical policies do not constitute a description of benefits. Members and providers should consult the member's health benefit plan for information or contact Capital Blue Cross for benefit information.

### VII. DISCLAIMER

[TOP](#)

*Capital Blue Cross' medical policies are developed to assist in administering a member's benefits. These medical policies do not constitute medical advice and are subject to change. Treating providers are solely responsible for medical advice and treatment of members. Members should discuss any medical policy related to their coverage or condition with their provider and consult their benefit information to determine if the service is covered. If there is a discrepancy between this medical policy and a member's benefit information, the benefit information will govern. If a provider or a member has a question concerning the application of this medical policy to a specific member's plan of benefits, please contact Capital Blue Cross' Provider Services or Member Services. Capital Blue Cross considers the information contained in this medical policy to be proprietary and it may only be disseminated as permitted by law.*

### VIII. CODING INFORMATION

[TOP](#)

**Note:** This list of codes may not be all-inclusive, and codes are subject to change at any time. The identification of a code in this section does not denote coverage as coverage is determined by the terms of member benefit information. In addition, not all covered services are eligible for separate reimbursement.

**The following are cosmetic; therefore, not covered:**

Procedure Codes								
J0591	Q2026	Q2028	0419T	0420T	15771	15772	15773	15774
17340	69090							

**Covered when medically necessary:**

Procedure codes								
0479T	0480T	10040	15780	15781	15782	15783	15786	15788
15789	15792	15793	15824	15825	15826	15828	15829	15830
15832	15833	15834	15835	15836	15837	15838	15839	15847
15876	15877	15878	15879	17000	17003	17004	17110	17111
17311	17312	17314	17315	17360	17380	21087	21088	21740
21742	21743	30400	30410	30420	30430	30435	30450	30460
30462	30520	69300						



## MEDICAL POLICY

POLICY TITLE	COSMETIC AND RECONSTRUCTIVE SURGERY
POLICY NUMBER	MP 1.004

### IX. REFERENCES

[TOP](#)

1. Pennsylvania Act 51 of 1997(Mastectomy and Breast Cancer Reconstruction).
2. Gault D, Grob M, et al. Pinnaplasty: reshaping ears to improve hearing aid retention. *J. Plast Reconstr. Aesthet Surg.* 2007; 60(9): 1007-12.
3. Isaacson, G. Congenital anomalies of the ear In UpToDate Online Journal [serial online]. Waltham, MA: UpToDate; updated September 2023, Literature through Aug 2024.
4. Manstein CH, Ketch L, et al. Ear, Congenital Deformities eMedicine 08/17/2017 eMedicine
5. Practice Parameter Ear Deformity: Prominent Ears American Society of Plastic Surgeons December 2005.
6. Nehal K, Lee E. Mohs Surgery. In: UpToDate Online Journal [serial online]. Waltham, MA: UpToDate; updated Feb 23, 2024. Literature through Aug 2024.
7. McNeil, Michael L., et al. "Can otoplasty impact hearing? A prospective randomized controlled study examining the effects of pinna position on speech reception and intelligibility." *Journal of Otolaryngology-Head & Neck Surgery* 42.1 (2013): 10.
8. Mayer O. Pectus excavatum: Treatment. In: UpToDate Online Journal [serial online]. Waltham, MA: UpToDate; updated Oct 09, 2023. Literature through Aug 2024.
9. Johnson E. Pilonidal Disease. In: UpToDate Online Journal [serial online]. Waltham, MA: UpToDate; updated Feb 07, 2024. Literature through Aug 2024.
10. Shukla L, Yuan Y, Shayan R, Greening DW, Karnezis T. Fat Therapeutics: The Clinical Capacity of Adipose-Derived Stem Cells and Exosomes for Human Disease and Tissue Regeneration. *Frontiers in Pharmacology.* 2020 Mar 3;11:158.
11. American Academy of Dermatology. What is a scar?
12. Lee KK, Mehrany K, Swanson NA. Surgical revision *Dermatol Clin* 2005; 23 (1): 141-50.
13. Mosby's Medical, Nursing, & Allied Health Dictionary, 6th edition 97.
14. Taber's Cyclopedic Medical Dictionary, 19th edition.
15. Habif TP. *Clinical Dermatology* 5th Edition. Philadelphia, PA: Mosby/Elsevier; 2010.
16. Cummings CW, Haughey BH, Thomas JR, et al. *Otolaryngology: Head and Neck Surgery*, 4th edition. St Louis, MO: Mosby; 2005.
17. Costa C, Scalvenzi M, Ayala F, et al. How to treat actinic keratosis? An update. *J Dermatol Case Rep.* Jun 30 2015;9(2):29-35. PMID 26236409
18. Padilla RS, Sebastian S, Jiang Z, et al. Gene expression patterns of normal human skin, actinic keratosis, and squamous cell carcinoma: a spectrum of disease progression. *Arch Dermatol.* Mar 2010;146(3):288-293. PMID 20231500
19. Purdy S, de Berker D. Acne vulgaris. *BMJ Clin Evid.* Jan 05, 2011;2011. PMID 21477388
20. Brodland DG, Roenigk RK. Trichloroacetic acid chemexfoliation (chemical peel) for extensive premalignant actinic damage of the face and scalp. *Mayo Clin Proc.* Sep 1988;63(9):887-896. PMID 3412028
21. Morganroth GS, Leffell DJ. Nonexcisional treatment of benign and premalignant cutaneous lesions. *Clin Plast Surg.* Jan 1993;20(1):91-104. PMID 8420713
22. Lawrence N, Cox SE, Cockerell CJ, et al. A comparison of the efficacy and safety of Jessner's solution and 35% trichloroacetic acid vs 5% fluorouracil in the treatment of

## MEDICAL POLICY

<b>POLICY TITLE</b>	<b>COSMETIC AND RECONSTRUCTIVE SURGERY</b>
<b>POLICY NUMBER</b>	<b>MP 1.004</b>

- widespread facial actinic keratoses. *Arch Dermatol.* Feb 1995;131(2):176-181. PMID 7857114
23. Kaminaka C, Yamamoto Y, Yonei N, et al. Phenol peels as a novel therapeutic approach for actinic keratosis and Bowen disease: prospective pilot trial with assessment of clinical, histologic, and immunohistochemical correlations. *J Am Acad Dermatol.* Apr 2009;60(4):615-625. PMID 19293009
  24. Kaminaka C, Uede M, Matsunaka H, et al. Clinical evaluation of glycolic acid chemical peeling in patients with acne vulgaris: a randomized, double-blind, placebo-controlled, split-face comparative study. *Dermatol Surg.* Mar 2014;40(3):314-322. PMID 24447110
  25. Levesque A, Hamzavi I, Seite S, et al. Randomized trial comparing a chemical peel containing a lipophilic hydroxy acid derivative of salicylic acid with a salicylic acid peel in subjects with comedonal acne. *J Cosmet Dermatol.* Sep 2011;10(3):174-178. PMID 21896127
  26. Ilknur T, Demirtasoglu M, Bicak MU, et al. Glycolic acid peels versus amino fruit acid peels for acne. *J Cosmet Laser Ther.* Oct 2010;12(5):242-245. PMID 20825257
  27. Kessler E, Flanagan K, Chia C, et al. Comparison of alpha- and beta-hydroxy acid chemical peels in the treatment of mild to moderately severe facial acne vulgaris. *Dermatol Surg.* Jan 2008;34(1):45-50; discussion 51. PMID 18053051
  28. Abdel Meguid AM, Elaziz Ahmed Attallah DA, Omar H. Trichloroacetic acid versus salicylic acid in the treatment of acne vulgaris in dark-skinned patients. *Dermatol Surg.* Dec 2015;41(12):1398-1404. PMID 26551771
  29. Dayal S, Amrani A, Sahu P, et al. Jessner's solution vs. 30% salicylic acid peels: a comparative study of the efficacy and safety in mild-to-moderate acne vulgaris. *J Cosmet Dermatol.* Mar 2017;16(1):43-51. PMID 27557589
  30. Zaenglein AL, Pathy AL, Schlosser BJ, et al. Guidelines of care for the management of acne vulgaris. *J Am Acad Dermatol.* May 2016;74(5):945-973 e933. PMID 26897386
  31. Waldman A, Bolotin D, Arndt KA, et al. ASDS Guidelines Task Force: consensus recommendations regarding the safety of lasers, dermabrasion, chemical peels, energy devices, and skin surgery during and after isotretinoin use. *Dermatol Surg.* Oct 2017;43(10):1249-1262. PMID 28498204
  32. Obagi, S. Chemical peels Principles, peeling agents, and pretreatment assessment. In: *UpToDate Online Journal* [serial online]. Waltham, MA: UpToDate; Mar 07, 2024. Literature through Aug 2024.
  33. Graber, E. Acne Vulgaris: Overview of Management. In: *UpToDate Online Journal* [serial online]. Waltham, MA: UpToDate; updated Jul 30, 2024. Literature through Aug 2024.
  34. Dover J, Batra P. Light-based, adjunctive, and other therapies for acne vulgaris. In: *UpToDate Online Journal* [serial online]. Waltham, MA: UpToDate updated Oct 25, 2021
  35. Berman B. Treatment of Actinic Keratosis. In: *UpToDate Online Journal* [serial online]. Waltham, MA: UpToDate; updated Feb 23, 2023
  36. Soleymani T, Lanoue J, Rahman Z. A Practical Approach to Chemical Peels: A Review of Fundamentals and Step-by-step Algorithmic Protocol for Treatment. *J Clin Aesthet Dermatol.* 2018;11(8):21-28.



## MEDICAL POLICY

<b>POLICY TITLE</b>	<b>COSMETIC AND RECONSTRUCTIVE SURGERY</b>
<b>POLICY NUMBER</b>	<b>MP 1.004</b>

37. Al-Talib H, Al-Khateeb A, Hameed A, Murugaiah C. Efficacy and safety of superficial chemical peeling in treatment of active acne vulgaris. *An Bras Dermatol*. 2017;92(2):212-216. doi:10.1590/abd1806-4841.20175273
38. Bhattacharyya N. Nasal Obstruction: Diagnosis and Management. In: *UpToDate Online Journal* [serial online]. Waltham, MA: UpToDate; updated Jun 06, 2024. Literature review through Aug 2024.
39. Jaroszewski D, Notrica D, McMahon L, Steidley DE, Deschamps C. Current management of pectus excavatum: a review and update of therapy and treatment recommendations. *J Am Board Fam Med*. 2010;23(2):230-239. PMID: 20207934
40. Saedi, N. Management of acne scars. In: *UpToDate Online Journal* [serial online]. Waltham, MA: UpToDate; updated Jan 07, 2022. Literature review through Aug 2024.
41. AAD/ACMS/ASDSA/ASMS 2012 appropriate use criteria for Mohs micrographic surgery: A report of the American Academy of Dermatology, American College of Mohs Surgery, American Society for Dermatologic Surgery Association, and the American Society for Mohs Surgery Connolly, Suzanne M. et al. *Journal of the American Academy of Dermatology*, Volume 67, Issue 4, 531 – 550
42. NCCN Clinical Practice Guidelines in Oncology (NCCN Guidelines®) for Melanoma, Version 3. 2024.
43. Srinivasan DG, Hegde J, Ramasamy K, et al. Comparison of the Efficacy of Septoplasty with Nonsurgical Management in Improving Nasal Obstruction in Patients with Deviated Nasal Septum - A Randomized Clinical Trial. *Int Arch Otorhinolaryngol*. 2021;26(2):e226-e232. Published 2021 Aug 23. doi:10.1055/s-0041-1730993. PMID: 35602281
44. Blue Cross Blue Shield Association Medical Policy Reference Manual, 8.01.16. Chemical Peels. January 2024.

### X. POLICY HISTORY

[TOP](#)

<b>MP 1.004</b>	<b>06/01/2020 Administrative Update.</b> Code J0591 added per new code review. Product, Benefit, and Disclaimer updated.
	<b>08/20/2020 Minor Review.</b> Policy statement revised. Language for secondary septoplasty and rhinoplasty added. Added “dermal fillers are considered cosmetic and therefore not medically necessary”. Added “grafting of autologous fat for indications other than the medically necessary criteria outlined in MP 1.002, Augmentation Mammoplasty, is considered cosmetic and therefore not medically necessary”. Coding updated: CPT 30520 added (covered when medically necessary); 15773 and 15774 added (cosmetic). References updated.
	<b>07/30/2021 Minor Review.</b> Removal of “a cardiologist or pulmonologist concurs with the need for surgical correction” from guidelines for pectus excavatum. References reviewed and updated. Added codes 15771 and 15772 to not covered.
	<b>01/05/2022 Consensus Review.</b> No change to policy statement. References reviewed and updated. Cross-references updated. Product Variations updated.
	<b>10/05/2023 Administrative Update.</b> Added 0479T and 0480T to MN coding table.
	<b>12/29/2023 Consensus Review.</b> No change to policy statement. Reformatting for clarity, updated references.

## MEDICAL POLICY

POLICY TITLE	COSMETIC AND RECONSTRUCTIVE SURGERY
POLICY NUMBER	MP 1.004

	<b>09/25/2024 Minor Review.</b> Updated wording of reconstructive surgery. Added facial prosthesis as medically necessary with criteria, otherwise considered cosmetic. All “not medically necessary” statements updated to “investigational.” CPT codes 21087 and 21088 added as MN. Updated references.
--	---

[Top](#)

*Health care benefit programs issued or administered by Capital Blue Cross and/or its subsidiaries, Capital Advantage Insurance Company®, Capital Advantage Assurance Company®, and Keystone Health Plan® Central. Independent licensees of the BlueCross BlueShield Association. Communications issued by Capital Blue Cross in its capacity as administrator of programs and provider relations for all companies.*