

MEDICAL POLICY

POLICY TITLE	ENDOVASCULAR GRAFTS FOR ABDOMINAL AORTIC ANEURYSMS
POLICY NUMBER	MP 1.090

CLINICAL BENEFIT	☐ MINIMIZE SAFETY RISK OR CONCERN. ☐ MINIMIZE HARMFUL OR INEFFECTIVE INTERVENTIONS. ☐ ASSURE APPROPRIATE LEVEL OF CARE. ☐ ASSURE APPROPRIATE DURATION OF SERVICE FOR INTERVENTIONS. ☒ ASSURE THAT RECOMMENDED MEDICAL PREREQUISITES HAVE BEEN MET. ☐ ASSURE APPROPRIATE SITE OF TREATMENT OR SERVICE.
Effective Date:	RETIRED 11/1/2026

[POLICY
RATIONALE
CODING INFORMATION](#)

[PRODUCT VARIATIONS
DEFINITIONS
REFERENCES](#)

[DESCRIPTION/BACKGROUND
DISCLAIMER
POLICY HISTORY](#)

I. POLICY

Abdominal Aortic Aneurysm Repair

The use of endoprotheses approved by the U.S. Food and Drug Administration (FDA) as a treatment of abdominal aortic aneurysms (AAA) may be considered **medically necessary** in any of the following clinical situations:

- An aneurysmal diameter greater than 5.0 cm **OR**
- An aneurysmal diameter of 4.0 - 5.0 cm that has increased in size by 0.5 cm in the last 6 months; **OR**
- An aneurysmal diameter that measures twice the size of the normal infrarenal aorta; **OR**
- A ruptured abdominal aortic aneurysm (see Policy Guidelines section)

The use of endoprotheses approved by the FDA as a treatment of AAAs is considered **investigational** when the above criteria are not met, including but not limited to the following clinical situations:

- Treatment of smaller aneurysms that do not meet the current recommended threshold for surgery
- Treatment of aneurysms that do meet the recommended threshold for surgery in individuals who are ineligible for open repair due to physical limitations or other factors.

There is insufficient evidence to support a general conclusion concerning the health outcomes or benefits associated with this procedure for the above indications.

Cross-Reference:

MP 1.132 Endovascular Stent Grafts for Disorders of the Thoracic Aorta

MEDICAL POLICY

POLICY TITLE	ENDOVASCULAR GRAFTS FOR ABDOMINAL AORTIC ANEURYSMS
POLICY NUMBER	MP 1.090

POLICY GUIDELINES

For treatment of ruptured abdominal aortic aneurysms with endoprotheses, several factors must be considered including the following:

- The member must be sufficiently stable to undergo detailed computed tomography examination for anatomic measurements,
- The aneurysm should be anatomically appropriate for endovascular repair, and
- Specialized personnel should be available.

To monitor for leaking of the graft after implantation, patients will typically undergo routine imaging with computed tomography or ultrasonography every 6 to 12 months, or more frequently if perivascular leaks or aneurysm enlargement are detected.

II. PRODUCT VARIATIONS

[TOP](#)

This policy is only applicable to certain programs and products administered by Capital Blue Cross and subject to benefit variations as discussed in Section VI. Please see additional information below.

FEP PPO - Refer to FEP Medical Policy Manual. The FEP Medical Policy manual can be found at: <https://www.fepblue.org/benefit-plans/medical-policies-and-utilization-management-guidelines/medical-policies>.

III. DESCRIPTION/BACKGROUND

[TOP](#)

Management of a clinically significant abdominal aortic aneurysm (AAA) consists of surgical excision with the placement of a sutured woven graft or endovascular grafting. Surgical excision is associated with a perioperative mortality rate between 1% and 5%. Perioperative morbidity and mortality are highest in older female patients with cardiac, pulmonary, or kidney disease; the most common cause of death is multisystem organ failure.

Due to the high mortality rate, endovascular prostheses have been developed as a less risky and minimally invasive, catheter-based alternative to open surgical excision of AAAs. These devices are deployed across the aneurysm such that the aneurysm is effectively “excluded” from the circulation, with subsequent restoration of normal blood flow.

The main potential advantage of endovascular grafts for an AAA is that they offer a less invasive and less risky approach to the repair of abdominal aneurysms. While the use of an endovascular approach has the potential to reduce the relatively high perioperative morbidity and mortality associated with open AAA repair, use of endovascular grafts also has potential disadvantages. There are concerns about the durability of the anchoring system, aneurysm expansion, and other late complications related to the prosthetic graft. Aneurysm expansion may result from perivascular leaks, also known as endoleaks, which are a unique complication of endoprotheses. Perivascular leaks may result from an incompetent seal at one of the graft

MEDICAL POLICY

POLICY TITLE	ENDOVASCULAR GRAFTS FOR ABDOMINAL AORTIC ANEURYSMS
POLICY NUMBER	MP 1.090

attachment sites, blood flow in aneurysm tributaries (these tributaries are ligated during open surgery), or perforation of graft fabric.

Several types of grafts are currently in use: straight grafts, in which both ends are anchored to the infrarenal aorta, and bifurcated grafts, in which the proximal end is anchored to the infrarenal aorta, and the distal ends are anchored to the iliac arteries. Fenestrated grafts have also been investigated. These grafts are designed with openings in the wall that can be placed across the renal or celiac arteries while still protecting vessel patency through these critical arteries. Also, extensions can be placed from inside the main endograft body into the visceral arteries to create a hemostatic seal.

REGULATORY STATUS

A large number of endovascular grafts have been approved by the U.S. Food and Drug Administration (FDA) through the premarket approval (PMA) process for treatment of AAAs (see Table 1). The original PMA dates are shown. Most stents have undergone device modification, name changes, and have approved supplements to the original PMA. FDA product code MIH.

Table 1. Abdominal Aortic Stent Grafts Approved by FDA

Stent Name	PMA Applicant	Approved	PMA No.
AneuRx® Prosthesis System (AneuRx AAAAdvantage Stent Graft)	Medtronic Vascular	1999	P990020
Ancure® Aortoiliac System	Guidant Endovascular Technologies	2002	P990017
Gore® Excluder®	W.L. Gore & Associates	2002	P020004
Zenith® AAA Endovascular Graft	Cook	2003	P020018
Endologix Powerlink® (Afx Endovascular AAA system)	Endologix	2004	P040002
Talent® Abdominal Stent Graft System	Medtronic	2008	P070027
Endurant® II AAA Stent Graft System	Medtronic	2010	P100021
Valiant Thoracic Stent Graft System	Medtronic	2011	P100040
Relay Thoracic Stent-Graft with Plus Delivery System	Bolton Medical	2012	P110038
Ovation™ Abdominal Stent Graft System	TriVascular	2012	P120006

MEDICAL POLICY

POLICY TITLE	ENDOVASCULAR GRAFTS FOR ABDOMINAL AORTIC ANEURYSMS
POLICY NUMBER	MP 1.090

Aorfix™ AAA Flexible Stent Graft System	Lombard Medical	2013	P110032
Incraft® AAA Stent Graft System	Cordis	2018	P150002
TREO® Abdominal Stent-Graft System	Bolton Medical, Inc.	2020	P190015
Alto™ Abdominal Stent Graft System	Endologix, Inc.	2020	P120006/S031

FDA: Food and Drug Administration; PMA: premarket approval.

IV. RATIONALE

[TOP](#)

SUMMARY OF EVIDENCE

For individuals who have AAAs eligible for open repair who receive endovascular stent grafts, the evidence includes randomized controlled trials (RCTs), systematic reviews of RCTs and cohort studies, and nonrandomized comparative studies. Relevant outcomes are overall survival, morbid events, and treatment-related mortality and morbidity. Evidence from a patient-level meta-analysis of 4 RCTs comparing endovascular aneurysm repair (EVAR) with open repair for elective treatment of AAAs has indicated that neither approach is clearly superior to the other. While EVAR is associated with an early reduction in mortality, outcomes at 5 years or longer have shown greater reintervention rates and endovascular mortality and comparable overall survival rates for EVAR and open repair. Thus, the early advantage of EVAR is offset by a higher rate of late complications over the long term. Based on these data, EVAR may be considered as an alternative to open surgery in patients who are candidates for both procedures. The evidence is sufficient to determine that the technology results in a meaningful improvement in the net health outcome.

For individuals who have ruptured AAAs who receive endovascular stent grafts, the evidence includes RCTs, systematic reviews of RCTs and nonrandomized comparative studies. Relevant outcomes are overall survival, morbid events, and treatment-related mortality and morbidity. For patients with ruptured AAAs, evidence from 4 RCTs and a patient-level meta-analysis has indicated that short- and intermediate-term survival following EVAR is comparable with open repair. Evidence from RCTs and nonrandomized matched comparisons has shown that EVAR is associated with lower perioperative morbidity. The evidence is sufficient to determine that the technology results in a meaningful improvement in the net health outcome.

For individuals who have AAAs ineligible for open repair who receive endovascular stent grafts, the evidence includes RCTs. Relevant outcomes are overall survival, morbid events, and treatment-related mortality and morbidity. At least 2 RCTs have compared EVAR with no surgical intervention for patient's ineligible for open repair, either because of aneurysm size or prohibitive surgical risk. These trials did not report superior outcomes with EVAR and thus do not support the use of EVAR in this population. One retrospective database analysis suggests a likely benefit to EVAR in patients deemed unfit for open AAA repair, which may be reserved for those with

MEDICAL POLICY

POLICY TITLE	ENDOVASCULAR GRAFTS FOR ABDOMINAL AORTIC ANEURYSMS
POLICY NUMBER	MP 1.090

lower Gagne Indices, larger AAA diameters, and lack of frailty, while a propensity score-matched analysis indicates a long-term survival benefit with EVAR relative to conservative management in patients with AAA deemed unfit for open repair based on cardiopulmonary exercise testing. The evidence is insufficient to determine that the technology results in an improvement in the net health outcome.

V. DEFINITIONS

[TOP](#)

AORTA is the largest artery in the body, originating from the left ventricle of the heart and extending down to the abdomen, where it branches off into two smaller arteries (the common iliacs). The aorta distributes oxygenated blood to all parts of the body through the systemic circulation. It is usually divided into five segments/sections:

- Ascending aorta—the section between the heart and the arch of aorta
- Arch of aorta—the peak part that looks somewhat like an inverted "U"
- Descending aorta—the section from the arch of aorta to the point where it divides into the common iliac arteries
- Thoracic aorta—the half of the descending aorta above the diaphragm
Abdominal aorta—the half of the descending aorta below the diaphragm

STENT refers to any material or device used to hold tissue in place, to maintain open blood vessels, or to provide support for a graft or anastomoses while healing is taking place.

THORACIC refers to the chest or thorax.

VI. DISCLAIMER

[TOP](#)

Capital Blue Cross' medical policies are used to determine coverage for specific medical technologies, procedures, equipment, and services. These medical policies do not constitute medical advice and are subject to change as required by law or applicable clinical evidence from independent treatment guidelines. Treating providers are solely responsible for medical advice and treatment of members. These policies are not a guarantee of coverage or payment. Payment of claims is subject to a determination regarding the member's benefit program and eligibility on the date of service, and a determination that the services are medically necessary and appropriate. Final processing of a claim is based upon the terms of contract that applies to the members' benefit program, including benefit limitations and exclusions. If a provider or a member has a question concerning this medical policy, please contact Capital Blue Cross' Provider Services or Member Services.

VII. CODING INFORMATION

[TOP](#)

Note: This list of codes may not be all-inclusive, and codes are subject to change at any time. The identification of a code in this section does not denote coverage as coverage is determined

MEDICAL POLICY

POLICY TITLE	ENDOVASCULAR GRAFTS FOR ABDOMINAL AORTIC ANEURYSMS
POLICY NUMBER	MP 1.090

by the terms of member benefit information. In addition, not all covered services are eligible for separate reimbursement.

Covered when medically necessary:

Procedure Codes							
34701	34702	34703	34704	34705	34706	34707	34708
34709	34711	34712	34713	34714	34715	34716	34717
34718	34808	34812	34813	34820	34833	34834	34839
34841	34842	34843	34844	34845	34846	34847	34848
36200	36245						

ICD-10-CM Diagnosis Codes	Description
I71.00	Dissection of unspecified site of aorta
I71.02	Dissection of abdominal aorta
I71.03	Dissection of thoracoabdominal aorta
I71.30	Abdominal aortic aneurysm, ruptured, unspecified
I71.31	Pararenal abdominal aortic aneurysm, ruptured
I71.32	Juxtarenal abdominal aortic aneurysm, ruptured
I71.33	Infrarenal abdominal aortic aneurysm, ruptured
I71.40	Abdominal aortic aneurysm, without rupture, unspecified
I71.41	Pararenal abdominal aortic aneurysm, without rupture
I71.42	Juxtarenal abdominal aortic aneurysm, without rupture
I71.43	Infrarenal abdominal aortic aneurysm, without rupture
I71.50	Thoracoabdominal aortic aneurysm, ruptured, unspecified
I71.51	Supraceliac aneurysm of the abdominal aorta
I71.52	Paravisceral aneurysm of the abdominal aorta, ruptured
I71.60	Thoracoabdominal aortic aneurysm, without rupture, unspecified
I71.61	Supraceliac aneurysm of the abdominal aorta, without rupture
I71.62	Paravisceral aneurysm of the abdominal aorta, without rupture
I71.9	Aortic aneurysm of unspecified site, without rupture
I72.3	Aneurysm of iliac artery

Covered when medically necessary for a diagnosis from Table 2

Procedure Codes

MEDICAL POLICY

POLICY TITLE	ENDOVASCULAR GRAFTS FOR ABDOMINAL AORTIC ANEURYSMS
POLICY NUMBER	MP 1.090

34710*	34830	34831	34832				
--------	-------	-------	-------	--	--	--	--

Table 2

ICD-10-CM Diagnosis Codes	Description
I71.00	Dissection of unspecified site of aorta
I71.02	Dissection of abdominal aorta
I71.03	Dissection of thoracoabdominal aorta
I71.30	Abdominal aortic aneurysm, ruptured, unspecified
I71.33	Infrarenal abdominal aortic aneurysm, ruptured
I71.40	Abdominal aortic aneurysm, without rupture, unspecified
I71.43	Infrarenal abdominal aortic aneurysm, without rupture
I71.9	Aortic aneurysm of unspecified site, without rupture
I72.3*	Aneurysm of iliac artery

* This is the only procedure code that includes ICD10 I72.3.

IX. REFERENCES

[TOP](#)

1. Blum U, Voshage G, Lammer J, et al. Endoluminal stent-grafts for infrarenal abdominal aortic aneurysms. *N Engl J Med.* Jan 2 1997;336(1):13-20. PMID 8970935
2. Ernst CB. Current therapy for infrarenal aortic aneurysms. *N Engl J Med.* Jan 2 1997;336(1):59-60. PMID 8970942
3. White RA, Donayre CE, Walot I, et al. Modular bifurcation endoprosthesis for treatment of abdominal aortic aneurysms. *Ann Surg.* Sep 1997;226(3):381-389; discussion 389-391. PMID 9339944
4. Zarins CK, White RA, Schwarten D, et al. AneuRx stent graft versus open surgical repair of abdominal aortic aneurysms: multicenter prospective clinical trial. *J Vasc Surg.* Feb 1999;29(2):292-305; discussion 306-298. PMID 9950987
5. Endovascular aneurysm repair versus open repair in patients with abdominal aortic aneurysm (EVAR trial 1): randomised controlled trial. *Lancet.* Jun 2005; 365(9478): 2179-86. PMID 15978925
6. Blankensteijn JD, de Jong SE, Prinssen M, et al. Two-year outcomes after conventional or endovascular repair of abdominal aortic aneurysms. *N Engl J Med.* Jun 9 2005;352(23):2398-2405. PMID 15944424
7. Endovascular aneurysm repair and outcome in patients unfit for open repair of abdominal aortic aneurysm (EVAR trial 2): randomised controlled trial. *Lancet.* Jun 2005; 365(9478): 2187-92. PMID 15978926
8. Greenhalgh RM, Brown LC, Kwong GP, et al. Comparison of endovascular aneurysm repair with open repair in patients with abdominal aortic aneurysm (EVAR trial 1), 30-day

MEDICAL POLICY

POLICY TITLE	ENDOVASCULAR GRAFTS FOR ABDOMINAL AORTIC ANEURYSMS
POLICY NUMBER	MP 1.090

- operative mortality results: randomised controlled trial. Lancet. Sep 4-10 2004;364(9437):843-848. PMID 15351191*
9. *Prinssen M, Verhoeven EL, Buth J, et al. A randomized trial comparing conventional and endovascular repair of abdominal aortic aneurysms. N Engl J Med. Oct 14 2004;351(16):1607-1618. PMID 15483279*
 10. *Anderson PL, Arons RR, Moskowitz AJ, et al. A statewide experience with endovascular abdominal aortic aneurysm repair: rapid diffusion with excellent early results. J Vasc Surg. Jan 2004;39(1):10-19. PMID 14718804*
 11. *Hua HT, Cambria RP, Chuang SK, et al. Early outcomes of endovascular versus open abdominal aortic aneurysm repair in the National Surgical Quality Improvement Program-Private Sector (NSQIP-PS). J Vasc Surg. Mar 2005;41(3):382-389. PMID 15838467*
 12. *Lee WA, Carter JW, Upchurch G, et al. Perioperative outcomes after open and endovascular repair of intact abdominal aortic aneurysms in the United States during 2001. J Vasc Surg. Mar 2004;39(3):491-496. PMID 14981436*
 13. *Paravastu SC, Jayarajasingam R, Cottam R, et al. Endovascular repair of abdominal aortic aneurysm. Cochrane Database Syst Rev. Jan 23 2014;1(1):CD004178. PMID 24453068*
 14. *Powell JT, Sweeting MJ, Ulug P, et al. Meta-analysis of individual-patient data from EVAR-1, DREAM, OVER and ACE trials comparing outcomes of endovascular or open repair for abdominal aortic aneurysm over 5 years. Br J Surg. Feb 2017;104(3):166-178. PMID 28160528*
 15. *Biancari F, Catania A, D'Andrea V. Elective endovascular vs. open repair for abdominal aortic aneurysm in patients aged 80 years and older: systematic review and meta-analysis. Eur J Vasc Endovasc Surg. Nov 2011;42(5):571-576. PMID 21820922*
 16. *Ulug P, Sweeting MJ, von Allmen RS, et al. Morphological suitability for endovascular repair, non-intervention rates, and operative mortality in women and men assessed for intact abdominal aortic aneurysm repair: systematic reviews with meta-analysis. Lancet. Jun 24 2017;389(10088):2482-2491. PMID 28455148*
 17. *Lederle FA, Freischlag JA, Kyriakides TC, et al. Long-term comparison of endovascular and open repair of abdominal aortic aneurysm. N Engl J Med. Nov 22 2012;367(21):1988-1997. PMID 23171095*
 18. *De Bruin JL, Baas AF, Buth J, et al. Long-term outcome of open or endovascular repair of abdominal aortic aneurysm. N Engl J Med. May 20 2010;362(20):1881-1889. PMID 20484396*
 19. *Greenhalgh RM, Brown LC, Powell JT, et al. Endovascular versus open repair of abdominal aortic aneurysm. N Engl J Med. May 20 2010;362(20):1863-1871. PMID 20382983*
 20. *Brown LC, Thompson SG, Greenhalgh RM, et al. Incidence of cardiovascular events and death after open or endovascular repair of abdominal aortic aneurysm in the randomized EVAR trial 1. Br J Surg. Jul 2011;98(7):935-942. PMID 21484775*
 21. *Becquemin JP, Pillet JC, Lescalie F, et al. A randomized controlled trial of endovascular aneurysm repair versus open surgery for abdominal aortic aneurysms in low- to moderate-risk patients. J Vasc Surg. May 2011;53(5):1167-1173 e1161. PMID 21276681*

MEDICAL POLICY

POLICY TITLE	ENDOVASCULAR GRAFTS FOR ABDOMINAL AORTIC ANEURYSMS
POLICY NUMBER	MP 1.090

22. Schermerhorn ML, Buck DB, O'Malley AJ, et al. Long-term outcomes of abdominal aortic aneurysm in the Medicare population. *N Engl J Med.* Jul 23 2015;373(4):328-338. PMID 26200979
23. Liang NL, Reitz KM, Makaroun MS, et al. Comparable perioperative mortality outcomes in younger patients undergoing elective open and endovascular abdominal aortic aneurysm repair. *J Vasc Surg.* May 2018;67(5):1404-1409 e1402. PMID 29097041
24. Krenzien F, Matia I, Wiltberger G, et al. Outcome after open surgery repair in endovascular-suitable patients with ruptured abdominal aortic aneurysms. *Vasa.* Nov 2013;42(6):442-448. PMID 24220121
25. Sweeting MJ, Balm R, Desgranges P, et al. Individual-patient meta-analysis of three randomized trials comparing endovascular versus open repair for ruptured abdominal aortic aneurysm. *Br J Surg.* Sep 2015;102(10):1229-1239. PMID 26104471
26. Badger S, Forster R, Blair PH, et al. Endovascular treatment for ruptured abdominal aortic aneurysm. *Cochrane Database Syst Rev.* May 26 2017;5:Cd005261. PMID 28548204
27. Powell JT, Sweeting MJ, Thompson MM, et al. Endovascular or open repair strategy for ruptured abdominal aortic aneurysm: 30 day outcomes from IMPROVE randomised trial. *BMJ.* Jan 13 2014; 348: f7661. PMID 244189500
28. Braithwaite B, Cheshire NJ, Greenhalgh RM, et al. Endovascular strategy or open repair for ruptured abdominal aortic aneurysm: one-year outcomes from the IMPROVE randomized trial. *Eur Heart J.* Aug 14 2015; 36(31): 2061-2069. PMID 25855369
29. Reimerink JJ, Hoornweg LL, Vahl AC, et al. Endovascular repair versus open repair of ruptured abdominal aortic aneurysms: a multicenter randomized controlled trial. *Ann Surg.* Aug 2013;258(2):248-256. PMID 23549424
30. Desgranges P, Kobeiter H, Katsahian S, et al. ECAR (Endovasculaire ou Chirurgie dans les Anevrysmes aorto-iliaques Rompus): A French randomized controlled trial of endovascular versus open surgical repair of ruptured aorto-iliac aneurysms. *Eur J Vasc Endovasc Surg.* Sep 2015;50(3):303-310. PMID 26001320
31. Edwards ST, Schermerhorn ML, O'Malley AJ, et al. Comparative effectiveness of endovascular versus open repair of ruptured abdominal aortic aneurysm in the Medicare population. *J Vasc Surg.* Mar 2014;59(3):575-582. PMID 24342064
32. Filardo G, Powell JT, Martinez MA, et al. Surgery for small asymptomatic abdominal aortic aneurysms. *Cochrane Database Syst Rev.* Mar 14 2012;3(3):CD001835. PMID 22419281
33. Cao P, De Rango P, Verzini F, et al. Comparison of surveillance versus aortic endografting for small aneurysm repair (CAESAR): results from a randomised trial. *Eur J Vasc Endovasc Surg.* Jan 2011;41(1):13-25. PMID 20869890
34. Ouriel K, Clair DG, Kent KC, et al. Endovascular repair compared with surveillance for patients with small abdominal aortic aneurysms. *J Vasc Surg.* May 2010;51(5):1081-1087. PMID 20304589
35. De Rango P, Verzini F, Parlani G, et al. Quality of life in patients with small abdominal aortic aneurysm: the effect of early endovascular repair versus surveillance in the CAESAR trial. *Eur J Vasc Endovasc Surg.* Mar 2011;41(3):324-331. PMID 21145269
36. Greenhalgh RM, Brown LC, Powell JT, et al. Endovascular repair of aortic aneurysm in patients physically ineligible for open repair. *N Engl J Med.* May 20 2010;362(20):1872-1880. PMID 20382982

MEDICAL POLICY

POLICY TITLE	ENDOVASCULAR GRAFTS FOR ABDOMINAL AORTIC ANEURYSMS
POLICY NUMBER	MP 1.090

37. Wilt TJ, Lederle FA, Macdonald R, et al. Comparison of endovascular and open surgical repairs for abdominal aortic aneurysm. *Evid Rep Technol Assess (Full Rep)*. Aug 2006(144):1-113. PMID 17764213
38. Sweeting MJ, Patel R, Powell JT, et al. Endovascular repair of abdominal aortic aneurysm in patients physically ineligible for open repair: very long-term follow-up in the EVAR-2 randomized controlled trial. *Ann Surg*. Nov 2017;266(5):713-719. PMID 28742684
39. Rooke TW, Hirsch AT, Misra S, et al. 2011 ACCF/AHA focused update of the guideline for the management of patients with peripheral artery disease (updating the 2005 guideline): a report of the American College of Cardiology Foundation/American Heart Association Task Force on Practice Guidelines. *J Am Coll Cardiol*. Nov 1 2011;58(19):2020-2045. PMID 21963765
40. Hirsch AT, Haskal ZJ, Hertzner NR, et al. ACC/AHA 2005 guidelines for the management of patients with peripheral arterial disease (lower extremity, renal, mesenteric, and abdominal aortic): executive summary a collaborative report from the American Association for Vascular Surgery/Society for Vascular Surgery, Society for Cardiovascular Angiography and Interventions, Society for Vascular Medicine and Biology, Society of Interventional Radiology, and the ACC/AHA Task Force on Practice Guidelines (Writing Committee to Develop Guidelines for the Management of Patients With Peripheral Arterial Disease) endorsed by the American Association of Cardiovascular and Pulmonary Rehabilitation; National Heart, Lung, and Blood Institute; Society for Vascular Nursing; TransAtlantic Inter-Society Consensus; and Vascular Disease Foundation. *J Am Coll Cardiol*. Mar 21 2006;47(6):1239-1312. PMID 16545667
41. Walker TG, Kalva SP, Yeddula K, et al. Clinical practice guidelines for endovascular abdominal aortic aneurysm repair: written by the Standards of Practice Committee for the Society of Interventional Radiology and endorsed by the Cardiovascular and Interventional Radiological Society of Europe and the Canadian Interventional Radiology Association. *J Vasc Interv Radiol*. Nov 2010;21(11):1632-1655. PMID 20884242
42. Chaikof EL, Dalman RL, Eskandari MK, et al. The Society for Vascular Surgery practice guidelines on the care of patients with an abdominal aortic aneurysm. *J Vasc Surg*. Jan 2018;67(1):2-77.e72. PMID 29268916
43. Bulder RMA, Bastiaannet E, Hamming JF, et al. Meta-analysis of long-term survival after elective endovascular or open repair of abdominal aortic aneurysm. *Br J Surg*. Apr 2019; 106(5): 523-533. PMID 30883709
44. Chen ZG, Tan SP, Diao YP, et al. The long-term outcomes of open and endovascular repair for abdominal aortic aneurysm: A meta-analysis. *Asian J Surg*. Oct 2019; 42(10): 899-906. PMID 30914154
45. Li B, Khan S, Salata K, et al. A systematic review and meta-analysis of the long-term outcomes of endovascular versus open repair of abdominal aortic aneurysm. *J Vasc Surg*. Sep 2019; 70(3): 954-969.e30. PMID 31147117
46. Lederle FA, Kyriakides TC, Stroupe KT, et al. Open versus Endovascular Repair of Abdominal Aortic Aneurysm. *N Engl J Med*. May 30 2019; 380(22): 2126-2135. PMID 31141634

MEDICAL POLICY

POLICY TITLE	ENDOVASCULAR GRAFTS FOR ABDOMINAL AORTIC ANEURYSMS
POLICY NUMBER	MP 1.090

47. van Beek SC, Reimerink JJ, Vahl AC, et al. Outcomes after open repair for ruptured abdominal aortic aneurysms in patients with friendly versus hostile aortoiliac anatomy. *Eur J Vasc Endovasc Surg.* Apr 2014; 47(4): 380-7. PMID 24485844
48. Soden PA, Zettervall SL, Ultee KH, et al. Outcomes for symptomatic abdominal aortic aneurysms in the American College of Surgeons National Surgical Quality Improvement Program. *J Vasc Surg.* 2016;64(2):297-305. doi:10.1016/j.jvs.2016.02.055
49. Wanhainen A, et al., European Society for Vascular Surgery (ESVS) 2019 Clinical Practice Guidelines on the Management of Abdominal Aorto-iliac Artery Aneurysms, *European Journal of Vascular and Endovascular Surgery* (2018)
50. Scheinert D, Schröder M., Steinkamp H, Ludwig J, Biamino G. Treatment of iliac artery aneurysms by percutaneous implantation of stent grafts. *Circulation.* 2000;102(suppl_3). doi:10.1161/circ.102.suppl_3.iii-253
51. Uberoi R, Tsetis D, Shrivastava V, Morgan R, Belli AM; Subcommittee on Reporting Standards for Arterial Aneurysms of The Society for Vascular Surgery. Standard of practice for the interventional management of isolated iliac artery aneurysms. *Cardiovasc Intervent Radiol.* 2011;34(1):3-13. doi:10.1007/s00270-010-0055-0
52. Kirkwood, M. Iliac Artery Aneurysm. In: UpToDate Online Journal [serial online]. Updated 07/26/22
53. Kirkwood, M. Surgical and endovascular repair of Iliac artery aneurysm. In: UpToDate Online Journal [serial online]. Updated 04/05/21
54. Isselbacher, E., Chen, E. P., Brown-Zimmerman, M. M., Bray, B. E., Braverman, A. C., Bolen, M. A., Beck, A. W., Augoustides, J. G., Black, J. H., & Preventza, O., et al(2022, November 2). 2022 ACC/AHA guideline for the diagnosis and management of aortic ... *Circulation.* <https://www.ahajournals.org/doi/full/10.1161/CIR.0000000000001106>

X. POLICY HISTORY

[TOP](#)

MP 1.090	01/01/2020 Administrative Update. Added new codes 34717 & 34718.
	02/21/2020 Consensus Review. Policy statement unchanged. References reviewed. Coding reviewed.
	01/19/2021 Consensus Review. Policy statement unchanged. Background and references updated.
	08/01/2022 Administrative Update. ICD10 codes updated
	08/05/2022 Consensus Review Policy statement unchanged. Updated background to include iliac artery aneurysms. Codes 34712 and 34713 added. ICD10 code I72.3 added. References update.
	05/18/2023 Minor Review. Moved statement “treatment of aneurysms that do meet the recommended threshold for surgery in patients who are ineligible for open repair due to physical limitations or other factors” from INV to MN. Updated background, references. No coding changes.
	05/17/2024 Consensus Review. No change to policy statement. References updated. Coding reviewed, no changes.

MEDICAL POLICY

POLICY TITLE	ENDOVASCULAR GRAFTS FOR ABDOMINAL AORTIC ANEURYSMS
POLICY NUMBER	MP 1.090

	02/07/2025 Minor review. Moved statement ““treatment of aneurysms that do meet the recommended threshold for surgery in patients who are ineligible for open repair due to physical limitations or other factors” from MN to INV. Updated background, rationale. No coding changes.
	06/23/2025 Administrative Update. Removed Benefit Variations Section and updated Disclaimer.
	06/01/2026 Retirement Review. Retire for InterQual management.

[Top](#)

Health care benefit programs issued or administered by Capital Blue Cross and/or its subsidiaries, Capital Advantage Insurance Company®, Capital Advantage Assurance Company® and Keystone Health Plan® Central. Independent licensees of the Blue Cross BlueShield Association. Communications issued by Capital Blue Cross in its capacity as administrator of programs and provider relations for all companies.